

PROBIOTIC RESTORATION- aethusa cynapium, allium sativum, baptisia tinctoria, capsicum annuum, carbo vegetabilis, chamomilla, cinchona officinalis, collinsonia canadensis, colcyntis, condurango, gambogia, gratiola officinalis, lac vaccinum, lacticum acidum, natrum carbonicum, nux vomica, podophyllum peltatum, sepia, silicea liquid King Bio Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Probiotic Restoration

Drug Facts

HPUS active ingredients

Aethusa cynapium, Allium sativum, Baptisia tinctoria, Capsicum annuum, Carbo vegetabilis, Chamomilla, Cinchona officinalis, Collinsonia canadensis, Colcyntis, Condurango, Gambogia, Gratiola officinalis, Lac vaccinum, Lacticum acidum, Natrum carbonicum, Nux vomica, Podophyllum peltatum, Sepia, Silicea.

Uses temporarily relieves symptoms of intestinal discomfort, such as: ■ diarrhea ■ abdominal tenderness ■ bloating ■ cramps ■ rumbling in bowels ■ flatulence ■ colic ■ constipation ■ nausea ■ hemorrhoids ■ irritated bowel ■ mucous inflammation.

Warnings

■ Stop use and consult a physician if symptoms worsen or persist for more than 7 days

■ If pregnant or breast-feeding, ask a healthcare professional before use.

■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

■ Initially, depress pump until primed. ■ Spray one dose directly into mouth. ■ Adults: 3 sprays 3 times per day. ■ Children ages 6-12: 2 sprays 3 times per day. ■ Consult a physician for use in children under 6 years of age. ■ Use additionally as needed, up to 6 times per day.

Uses temporarily relieves symptoms of intestinal discomfort, such as: ■ diarrhea ■ abdominal tenderness ■ bloating ■ cramps ■ rumbling in bowels ■ flatulence ■ colic ■ constipation ■ nausea ■ hemorrhoids ■ irritated bowel ■ mucous inflammation.

Other information

Tamper resistant for your protection. Use only if safety seal is intact.

Inactive ingredients

Bio-Energetically Enhanced™ pure water, citrus extract* (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), polylysine, Shagbark Hickory (Carya ovata) Bark Extract, steviol (Steviol glycosides).

Drug Facts

Active ingredients Purpose

*Equal volumes of each HPUS** ingredient in 10X, 30X, and 1LM potencies.*

Aethusa cynapium..... pain, colic

Allium sativumvoracious appetite, constipation
Baptisia tinctoria.....bad breath, sore abdomen
Capsicum annuumflatulence
Carbo vegetabilis..... nausea, burning, heaviness
and fullness in abdomen
Chamomillaflatulent colic, hot, watery, or slimy stools
Cinchona officinalis.....gas, milk intolerance
Collinsonia canadensis..... hemorrhoids, constipation
Colocynthis.....intestinal discomfort
Condurango..... stomach ulcerations
Gambogia.....abdominal pain, stomach mucus
Gratiola officinalis.....intestinal mucus, cramps and colic
Lac vaccinumbloating, sour taste in mouth, constipation
Lacticum acidumnausea, burning gas, mucus
Natrum carbonicum.....weak digestion
Nux vomica.....flatulence, colic
Podophyllum peltatum.....diarrhea, constipation, hemorrhoids
Sepiaflatulence with headache, constipation
Silicea.....rumbling in bowels


**“HPUS” indicates the active ingredients are in the official
Homeopathic Pharmacopeia of the United States

Questions? Call 866.298.2740
King Bio, Inc. • 3 Westside Drive
Asheville, NC 28806 USA
FDA Reg. #1053442
www.DrKings.com

Other information

Tamper resistant for your protection.
Use only if safety seal is intact.

aquaflora®



aquaflora®

Drug Facts (continued)


Other Information
Tamper resistant for your protection. Use only if safety seal is intact.

Inactive Ingredients
Bio-Energetically Enhanced™ pure water, citrus extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), polylysine, Shagbark Hickory (Carya ovata) Bark Extract, steviol (Steviol glycosides).

*Organic Ingredient


Doctors who specialize in the treatment of *Candida albicans* agree it can result in a broad spectrum of symptoms.

Take your Candida test at **DrKings.com**

 **kingbio**

The Healing Revolution is here.
Questions? Call 866.298.2740
King Bio, Inc. • 3 Westside Drive
Asheville, NC 28806 USA
FDA Reg. #1053442
www.DrKings.com


Dr. King's



aquaflora®

Since 1990

Dr. King's



aquaflora®

NDC-57955-3320-2

Drug Facts

Active Ingredients

Aethusa cynapium pain, colic
Allium sativum voracious appetite, constipation
Baptisia tinctoria bad breath, sore abdomen
Capsicum annuum flatulence
Carbo vegetabilis nausea, burning, heaviness and fullness in abdomen
Chamomilla flatulent colic, hot, watery, or slimy stools
Cinchona officinalis gas, milk intolerance
Collinsonia canadensis hemorrhoids, constipation
Colocynthis intestinal discomfort
Condurango stomach ulcerations
Gambogia abdominal pain, stomach mucus
Gratiola officinalis intestinal mucus, cramps and colic
Lac vaccinum bloating, sour taste in mouth, constipation
Lacticum acidum nausea, burning gas, mucus
Natrum carbonicum weak digestion
Nux vomica flatulence, colic
Podophyllum peltatum diarrhea, constipation, hemorrhoids
Sepia flatulence with headache, constipation
Silicea rumbling in bowels

***HPUS** indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

Uses temporarily relieves symptoms of intestinal discomfort, such as: ■ diarrhea ■ abdominal tenderness ■ bloating ■ cramps ■ rumbling in bowels ■ flatulence ■ colic ■ constipation ■ nausea ■ hemorrhoids ■ irritated bowel ■ mucous inflammation.

Warnings
■ Stop use and consult a physician if symptoms worsen or persist for more than 7 days.
■ If pregnant or breast-feeding, ask a healthcare professional before use.
■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions
■ Initially, depress pump until primed. ■ Spray one dose directly into mouth. ■ Adults: 3 sprays 3 times per day. ■ Children ages 6-12: 2 sprays 3 times per day. ■ Consult a physician for use in children under 6 years of age. ■ Use additionally as needed, up to 6 times per day.

Keep carton for complete drug facts and product information.

Probiotic Restoration™

For Temporary Relief of
Lower GI

Cramps & Bloating
Diarrhea
Constipation

Homeopathic
2 fl oz (59 mL)

Gluten Free, Less than 1% Alcohol


Probiotic Restoration™

For Temporary Relief of
Lower GI


Cramps & Bloating
Diarrhea
Constipation

Homeopathic
2 fl oz (59 mL)

Gluten Free
Less than 1% Alcohol



3 57955 23202 5



9-300-1848R01

PROBIOTIC RESTORATION			
aethusa cynapium, allium sativum, baptisia tinctoria, capsicum annuum, carbo vegetabilis, chamomilla, cinchona officinalis, collinsonia canadensis, colocynthis, condurango, gambogia, gratiola officinalis, lac vaccinum, lacticum acidum, natrum carbonicum, nux vomica, podophyllum peltatum, sepia, silicea liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57955-3320
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AETHUSA CYNAPIUM (UNII: M6936L953C) (AETHUSA CYNAPIUM - UNII:M6936L953C)	AETHUSA CYNAPIUM	10 [hp_X] in 59 mL	
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	10 [hp_X] in 59 mL	
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HWISWU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWISWU)	BAPTISIA TINCTORIA ROOT	10 [hp_X] in 59 mL	
CAPSICUM (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	10 [hp_X] in 59 mL	
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	10 [hp_X] in 59 mL	
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	10 [hp_X] in 59 mL	
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	10 [hp_X] in 59 mL	
COLLINSONIA CANADENSIS ROOT (UNII: O2630F3XDR) (COLLINSONIA CANADENSIS ROOT - UNII:O2630F3XDR)	COLLINSONIA CANADENSIS ROOT	10 [hp_X] in 59 mL	
CITRULLUS COLOCYNTHIS FRUIT PULP (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17)	CITRULLUS COLOCYNTHIS FRUIT PULP	10 [hp_X] in 59 mL	
MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA	MARSDENIA	10 [hp_X]	

CONDURANGO BARK - UNII:R23QIR6YBA)	CONDURANGO BARK	in 59 mL
GAMBOGE (UNII: 7556HJ7587) (GAMBOGE - UNII:7556HJ7587)	GAMBOGE	10 [hp_X] in 59 mL
GRATIOLA OFFICINALIS (UNII: BDD9991A36) (GRATIOLA OFFICINALIS - UNII:BDD9991A36)	GRATIOLA OFFICINALIS	10 [hp_X] in 59 mL
COW MILK (UNII: 917J3173FT) (COW MILK - UNII:917J3173FT)	COW MILK	10 [hp_X] in 59 mL
LACTIC ACID, DL- (UNII: 3B8D35Y7S4) (LACTIC ACID, DL- - UNII:3B8D35Y7S4)	LACTIC ACID, DL-	10 [hp_X] in 59 mL
SODIUM CARBONATE (UNII: 45P3261C7T) (CARBONATE ION - UNII:7UJQ5OPE7D)	SODIUM CARBONATE	10 [hp_X] in 59 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	10 [hp_X] in 59 mL
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	10 [hp_X] in 59 mL
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	10 [hp_X] in 59 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	10 [hp_X] in 59 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CARYA OVATA BARK (UNII: X765CF609L)	
CITRUS BIOFLAVONOIDS (UNII: BD70459I50)	
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)	
POLYEPSILON-LYSINE (4000 MW) (UNII: WB0M8X4TWR)	
REBAUDIOSIDE A (UNII: B3FUD0528F)	


Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57955-3320-2	1 in 1 CARTON	03/13/2018	
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

aquaflora®



aquaflora®


Drug Facts (continued)

Other Information
Tampier resistant for your protection. Use only if safety seal is intact.

Inactive Ingredients
Bio-Energetically Enhanced™ pure water, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid, Honeysuckle (Lonicera japonica), polylysine, Shagbark Hickory (Carya ovata) Bark Extract, steviol (Steviol glycosides).


***Organic Ingredient**

Doctors who specialize in the treatment of *Candida albicans* agree it can result in a broad spectrum of symptoms. Take your Candida test at **DrKings.com**



kingbio
The Healing Revolution is here.
Questions? Call 866.298.2740
King Bio, Inc. • 3 Westside Drive
Asheville, NC 28806 USA
FDA Reg. #1053442
www.drkings.com

Dr. King's




aquaflora®

Since 1990

NDC-57955-3320-2

Dr. King's



aquaflora®

NDC-57955-3320-2

Drug Facts

Active Ingredients
Equal volumes of each HPUS** ingredient in 10X, 30X, and 1LMF potencies.

Purpose

Aethusa cynapium pain, colic
 Allium sativum voracious appetite, constipation
 Baptisia tinctoria bad breath, sore abdomen
 Capsicum annuum flatulence
 Carbo vegetabilis nausea, burning, heaviness and fullness in abdomen
 Chamomilla flatulent colic, hot, watery, or slimy stools
 Cinchona officinalis gas, milk intolerance
 Collinsonia canadensis hemorrhoids, constipation
 Colocynthis intestinal discomfort
 Condurango stomach ulcerations
 Gambogia abdominal pain, stomach mucus
 Gratiola officinalis intestinal mucus, cramps and colic
 Lac vaccinum bloating, sour taste in mouth, constipation
 Lactium acidum nausea, burning gas, mucus
 Natrum carbonicum weak digestion
 Nux vomica flatulence, colic
 Podophyllum peltatum diarrhea, constipation, hemorrhoids
 Sepia flatulence with headache, constipation
 Silicea rumbling in bowels

**HPUS* indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States

Uses temporarily relieves symptoms of intestinal discomfort, such as: ■ diarrhea ■ abdominal tenderness ■ bloating ■ cramps ■ rumbling in bowels ■ flatulence ■ colic ■ constipation ■ nausea ■ hemorrhoids ■ irritated bowel ■ mucous inflammation.

Warnings
■ Stop use and consult a physician if symptoms worsen or persist for more than 7 days.
 ■ If pregnant or breast-feeding, ask a healthcare professional before use.
 ■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions
 ■ Initially, depress pump until primed. ■ Spray one dose directly into mouth. ■ Adults: 3 sprays 3 times per day. ■ Children ages 6-12: 2 sprays 3 times per day. ■ Consult a physician for use in children under 6 years of age. ■ Use additionally as needed, up to 6 times per day.

Keep carton for complete drug facts and product information.

Probiotic Restoration™

For Temporary Relief of

Lower GI

Cramps & Bloating
Diarrhea
Constipation

Homeopathic
2 fl oz (59 mL)

Gluten Free, Less than 1% Alcohol

Probiotic Restoration™


For Temporary Relief of

Lower GI


Cramps & Bloating
Diarrhea
Constipation

Homeopathic
2 fl oz (59 mL)

Gluten Free
Less than 1% Alcohol



3 57955 23202 5



9-300-1848R01

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/13/20 18	

Labeler - King Bio Inc. (617901350)

Registrant - King Bio Inc. (617901350)

Establishment			
Name	Address	ID/FEI	Business Operations
King Bio Inc.		617901350	api manufacture(57955-3320) , manufacture(57955-3320)

Revised: 10/2020

King Bio Inc.