# CHLORASEPTIC- menthol and benzocaine lozenge Prestige Brands Holdings, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Chloraseptic Cherry Lozenge**

## **Drug Facts**

## Active ingredients (in each lozenge)

Benzocaine 6 mg Menthol 10 mg

## **Purpose**

Oral pain reliever

Oral pain reliever

#### Uses

Temporarily relieves occasional minor irritation, pain, sore throat and sore mouth.

## Warnings

## Methemoglobinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy Alert:** Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

**Sore Throat Warning** Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly.

Do not use more than 2 days or give to children under 6 years of age unless directed by a doctor.

#### Do not use

- for teething
- in children under 6 years of age

## When using this product

do not exceed recommended dosage.

## Stop use and ask a dentist or doctor if:

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

## If pregnant or breast-feeding,

ask a health care professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- Adults and children 6 years and older: Take 1 lozenge every 2 hours as needed.
   Allow lozenges to dissolve slowly in the mouth.
- Children under 6 years: Do not use.

#### Other information

- store between 15<sup>o</sup> 30<sup>o</sup>C (59<sup>o</sup> 86<sup>o</sup>F)
- protect from moisture
- check expiration date before using

## Inactive ingredients

Corn syrup, FD&C red no. 40, flavor, glycerin, soy lecithin, sucrose, water

## Questions?

1-800-552-7932

#### PRINCIPAL DISPLAY PANEL

Chloraseptic®

Menthol | Benzocaine Oral Pain Reliever Lozenges



## **Drug Facts**

Active ingredients (in each lozenge) Purpose
Benzocaine 6 mg \_\_\_\_\_\_Oral pain reliever
Menthol 10 mg \_\_\_\_\_Oral pain reliever

Uses Temporarily relieves occasional minor irritation, pain, sore throat and sore mouth.

#### Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: 

pale, gray, or blue colored skin (cyanosis)

headache rapid heart rate shortness of breath dizziness or lightheadedness fatigue or lack of energy

Allergy Alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever,

## Drug Facts (continued)

headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 6 years of age unless directed by a doctor.

Do not use = for teething = in children under 6 years of age

When using this product do not exceed recommended dosage.

#### Stop use and ask a dentist or doctor if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children. In case of overdose,
get medical help or contact a Poison Control Center
(1-800-222-1222) right away.

Directions = Adults and children 6 years and older: Take 1 lozenge every 2 hours as needed, Allow lozenges to dissolve slowly in the mouth. = Children under 6 years: Do not use.

Other information Store between 15'-30"C (59'-86"F) Protect from moisture Check expiration date before using



Dist. by Medtech Products Inc. Tarrytown, NY 10591, a Prestige Consumer Healthcare company © 2021 Trade dress is owned by Medtech Products Inc. All rights reserved. Made in China CHUS028102

## Drug Facts (continued)

Inactive ingredients corn syrup, FD&C red no. 40, flavor, glycerin, soy lecithin, sucrose, water

Questions? 1-800-552-7932

\*as lozenge dissolves

## **CHLORASEPTIC**

menthol and benzocaine lozenge

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-021
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 mg
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	6 mg

Inactive Ingredients			
Ingredient Name	Strength		
CORN SYRUP (UNII: 9G5L16BK6N)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)			
SUCROSE (UNII: C151H8M554)			
WATER (UNII: 059QF0KO0R)			

Product Characteristics			
Color	red	Score	no score
Shape	OVAL	Size	4mm
Flavor	CHERRY	Imprint Code	С
Contains			

Packaging				
# Item Co	ode Package Desc	ription Marketing Start Date	Marketing End Date	
NDC:67172	1 in 1 CARTON	08/01/2010		
1	18 in 1 BLISTER PACK; Type 0 Product	: Not a Combination		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
part356	08/01/2010		
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date	

## Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 5/2023 Prestige Brands Holdings, Inc.