

**EZ2GO PEG 3350- polyethylene glycol 3350 powder**  
**Valley Medical Products,LLC**

-----  
**Drug Facts**

**Inactive Ingredients** none

**Active Ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Warnings**

**Allergy Alert:** Do not use if you are allergic to polyethylene glycol

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**When using this product,** you may have loose, watery, more frequent bowel movements

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use** if you are taking a prescription drug

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week
- side effects occur

**Keep out of reach of children.** In case of overdose, get medical help or contact a POISON CONTROL CENTER right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line
- adults and children 17 years of age and older:
  - fill to top of line in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) and then drink
  - use once a day
  - use no more than 7 days
- Children 16 years of age or under: ask a doctor

## Questions or comments?

1-800-403-9832

## Use

-relieves occasional constipation (irregularity)

-generally produces a bowel movement in 1 to 3 days

NEW EZ2go Bottle 3.25 x 8.pdf 6/19/2012 12:14:59 PM

**Compare to MiraLAX<sup>®</sup>** NDC 76470-006-06  
Original Prescription Strength

**ez2go**

**Polyethylene Glycol 3350 Powder for Oral Solution, Osmotic Laxative**

- Relieves Occasional Constipation (irregularity)
- Softens Stool

**14 ONCE-DAILY DOSES** NET WT 8.3 OZ (238 g)  
Valley Medical Products, LLC

**Drug Facts**

**Active Ingredient (in each dose)** Purpose  
Polyethylene Glycol 3350, 17 g (cap filled to line), .....Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days.

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol.

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor.

**Ask a doctor before use if you have:**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome.

**Ask a doctor or pharmacist before use if you are taking a prescription drug.**

**When using this product** you may have loose, watery, more frequent stools.

**Stop use and ask a doctor if:**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get dizziness
- you need to use a laxative for longer than 1 week
- side effects occur.

**Other Information**

- store at 20° - 25°C (68° - 77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Inactive Ingredients** none

**Questions or comments?**  
1-800-403-9832

**Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line
- adults and children 17 years of age and older:
  - fill to top of line in cap which is marked to indicate the correct dose (17 g)
  - dir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - use once a day
  - use no more than 7 days
- Children 16 years of age or under: ask a doctor

**Other Information**

- store at 20° - 25°C (68° - 77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Inactive Ingredients** none

**Questions or comments?**  
1-800-403-9832

**Dissolves in Any Beverage** **Sugar free**

**Code Area**  
DO NOT VARNISH

76470-006-06

Distributed by:  
Valley Medical Products, LLC, Ponte Vedra Beach, FL 32082

## EZ2GO PEG 3350

polyethylene glycol 3350 powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76470-006
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)		POLYETHYLENE GLYCOL 3350	17 g in 17 g	
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76470-006-06	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/20/2012	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA091077	10/20/2012		

**Labeler** - Valley Medical Products,LLC (969389407)

Revised: 9/2020

Valley Medical Products,LLC