

BENZOIN TINCTURE- benzoin resin liquid
Humco Holding Group, Inc.

Humco Benzoin Tincture, NF

Drug Facts

Active Ingredient

Benzoin

Purpose

Oral mucosal protectant

Use

Forms a coating over wound for protecting recurring canker sores

Warnings

For external use only. Do not swallow. Do not exceed recommended dosage.

When using this product

Children under 12 years of age should be supervised in the use of this product.

Do not use more than 7 days unless directed by a dentist or doctor.

Stop use and consult a dentist or doctor if

- sore mouth symptoms do not improve in 7 days.
- irritation, pain or redness persists or worsens.
- swelling, rash or fever develops.

Keep out of the reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

Adult and children 6 months of age and older: Dry the affected area, with cotton swab, apply undiluted to the affected area not more than every 2 hours.

Children under 6 months of age: Consult a dentist or doctor.

Inactive Ingredients

Alcohol 77%, Aloe, Stoax, tolu Balsam.

Questions or Comments?

1-800-662-3435

Principal Display Panel

Drug Facts

Active ingredients	Purpose
Benzoin.....	Oral mucosal protectant
Indications ■ Forms a coating over wound for protecting recurring canker sores	
Warnings	
■ Do not exceed recommended dosage	
When using this product	
■ Do not use for more than 7 days unless directed by a dentist or doctor	
Stop use and consult a dentist or doctor promptly if	
■ sore mouth symptoms do not improve in 7 days	
■ irritation, pain or redness persists or worsens	
■ swelling, rash or fever develops	
Continued ►	

**BENZOIN
TINCTURE**
ALCOHOL 79%

HUMCO
A trusted name
in home health care

**Safety Sealed
First Aid**

USP XV

ORAL
MUCOSAL
PROTECTANT

Flammable:
Keep from
spark,
heat or flame.

2 FL oz
(59 mL)

***Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.

(Drug facts continued)

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

■ **Adults and children 6 months of age and older:** Dry the affected area. Saturate a cotton applicator with medication. Apply the undiluted medication directly to the affected area. Do not use more often than every 2 hours.

■ **Children under 6 months of age:** Consult a dentist or doctor

Inactive ingredients ■ Alcohol 79%, Aloe, Storax, Tolu Balsam

Questions or Comments? ☎1-800-662-3435

REV13017
26272 05630
A34707 10 2023

BENZOIN TINCTURE

benzoin resin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-0247
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOIN RESIN (UNII: GK21SBA74R) (BENZOIN RESIN - UNII:GK21SBA74R)	BENZOIN RESIN	1000 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ALOE (UNII: V5VD430YW9)	
TOLU BALSAM (UNII: TD2LE91MBE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-0247-92	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/10/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	01/01/2008	

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-0247) , analysis(0395-0247) , pack(0395-0247) , label(0395-0247)

Revised: 12/2023

Humco Holding Group, Inc.