

RUGBY PAIN RELIEF PATCHES- lidocaine patch
RUGBY LABORATORIES

Rugby PAIN RELIEF PATCHES

Active Ingredients

Lidocaine 4% Topical Anesthetic

Purpose

Temporarily relieves minor pain.

Dosage and Administration

Directions Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use one patch for up to 12 hours. Children under 12 years of age: consult a physician.

Warnings

For external use only

Indications and Usage

Uses: Temporarily relieves minor pains.

When using this product

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use

- do not microwave

- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor

- condition worsens

- redness is present

- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Do not Use

- more than one patch on your body at a time

- on cut, irritated or swollen skin

- on puncture wounds

- for more than one week without consulting a doctor

- if you are allergic to any active or inactive ingredients

- if pouch is damaged or opened.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Other Safety Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Questions

TOLL-FREE

Customer Care Help Line
866-445-2158

DISTRIBUTED BY RUGBY HEALTH
Livonia, MI 48152

Made in China

Active Ingredient

Lidocaine 4.0%

Purpose

Topical anesthetic

Warnings

For external use only.

Do not use

- more than one patch on your body at a time
- on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened.

When using this product

use only as directed

- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not microwave
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor

- condition worsens

- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding

ask a health professional before use

Keep out of reach of children and pets

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Directions Adults and children 12 years of age and over:

- clean and dry affected area
- carefully remove backing from patch starting at a corner
- apply sticky side of patch to affected area
- use one patch for up to 12 hours.
 - Discard patch after single use
 - Children under 12 years of age: consult a physician.

Other safety information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol,

Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water



Lidocaine Pain Relief Patch 30ct



NDC 0536-1202-07

Lidocaine Pain Relief Patch

4%
Lidocaine | Topical Anesthetic



Drug Facts

Active ingredient: Lidocaine hydrochloride **Purpose:** Topical anesthetic.

Use: Temporarily relieves minor pain.

Warnings: For external use only. Do not use more than one patch on your body at a time. Do not cut, trim, or break a patch. Do not use on children under 12 years of age. Do not use on children under 12 years of age who are allergic to any drugs or inactive ingredients. Do not use on children under 12 years of age.

Directions: When using this product, use only as directed. Read and follow all directions and warnings on the carton. Do not use on children under 12 years of age. Do not use on children under 12 years of age who are allergic to any drugs or inactive ingredients. Do not use on children under 12 years of age who are allergic to any drugs or inactive ingredients. Do not use on children under 12 years of age who are allergic to any drugs or inactive ingredients. Do not use on children under 12 years of age who are allergic to any drugs or inactive ingredients. Do not use on children under 12 years of age who are allergic to any drugs or inactive ingredients.



Maximum OTC Strength
Lidocaine Pain Relief Patch
4%
Lidocaine Topical Anesthetic



Maximum OTC Strength
Lidocaine Pain Relief Patch
4%
Lidocaine | Topical Anesthetic
Desensitizes aggravated nerves and relieves pain
Unscented formula
Single-use patch
Flexible adhesive patch

NDC 0536-1202-07

Compare to the active ingredient in Aspercreme[®] Maximum Strength Lidocaine Patch!



Maximum OTC Strength
Lidocaine Pain Relief Patch
4%
Lidocaine Topical Anesthetic

30 Patches
3.93 in. x 5.51 in. (10 cm x 14 cm)



LOT
EXP

Child-Resistant Packaging
Model 051117
© 05/05/2020 V05 0006

RUGBY PAIN RELIEF PATCHES

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM (UNII: CPD4NFA903)	
GLYCERIN (UNII: PDC6A3C0OX)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (300000 MW) (UNII: A8371R0U5J)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1202-15	5 in 1 CARTON	04/01/2019	
1		9 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:0536-1202-07	30 in 1 CARTON	05/01/2021	
2		9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/01/2019	

Labeler - RUGBY LABORATORIES (079246066)

Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co., Ltd.,		529128763	manufacture(0536-1202)

Revised: 3/2024

RUGBY LABORATORIES