# DELSYM COUGH PLUS SORE THROAT- acetaminophen and dextromethorphan hydrobromide solution RB Health (US) LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

Delsym ®

**Cough+** ® **Sore Throat** 

**Drug Facts** 

| Active ingredients (in each 20 mL) | Purposes                    |
|------------------------------------|-----------------------------|
| Acetaminophen 650 mg               | Pain reliever/fever reducer |
| Dextromethorphan HBr 20 mg         | Cough suppressant           |

#### Uses

- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - minor aches and pains
  - sore throat
  - headache
- temporarily reduces fever

## **Warnings**

## Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

## Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## Ask a doctor before use if you have

- liver disease
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

### When using this product do not use more than directed

### Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs
  of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

## Keep out of reach of children.

## **Overdose warning**

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- do not take more than directed (see Overdose warning)
- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

- adults and children 12 years of age and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years of age: do not use

#### Other information

- each 20 mL contains: sodium 12 mg
- store at 20-25°C (68-77°F)
- do not refrigerate

#### **Inactive ingredients**

anhydrous citric acid, D&C yellow no. 10, edetate disodium, FD&C red no. 40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

## **Questions?**

#### 1-866-682-4639

You may also report side effects to this phone number.

Dist. by: RB Health (US) Parsippany, NJ 07054-0224

#### PRINCIPAL DISPLAY PANEL - 180 mL Bottle Label

NDC 63824-221-66

**NEW** 

Delsym ®

COUGH + ®

**SORE THROAT** 

Acetaminophen (Pain Reliever/Fever Reducer)

Dextromethorphan HBr (Cough Suppressant)

- calms cough
- relieves sore

throat pain


• soothing formula


6 fl oz (180 mL)

For Ages 12+

Honey







#### **DELSYM COUGH PLUS SORE THROAT**

acetaminophen and dextromethorphan hydrobromide solution

| Product Information             |                |                    |               |  |
|---------------------------------|----------------|--------------------|---------------|--|
| Product Type                    | HUMAN OTC DRUG | Item Code (Source) | NDC:63824-221 |  |
| Route of Administration         | ORAL           |                    |               |  |
|                                 |                |                    |               |  |
|                                 |                |                    |               |  |
| Active Ingredient/Active Moietv |                |                    |               |  |

| Active ingredient/Active Plotety                                   |                          |                    |  |
|--|--------------------------|--------------------|--|
| Ingredient Name  | <b>Basis of Strength</b> | Strength           |  |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) | ACETAMINOPHEN            | 650 mg<br>in 20 mL |  |
|  |                          |                    |  |

DEXTROMETHORPHAN HYDROBROMIDE 20 mg in 20 mL

(DEXTROMETHORPHAN - UNII:7355X3ROTS)

| Inactive Ingredients                     |          |  |  |  |
|--|----------|--|--|--|
| Ingredient Name                          | Strength |  |  |  |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) |          |  |  |  |
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)     |          |  |  |  |
| EDETATE DISODIUM (UNII: 7FLD91C86K)      |          |  |  |  |
| FD&C RED NO. 40 (UNII: WZB9127XOA)       |          |  |  |  |
| GLYCERIN (UNII: PDC6A3C0OX)              |          |  |  |  |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)      |          |  |  |  |
| SODIUM BENZOATE (UNII: OJ245FE5EU)       |          |  |  |  |
| SORBITOL (UNII: 506T60A25R)              |          |  |  |  |
| SUCRALOSE (UNII: 96K6UQ3ZD4)             |          |  |  |  |
| XANTHAN GUM (UNII: TTV12P4NEE)           |          |  |  |  |
| WATER (UNII: 059QF0KO0R)                 |          |  |  |  |

| Product Characteristics |        |              |  |
|-------------------------|--------|--------------|--|
| Color                   | orange | Score        |  |
| Shape                   |        | Size         |  |
| Flavor                  | HONEY  | Imprint Code |  |
| Contains                |        |              |  |

| l | Packaging |                      |   |                         |                       |
|---|-----------|----------------------|---|-------------------------|-----------------------|
|   | #         | ltem<br>Code         | Package Description   | Marketing<br>Start Date | Marketing<br>End Date |
|   |           | NDC:63824-<br>221-66 | 180 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product) | 07/01/2019              |                       |

| Marketing Information |   |                         |                       |
|-----------------------|---|-------------------------|-----------------------|
| Marketing<br>Category | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
| OTC monograph final   | part341                                     | 07/01/2019              |                       |
|                       |   |                         |                       |

## Labeler - RB Health (US) LLC (081049410)

Revised: 2/2023 RB Health (US) LLC