

## **CORRECTOR LIGHT- hydroquinone lotion**

**Vivier Pharma, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Corrector Light**

#### **Active Ingredient**

Hydroquinone USP (2%)

#### **Indication**

Skin Bleaching and Correcting

#### **Indication**

To gradually lighten hyperpigmentation of the skin such as age spots, liver spots, freckles or hyperpigmentation that can occur as a result of pregnancy or the use of oral contraceptives.

#### **Precautions**

For external use only. Avoid contact with eyes. If contact occurs, rinse thoroughly with water. Keep out of reach of children. Use only on the advice of a physician. Contains Sodium Metabisulfite. See package insert for complete details.

#### **Precautions**

Keep out of reach of children.

#### **Directions**

Use fingertips to apply a thin layer to affected areas. Use both morning and night or as directed by a physician. Gradual lightening of the discolored area can be expected in most cases. Close cap securely after each use. Store at room temperature (15-30°C / 59-86°F).

#### **Non-Medicinal Ingredients**

Cetearyl Alcohol, Cetyl Alcohol, Disodium EDTA, Ethoxydiglycol, Fragrance/Parfum, Glycerin, Lactic Acid, L-Ascorbic Acid USP, Methylparaben, Phenyl Trimethicone, PPG-2 Myristyl Ether Propionate, Propylparaben, Sodium Cetearyl Sulfate, Sodium Lauryl Sulfate, Sodium Metabisulfite, Tocopheryl Acetate, Water/Eau.

#### **Principal Display Panel**

Corrector Light\_PackageLabel\_PrincipalDisplayPanel

NDC 67226-2820-6



## Corrector Light

Crème d'Hydroquinone (2 %)

Crème éclaircissante et correctrice pour la peau

60 mL  
2 oz fl**INDICATION**

To gradually lighten hyperpigmentation of the skin such as age spots, liver spots, freckles or hyperpigmentation that can occur as a result of pregnancy or the use of oral contraceptives.

**DIRECTIONS**

Use fingertips to apply a thin layer to affected areas. Use both morning and night or as directed by a physician. Gradual lightening of the discolored area can be expected in most cases. Close cap securely after each use. Store at room temperature (15–30°C / 59–86°F).

**PRECAUTIONS**

**For external use only. Avoid contact with eyes. If contact occurs, rinse thoroughly with water. Keep out of reach of children. Use only on the advice of a physician. Contains Sodium Metabisulfite.** See package insert for complete details.

**ACTIVE INGREDIENT (w/w)**

Hydroquinone USP (2%)

**NON-MEDICINAL INGREDIENTS**  
**INGRÉDIENTS NON-MÉDICINAUX**

Cetearyl Alcohol, Cetyl Alcohol, Disodium EDTA, Ethoxydiglycol, Fragrance/Parfum, Glycerin, Lactic Acid, L-Ascorbic Acid USP, Methylparaben, Phenyl Trimethicone, PPG-2 Myristyl Ether Propionate, Propylparaben, Sodium Cetearyl Sulfate, Sodium Lauryl Sulfate, Sodium Metabisulfite, Tocopheryl Acetate, Water/Eau.



NDC 67226-2820-6



## Corrector Light

Hydroquinone Cream (2 %)

Skin Bleaching and Correcting Cream

60 mL  
2 fl oz**INDICATION**

Pour l'éclaircissement graduel de l'hyperpigmentation de la peau telles les taches séniles, de vieillesse, de rousseur ou l'hyperpigmentation pouvant se manifester à la suite d'une grossesse ou de l'emploi de contraceptifs oraux.

**MODE D'EMPLOI**

En utilisant vos doigts, appliquer une mince couche sur la région affectée. Utiliser matin et soir ou selon l'avis d'un médecin. Avec une application continue, on peut constater un éclaircissement graduel de la peau, dans la plupart des cas. Bien visser le bouchon après chaque usage. Conserver à la température ambiante (15–30 °C / 59–86 °F).

**PRÉCAUTIONS**

**Pour usage externe seulement. Éviter tout contact avec les yeux. En cas de contact, bien vous les rincer avec de l'eau. Garder hors de portée des enfants. Utiliser seulement selon les recommandations d'un médecin. Contient du métabisulfite de sodium.** Pour tout renseignement, consulter l'Info-feuillet.

**INGRÉDIENT ACTIF (p/p)**

Hydroquinone USP (2 %)

Mfd. for Vivier Pharma  
Hudson QC Canada J0P 1H0  
Champlain NY USA 12919  
Made in Canada  
07-60X1-01D04  
vivierpharma.com

© Vivier Canada Inc.  
— used under license



## CORRECTOR LIGHT

hydroquinone lotion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:67226-2820 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength      |
|--|-------------------|---------------|
| HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE) | HYDROQUINONE      | 2 g in 100 mL |

### Inactive Ingredients

| Ingredient Name                                      | Strength |
|--|----------|
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)               |          |
| CETYL ALCOHOL (UNII: 936JST6JCN)                     |          |
| EDETATE DISODIUM (UNII: 7FLD91C86K)                  |          |
| DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B) |          |
| GLYCERIN (UNII: PDC6A3C0OX)                          |          |
| LACTIC ACID (UNII: 33X04XA5AT)                       |          |
| ASCORBIC ACID (UNII: PQ6CK8PD0R)                     |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                     |          |

|   |  |
|---|--|
| <b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)             |  |
| <b>PPG-2 MYRISTYL ETHER PROPIONATE</b> (UNII: 88R97D8U8A) |  |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                   |  |
| <b>SODIUM CETOSTEARYL SULFATE</b> (UNII: 7ZBS06BH4B)      |  |
| <b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)           |  |
| <b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)            |  |
| <b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)        |  |
| <b>WATER</b> (UNII: 059QF0KO0R)                           |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:67226-2820-6 | 1 in 1 BOX          |                      |                    |
| 1 |                  | 60 mL in 1 TUBE     |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part358A                                 | 09/01/2013           |                    |

**Labeler** - Vivier Pharma, Inc. (250996550)

### Establishment

| Name                | Address | ID/FEI    | Business Operations     |
|---------------------|---------|-----------|-------------------------|
| Vivier Pharma, Inc. |         | 250996550 | manufacture(67226-2820) |

Revised: 11/2013

Vivier Pharma, Inc.