### VIAL KIT3.98- saussurea involucrata, bee venom, sodium hyaluronate liquid Oxytical

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## Active Ingredients

Saussurea Involucrata help to improve the appearance of firmness and elasticity on the skin's surface.

Bee Venom combined with high-grade Peptides helps to visibly reduce the appearance of fine lines and wrinkles on the skin's surface.

Sodium Hyaluronate known for its restorative and anti-aging abilities, revitalizes and moisturizes skin's outer surface layers to improve appearance of fine lines and wrinkles.

# Purpose

Skin regeneration and Wrinkle relief

## Use

The skin's surface appears firmer and smoother with a more youthful look. Remodels the facial contours and reduces the thickness of subcutaneous fatty tissue helping to reduce the "double chin effect" providing you with a youthful complexion. Reinforces skin elasticity to provide plump and radiant complexion.

# Directions

[Preparation stage]

After cleansing, use toner to clean up the skin.

It must be used only after cleansing is complete, and especially pay attention to the cleanliness of your hands.

If you use it after exfoliation, you can get more satisfactory results, and it is more effective if you give a simple massage before use.

[Application stage]

1. Prepare Core peptide(1st), Stable Chitin(2nd) and a syringe.

2. Core Peptide(1st) only opens the plastic cap.

3. A syringe inlet is injected into the center of the hole at the top of the Core Peptide(1st) to suction. (Total 3ml based on syringe).

After the syringe is removed, the inlet is automatically sealed to prevent outside air from entering.

4. Open the Stable Chitin(2nd) after referring to the precautions and inject the Core Peptide(1st).

Due to the nature of the Stable Chitin component, it is not soluble in ampoule other than Core Peptide. (Not compatible)

5. Close the vial opening of the Stable Chitin(2nd) with an elastomer tube and shake to dissolve the Stable Chitin.

Check with eyes and if the Stable Chitin component does not appear in the form of a thread (slightly

thick), apply it to the skin.

#### When Using

Although it can be used immediately after melting, it is recommended to use after 12 hours after mixing the product and closing it with an elastomer tube after mixing the product to increase the activity and maximize the efficacy due to the nature of the formulation.

After blending, only the elastomer tube is closed and stored at room temperature fresh out of direct sunlight.

(Up to 21 days)

#### Ingredients

Water, Butylene Glycol, Propanediol, Glycereth-26, Acetyl Hexapeptide-8,Copper Tripeptide-1, Sodium Lactate, PEG-60 Hydrogenated Castor Oil, Chlorphenesin, Ethylhexylglycerin, Lactic Acid, Fragrance, Dipeptide Diaminobutyroyl Benzylamide Diacetate, CI 19140

#### Warnings

For external use only.

Keep away from heat.

#### Stop use

Stop use and ask a physician if skin irritation and redness occurs more that 72 hours.

#### Keep out of reach of children

Keep out of reach of children, if swallowed, get medical help right away.

## Package Label

lormalizes skin balance / Your skin becomes supple, soft and resilient with a radiant finish.	Patent application No. : 10-2019-010452
agredients active	PURPOSE : Skin regeneration and Wrinkle relie high-grade Peptides helps to visibly reduce the appearance of fine lines and wrinkles urface layers to improve appearance of fine lines and wrinkles.
he skin's surface appears firmer and smoother with a more youthful look. Remodels the facial contours and reduces the thickness c vith a youthful complexion. Reinforces skin elasticity to provide plump and radiant complexion.	of subcutaneous fatty tissue helping to reduce the "double chin effect" providing you
Varnings	
) For external use only. Keep away from heat 2) Stop use and ask a physician if skin irritation and redness occurs more than 72 hou	urs. 3) Keep out of reach of children, if swallowed, get medical help right away.
low to use : Picture reference	
Direction	
Ithough it can be used immediately after melting, it is recommended to use after 12 hours after mixing the product and closing it wil ne efficacy due to the nature of the formulation. After blending, only the elastomer tube is closed and stored at room temperature fre	th an elastomer tube after mixing the product to increase the activity and maximize sh out of direct sunlight.(Up to 21 days)
ngredients	
chitosan 2. Water, Butylene Glycol, Propanediol, Glycereth-26, Saussurea Involucrata Extract, Sodium Hyaluronate, Acetyl Hexap	eptide-8, Copper Tripeptide-1, Sodium Lactate, PEG-60 Hydrogenated Castor Oil,
hlorphenesin, Ethylhexylglycerin, Lactic Acid, Fragrance, Dipeptide Diaminobutyroyl Benzylamide Diacetate, Bee Venom, CI 19140	J

# VIAL KIT3.98

saussurea involucrata, bee venom, sodium hyaluronate liquid

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80851-301				
Route of Administration	TOPICAL						

	Ingredient Name		Basis of St	trength	Strength
<b>HYALURONATE SC</b> UNII:S270N0TRQY)	DIUM (UNII: YSE9PPT4TH) (HYALURONIC ACID -		HYALURONATE SODIUM		0.01 g in 100 mL
	AUSSUREA INVOLUCRATA FLOWERING TOP (UNII: 65D06L9K7F) (SAUSSUREA SAUSSUREA INVOLUCRATA FLOWERING TOP - UNII:65D06L9K7F) SAUSSUREA INVOLUCRATA FLOWERING TOP				0.2 g in 100 mL
APIS MELLIFERA V UNII:760130881M)	PIS MELLIFERA VENOM (UNII: 760130881M) (APIS MELLIFERA VENOM - APIS MELLIFERA VENOM - NII:760130881M)				0.01 g in 100 mL
Inactive Ingred					
	Ingredient Name			S	trength
WATER (UNII: 059Q	F0KO0R)				
PREZATIDE COPPE	E <b>R</b> (UNII: 6 BJQ43T119)				
SODIUM LACTATE	C (UNII: TU7HW0W0QT)				
PEG-60 HYDROGE	NATED CASTOR OIL (UNII: 02NG325BQG)				
CHLORPHENESIN (	(UNII: I670DAL4SZ)				
LACTIC ACID (UNII	: 33X04XA5AT)				
GLYCERETH-26 (U	NII: NNE56F2N14)				
FD&C YELLOW NO	<b>D. 5</b> (UNII: I753WB2F1M)				
DIPEPTIDE DIAMIN	OBUTYROYL BENZYLAMIDE DIACETATE (UNII: 38	H206R00R)			
BUTYLENE GLYCO	L (UNII: 3XUS85K0RA)				
ETHYLHEXYLGLY	CERIN (UNII: 147D247K3P)				
PROPANEDIOL (UN	NII: 5965N8W85T)				
FRAGRANCE CLEA	N ORC0600327 (UNII: 329LCV5BTF)				
Packaging					
# Item Code	Package Description	М	arketing Start Date	Marketi Da	0
<b>1</b> NDC:80851-301- 01	20 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	on 11/11/	/2020		
Marketing In					
	ory Application Number or Monograph Citatio	n Marke	ting Start Date	Marketing	End Date
Marketing Catego	Application Number of Monograph Chauo		8	8	Linu Dutt

Labeler - Oxytical (695504108)

Registrant - Oxytical (695504108)

Revised: 11/2020