

**CHLORPHENIRAMINE MALEATE, PHENYLEPHRINE HYDROCHLORIDE-  
chlorpheniramine maleate and phenylephrine hydrochloride tablet, coated  
AAA Pharmaceutical, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**RES - 1158 - 2019-0911**

**Drug Facts**

<b>Active ingredients (in each tablet)</b>	<b>Purpose</b>
Chlorpheniramine maleate 4 mg	Antihistamine
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - nasal congestion
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing
  - nasal congestion

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or occur with fever

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years and over: take 1 tablet every 4 hours; do not take more than 6 tablets in 24 hours
- children under 12 years of age: do not use this product in children under 12 years of age

**Other information**

- store at 20°-25°C (68°-77°F)
- retain carton for complete product information

**Inactive ingredients**

colloidal silicon dioxide, dibasic dicalcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions or comments?**

1-844-705-4384

**PRINCIPAL DISPLAY PANEL**

**RESTORE u**

NDC 57344-158-02

†COMPARE TO THE ACTIVE INGREDIENT IN ACTIFED® COLD + ALLERGY

Cold + Allergy

--

Chlorpheniramine Maleate, Phenylephrine HCl

Antihistamine, Nasal Decongestant

One Tablet Dose

Relieves: • Nasal Congestion • Sneezing • Runny Nose • Itchy, Watery Eyes

Actual Size

24 TABLETS

**RESTORE***U*

# Cold + Allergy

Chlorpheniramine Maleate, Phenylephrine HCl

Antihistamine • Nasal Decongestant

24 TABLETS

DO NOT USE IF BLISTER UNITS ARE TORN OR BROKEN

**Drug Facts (continued)**  
**Questions or comments?**  
1-844-705-4384

Distributed by:  
AAA Pharmaceutical, Inc.  
681 Main Street  
Lumberton, NJ 08048

†This product is not manufactured or distributed by  
Michael Consumer Healthcare, distributor of Actifed®  
Cold + Allergy.

<p><b>Drug Facts (continued)</b></p> <p><b>When using this product</b> ■ do not exceed recommended dosage</p> <p><b>excitability may occur, especially in children</b> ■ avoid alcoholic drinks</p> <p><b>drowsiness may occur</b> ■ avoid alcohol, sedatives, and tranquilizers may increase drowsiness</p> <p><b>be careful when driving a motor vehicle or operating machinery</b></p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ symptoms do not improve within 7 days or occur with fever</li> <li>■ nervousness, dizziness, or sleepiness occurs</li> <li>■ pregnant or breast-feeding, ask a health professional before use.</li> </ul> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ adults and children 12 years and over: take 1 tablet every 4 hours;</li> <li>■ do not take more than 6 tablets in 24 hours</li> <li>■ children under 12 years: do not use this product in children under 12 years of age</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store at 20°-25°C (68°-77°F)</li> <li>■ see carton for complete product information</li> </ul> <p><b>Inactive ingredients</b> colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized starch, sodium starch glycolate, stearic acid</p>	<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each tablet)</b></p> <p>Phenylephrine HCl 10 mg.....Nasal decongestant</p> <p>Chlorpheniramine maleate 4 mg.....Antihistamine</p> <p><b>Purpose</b></p> <p>temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:</p> <ul style="list-style-type: none"> <li>■ runny nose</li> <li>■ sneezing</li> <li>■ itchy, watery eyes</li> </ul> <p>temporarily relieves these symptoms due to the common cold:</p> <ul style="list-style-type: none"> <li>■ nasal congestion</li> <li>■ itching of the nose or throat</li> <li>■ temporarily relieves these symptoms due to the common cold:</li> <li>■ runny nose</li> <li>■ sneezing</li> <li>■ nasal congestion</li> </ul> <p><b>Warnings</b></p> <p><b>Do not use</b> if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ high blood pressure</li> <li>■ heart disease</li> <li>■ thyroid disease</li> <li>■ glaucoma</li> <li>■ trouble urinating due to an enlarged prostate gland</li> <li>■ a breathing problem such as emphysema or chronic bronchitis</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</b></p>
---	--



**RESTORE***U*

# Cold + Allergy

Chlorpheniramine Maleate, Phenylephrine HCl

Antihistamine • Nasal Decongestant

24 TABLETS

NDC 57344-158-02

†COMPARE TO THE ACTIVE INGREDIENTS IN ACTIFED® COLD + ALLERGY

**RESTORE***U*

# Cold + Allergy

Chlorpheniramine Maleate, Phenylephrine HCl

Antihistamine • Nasal Decongestant

- Relieves:
- Nasal Congestion
  - Sneezing
  - Runny Nose
  - Itchy, Watery Eyes

One Tablet Dose



24 TABLETS

NC

NC

NC

# CHLORPHENIRAMINE MALEATE, PHENYLEPHRINE HYDROCHLORIDE

chlorpheniramine maleate and phenylephrine hydrochloride tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57344-158
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1W5297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>STARCH, PREGELATINIZED CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	T127
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57344-158-02	1 in 1 CARTON	06/01/2019	01/31/2022
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**Labeler** - AAA Pharmaceutical, Inc. (181192162)

Revised: 11/2021

AAA Pharmaceutical, Inc.