

**MEIJER CHILDRENS PAIN AND FEVER REDUCER- acetaminophen tablet,
chewable**

MEIJER DISTRIBUTION INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Children's Pain and Fever Chewables Acetaminophen

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen.

Allergy Alert:

acetaminophen may cause severe skin reaction. Symptom may include:

- skin reddening
- blister
- rash
- If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning:

If sore throat is severe, persists for more than 2 days is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- find the right dose on chart below. If possible, use weight to dose; otherwise use age.
- chew completely do not swallow whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
---------------------	----------	-------	-------	-------	-------	-------

Age (yr)	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
Dose (tablets)*	ask a doctor	1 tablet	1 ½ tablets	2 tablets	2 ½ tablets	3 tablets

Other information

- store at room temperature. Avoid high humidity. Protect from light.
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C Red No. 30, dextrose, flavor, hydroxypropylcellulose, magnesium stearate, maltodextrin, silicon dioxide, sodium carboxymethylcellulose, starch, sucralose.

Questions or comments?

1-866-467-2748

Principal Display Panel

NDC 41250-246-24

Compare to active ingredient in Children’s Tylenol® Chewables*

Children’s

Pain + Fever Chewables

Acetaminophen 160 mg each

Pain reliever/Fever reducer

Aspirin free

Ibuprofen free

AGES 2-11

Bubblegum Flavor

Naturally and Artificially Flavored

24 Chewable Tablets – 160 mg each

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children’s Tylenol® Chewables.

IMPORTANT: Keep this carton for future reference on full labeling.

Distributed by:
MEIJER DISTRIBUTION INC
GRAND RAPIDS, MI, 49544
www.meijer.com

IMPORTANT:
Keep this carton for future reference on full labeling.

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com





For Ages 2 to 11 Years
CHILDREN'S
pain + fever
chewables
 Acetaminophen 160 mg each
 Pain Reliever | Fever Reducer

NDC 41250-246-24
 Compare to Children's Tylenol®
 Chewables
 active ingredient*

For Ages 2 to 11 Years
CHILDREN'S
pain + fever
chewables
 Acetaminophen 160 mg each
 Pain Reliever | Fever Reducer

Bubblegum Flavor
Naturally and Artificially Flavored

Aspirin Free
 Ibuprofen Free

24 Chewable Tablets | 

160BG24MJRFC
 PID 3105646



7 19283 72381 9

Lot: _____
 Exp: _____

Drug Facts TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Active ingredient (in each chewable tablet)	Purpose
Acetaminophen 160 mg	Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
 ■ the common cold ■ flu ■ headache ■ sore throat ■ toothache ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen
Allergy Alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away

Drug Facts (continued)

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present
 These could be signs of a serious condition.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions ■ this product does not contain directions or complete warnings for adult use.
 ■ do not give more than directed (see overdose warning) ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ chew completely do not swallow whole
 ■ repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
Age (yrs)	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
Dose (tablets)*	ask a doctor	1 tablet	1½ tablets	2 tablets	2½ tablets	3 tablets

* or as directed by a doctor

Other information ■ store at room temperature. Avoid high humidity. Protect from light
 ◀ ■ see end flap for expiration date and lot number

Drug Facts (continued)
Inactive ingredients: citric acid, croscopolone, D&C Red No. 30, dextrose, flavor, hydroxypropylcellulose, magnesium stearate, maltodextrin, silicon dioxide, sodium carboxymethylcellulose, starch, sucralose

Questions or comments? 1-866-467-2748

*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark "Tylenol".

MEIJER CHILDRENS PAIN AND FEVER REDUCER

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-246
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	PINK	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	BUBBLE GUM	Imprint Code	RP160
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-246-24	4 in 1 CARTON	01/29/2020	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph not final	part343	01/29/2020	

Labeler - MEIJER DISTRIBUTION INC (006959555)

Revised: 8/2022

MEIJER DISTRIBUTION INC