

**DAIRYLAND BRAND TEAT DIP- didecyldimethylammonium chloride liquid**  
**Stearns Packaging Corporation**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Teat Dip**

**TEAT DIP**

**TAKE TIME**

**OBSERVE**

**LABEL DIRECTIONS**

**TEAT DIPPING is an important part of a MASTITIS CONTROL PLAN:**

1. Dip teats immediately after milking.
2. Use good milking and environmental management procedures.
3. Use properly functioning milking equipment.
4. Treat every quarter of every cow at dry off.
5. Identify and treat or manage clinical cases promptly.
6. Cull chronically infected cows.

**TEAT DIPPING IN COLD WEATHER:**

When the temperature falls below 10 degrees F, or when wind chill is significant, special precautions should be taken to avoid chapped and frozen teats.

1. Teats should be dry before turning cows out into cold weather.
2. When teats are dipped after milking, allow 30 seconds contact, and blot off any excess teat dip with a single service towel.
3. Warm the teat dip to reduce drying time.
4. Provide windbreaks in outside areas for cows.
5. Monitor fresh cows with swollen udders and teats since they are more susceptible to chapped and frozen teats.

**DIRECTIONS FOR USE:**

- DO NOT DILUTE.
- Dip teats immediately after milking as a routine part of milking procedures.
- Dip to THOROUGHLY COVER at least the lower one-third of the teat(preferably to the base of the udder), IMMEDIATELY after every milking.
- Empty and clean dip cups after each milking, or during milking, if they become contaminated.
- Do not pour used dip back into original container.
- KEEP FROM FREEZING
- Keep container closed to prevent contamination.
- Store container in an upright position.

**FIRST-AID**

**EYES:** If contact with eyes occurs, flush with plenty of cool water for 15 minutes.

Consult a physician.

**INTERNAL:** May be harmful if swallowed. If ingested, drink large amounts of water. DO NOT induce vomiting. Get medical attention immediately.

**24 HOUR EMERGENCY CONTACT**

**1-800-255-3924**

# DAIRYLAND BRAND

## TEAT DIP

### A SANITIZING TEAT DIP

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

#### ACTIVE INGREDIENT:

Didecyl Dimethyl Ammonium Chloride..... 0.30%

#### EMOLLIENT SYSTEM:

Teat Conditioner..... 4.50%

#### KEEP OUT OF REACH OF CHILDREN

See side panel for Precautions and First-Aid Statements

#### STEARNS PACKAGING CORPORATION

4200 Sycamore Ave. (53714), PO Box 3216, Madison, WI 53704

(800) 655-5008 • www.stearnspkg.com

NET CONTENTS: 1 U.S. FL. GALLON (3.78 L)

**DIRECTIONS FOR USE:**

- DO NOT DILUTE.
- Dip teats immediately after milking as a routine part of milking procedures.
- Dip in THOROUGHLY COVER at least the lower one-third of the teat (preferably to the base of the udder), IMMEDIATELY after every milking.
- Empty and clean dip cups after each milking, or during milking, if they become contaminated.
- Do not pour used dip back into original container.
- KEEP FROM FREEZING.
- Keep container closed to prevent contamination.
- Store container in an upright position.

**TEAT DIPPING is an important part of a MASTITIS CONTROL PLAN:**

1. Dip teats immediately after milking.
2. Use good milking and environmental management procedures.
3. Use properly functioning milking equipment.
4. Treat every quarter of every cow at dry off.
5. Identify and treat or manage clinical cases promptly.
6. Cull chronically infected cows.

**TEAT DIPPING IN COLD WEATHER:**  
When the temperature falls below 10°F, or when wind chill is significant, special precautions should be taken to avoid chapped and frozen teats.

1. Teats should be dry before turning cows out into cold weather.
2. When teats are dipped after milking, allow 30 seconds contact, and blot off any excess teat dip with a single service towel.
3. Warm teat dip to reduce drying time.
4. Provide windbreaks in outside areas for cows.
5. Monitor fresh cows with swollen udders and teats since they are more susceptible to chapped and frozen teats.

JASL-DB-6135/06/15

**DAIRYLAND BRAND**

**TEAT DIP**

**A SANITIZING TEAT DIP**  
An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

**ACTIVE INGREDIENT:**  
Didecyl Dimethyl Ammonium Chloride..... 0.30%

**EMOLLIENT SYSTEM:**  
Teat Conditioner..... 4.50%

**KEEP OUT OF THE REACH OF CHILDREN**  
See side panel for Precautions and First-Aid Statements.

**STEARNS** STEARNS PACKAGING CORPORATION  
4200 Sycamore Ave. (53714), PO Box 3216, Madison, WI 53704  
(800) 655-5008 • www.stearnspkg.com

NET CONTENTS: 1 U.S. GALLON (3.78 L)

**TAKE TIME**  
OBSERVE LABEL DIRECTIONS

**FIRST-AID**  
**EYES:** If contact with eyes occurs, flush with plenty of cool water for 15 minutes. Contact a physician.  
**INTERNAL:** May be harmful if swallowed. If ingested, drink large amounts of water. DO NOT induce vomiting. Get medical attention immediately.

**PRIMEROS AUXILIOS:**  
**OJOS:** Si ocurre contacto con los ojos, lavar con abundante agua fría durante 15 minutos. Consulte a un médico.  
**INTERNO:** Puede ser nocivo en caso de ingestión. Beba grandes cantidades de agua si se ingiere este producto. NO induzca al vómito. Obtenga atención médica inmediatamente.

**24 HOUR EMERGENCY CONTACT**  
24 horas servicio telefónico de repuesta a emergencias:  
1-800-255-3924

**ST-56**

LOT NO:  
EXP DATE:

**INSTRUCCIONES POR EL USO:**

- NO diluir.
- Sumerja los pezones inmediatamente después del ordeño como parte rutinaria de procedimientos de ordeño.
- Sumerja para cubrir a fondo al menos el tercio inferior de la teta (preferentemente a la base de la ubra), inmediatamente después de cada ordeño.
- Vacía y limpia las tazas sumergiendo después de cada ordeño, o durante el ordeño, si están limpias.
- No vierta bario pecozos utilizados volver a la recipiente de origen.
- NO USE, JE QUE SE CONGEELE.
- Mantenga el recipiente bien cerrado para evitar la contaminación.
- Mantenga el recipiente en una posición vertical.

**BAÑO DE PEZONES ES UNA PARTE IMPORTANTE DE UN PLAN PARA CONTROL DE LA MASTITIS:**

1. Sumerja los pezones inmediatamente después del ordeño.
2. Utilice buenas prácticas de gestión para el ordeño y medio ambiente.
3. Utilice equipo de ordeño que funciona correctamente.
4. Trate a cada cuarto de la ubra de cada vaca el dentro de fase de secado.
5. Identifique y trate o maneje casos clínicos con prontitud.
6. Etiquete las vacas que están infectadas crónicamente.

**BAÑO DE PEZONES EN TIEMPO FRÍO:**  
Cuando la temperatura cae por debajo de 10°F (-12°C), cuando el factor de enfriamiento del viento es importante, tome precauciones especiales para evitar los pezones agrietados y congelados.

1. Los pezones deben estar secos antes de soñar las vacas en el frío.
2. Cuando los pezones se sumergen después del ordeño, espere 30 segundos de contacto, y posteriormente secalos el interior de bario de pecozos con una toalla desechable.
3. Caliente el baño de pecozos para reducir el tiempo de secado.
4. Precaución: protección contra el viento en las áreas bario para las vacas.
5. Vigile las vacas frescos con ubras hinchadas y pezones ya que son más susceptibles a los pezones agrietados y congelados.

## DAIRYLAND BRAND TEAT DIP

didecyl dimethyl ammonium chloride liquid

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:60282-2056
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DIDECYLDIMONIUM (UNII: Z7F472XQPA) (DIDECYLDIMONIUM - UNII:Z7F472XQPA)		DIDECYLDIMONIUM	3 g in 1 L

Inactive Ingredients	
Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
RHODAMINE B (UNII: K7G5SCF81L)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60282-2056-1	3.78 L in 1 BOTTLE, PLASTIC		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/02/1978	

**Labeler** - Stearns Packaging Corporation (006069256)**Registrant** - Stearns Packaging Corporation (006069256)**Establishment**

Name	Address	ID/FEI	Business Operations
Stearns Packaging Corporation		006069256	manufacture, api manufacture

Revised: 10/2020

Stearns Packaging Corporation