

**DIPHENHYDRAMINE HYDROCHLORIDE 25MG- diphenhydramine hydrochloride  
25mg tablet  
Strive Pharmaceuticals Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Allergy Relief Caplet  
(Diphenhydramine HCl 25mg) - Pink caplet**

Diphenhydramine HCl 25mg

colloidal silicon dioxide, croscarmellose sodium, D&C red #27, dicalcium phosphate, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

---

adults and children 12 years of age and over	take 1 to 2 caplets
children 6 to under 12 years	take 1 caplet
children under 6 years of age	do not use

---

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or a pharmacist before use if**

you are taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur

- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use

**Keep out of reach of children**

**Overdose warning:** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Keep out of reach of children**

**Overdose Warning:** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Antihistamine

- store at room temperature between 20 °C - 25 °C (68 °F - 77 °F)
- avoid excessive heat, cold and humidity

### Drug Facts

**Active ingredient in each caplet:** Purpose  
Diphenhydramine HCl 25 mg Antihistamine

#### Uses

- Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- Temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

#### Warnings

- Do not use**
- to make a child sleepy
  - with any other product containing diphenhydramine, even one used on skin

#### Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- irritation due to an enlarged prostate gland

#### Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

#### When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- instability may occur, especially in children

#### If pregnant or breast-feeding, ask a health professional for use.

#### Keep out of reach of children.

**OVERDOSE WARNING:** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as

### Drug Facts (continued)

well as children even if you do not notice any signs or symptoms

#### Directions

- Take every 4 to 6 hours, or as directed by doctor
  - Do not take more than 6 doses in 24 hours
- |  |                     |
|--|---------------------|
| adults and children 12 years of age and over | take 1 to 2 caplets |
| children 6 to under 12 years                 | take 1 caplet       |
| children under 6 years of age                | do not use          |

#### Other information

- Store at room temperature between 20-25°C (68-77°F).
- Avoid excessive heat, cold and humidity.

**TAMPER EVIDENT:** Do not use if package is opened or if blister unit is torn, broken or shows any sign of tampering.

#### Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, DMC red #7, docusone phosphate, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

#### Questions or comments?

Call 1-888-377-4633

This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark BENADRYL® ALLERGY ULTRATAB®.

**Allergy Relief**

Antihistamine  
relieves sneezing, itchy throat,  
runny nose & itchy, watery eyes

12  
caplets

DIPHENHYDRAMINE HCl  
25 mg each caplet

RIGHT  
REMEDIES

Compare to active ingredient in  
**BENADRYL® ALLERGY ULTRATAB®**

NDC 70982-130-22

**Allergy Relief**



Antihistamine

relieves sneezing,  
itchy throat, runny  
nose & itchy,  
watery eyes

DIPHENHYDRAMINE HCl  
25 mg each caplet

12  
caplets



Allergy Relief  
Antihistamine  
relieves sneezing, itchy throat,  
runny nose & itchy, watery eyes



**Allergy Relief**  
Antihistamine  
relieves sneezing, itchy throat,  
runny nose & itchy, watery eyes  
DIPHENHYDRAMINE HCl  
25 mg each caplet

12  
caplets

COATING  
FREE AREA

LF MC  
EP 36

COMPLETE PRODUCT INFORMATION  
READ AND KEEP OTHER PACKAGING FOR

© 2002 J&J  
C 1706251822  
Eli Lilly and Company, Indianapolis, IN 46168  
Eli Lilly Pharmaceuticals, Inc.



**DIPHENHYDRAMINE HYDROCHLORIDE 25MG**

diphenhydramine hydrochloride 25mg tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70692-136
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XB4)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: L11K75P92J)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	D25
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:70692-136-22	12 in 1 PACKAGE; Type 0: Not a Combination Product	11/23/2020	
2	NDC:70692-136-01	100 in 1 PACKAGE; Type 0: Not a Combination Product	12/28/2018	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part341	12/20/2018	

---

**Labeler** - Strive Pharmaceuticals Inc (080028013)

Revised: 4/2022

Strive Pharmaceuticals Inc