

**CELLROMAX 7 SIGNATURE CC CREAM- ethylhexyl methoxycinnamate, titanium dioxide cream cream**

**PHARMACIST & HEALTH CO., LTD.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

Ethylhexyl Methoxycinnamate 7.4%, Titanium Dioxide 6.3%

Water, Cyclopentasiloxane, Cyclohexasiloxane, Dimethicone, Glycerin, 4-Methylbenzylidene Camphor, Dipropylene Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Phenyl Trimethicone, Silica, Hydrogenated Polyisobutene, Sorbitan Isostearate, Methyl Gluceth-20, Polyglyceryl-2 Oleate, Sodium Chloride, Trihydroxystearin, Polyhydroxystearic Acid, Mica, CI 77492, Bentonite, PEG-10 Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Polymethyl Methacrylate, Polyglyceryl-2 Stearate, Chlorphenesin, Ethylhexylglycerin, Caprylyl Glycol, Methyl Trimethicone, Ceresin, CI 77491, CI 77499, Triethoxycaprylylsilane, Butylene Glycol, Tocopheryl Acetate, Tropolone, Ultramarines, 1,2-Hexanediol, Disodium EDTA, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Argania Spinosa Kernel Oil, Carthamus Tinctorius (Safflower) Seed Oil, Fragrance, Sodium Hyaluronate, Hydrolyzed Hyaluronic Acid, Hyaluronic Acid, Phenoxyethanol, Aloe Barbadensis Leaf Extract, Maltodextrin, Grifola Frondosa Fruiting Body Extract, Fomes Officinalis (Mushroom) Extract, Sucrose Dilaurate, Panthenol, Hydrolyzed Lupine Protein, Polysorbate 20, Escin, Pisum Sativum (Pea) Extract, Ruscus Aculeatus Root Extract, Ammonium Glycyrrhizate, Centella Asiatica Leaf Extract, Hydrolyzed Yeast Protein, Calendula Officinalis Flower Extract, p-Anisic Acid, PEG-40 Hydrogenated Castor Oil, Sodium Citrate, Sorbic Acid, rh-Polypeptide-3, rh-Polypeptide-64

Directions: 1. Apply after basic skin care product. 2. Spread an appropriate amount over the entire face following the skin texture. 3. Reapply as required.

Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs.

Keep Out of Reach of Children.

For external use only.

# Cellromax

## Seven Signature CC Cream

### SPF 40, PA++

NET WT. 1.69 FL. OZ. (50 ml)

# Cellromax

## Seven Signature CC Cream

### SPF40, PA++

#### Drug Facts

| Active Ingredients               | Purpose   |
|----------------------------------|-----------|
| Ethylhexyl Methoxycinnamate 7.4% | Sunscreen |
| Titanium Dioxide 6.3%            | Sunscreen |

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

**For external use only.**  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with to remove.  
**Stop use and ask a doctor** if rash occurs.  
**Keep out of reach of children.** If product is swallowed, medical help or contact Poison Control Center right away.

#### Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - after 40 minutes of swimming or sweating.
  - immediately after towel drying.
  - at least every 3 to 4 hours.
- **Sun protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor.

**Inactive Ingredients** WATER, CYCLOPENTASILOXANE, CYCLOHEXASILOXANE, DIMETHICONE, GLYCERIN, 1,1-DIMETHYL-2-PYRROLIDINE CARBONIC ACID, DIMETHYLGLYCOL, PEG-10 DIMETHICONE, PENTYL TRIMETHICONE, SILICA, HYDROGENATED POLYISOBUTENE, SORBITAN SEOSTEARATE, METHYL GLUCETH-20, POLYGLYCERYL-3 OLEATE, SODIUM CHLORIDE, TRIHYDROXYSTEARIN, POLYHYDROXYSTEARIC ACID, BENTONITE, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, VINYL DIMETHICONE/SILSESQUOXANE COPOLYMER, POLYMETHYL METHACRYLATE, POLYGLYCERYL-3 STEARATE, CHLORPHENESIN, ETHYLHEXYLGLYCERIN, CAPRYLYL GLYCOL, METHYL TRIMETHICONE, CERESIN, TRIETHOXYCAPRYLYLSILANE, BUTYLENE GLYCOL, TOCOPHERYL ACETATE, TROPOLONE, 12-HEXANEDIOL, DISODIUM EDTA, PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) OIL, ARGANIA SPINOSA KERNEL OIL, CARTHAMUS TINCTORIOS (SAFFLOWER) SEED OIL, FRAGRANCE, SODIUM HYALURONATE, HYDROLYZED HYALURONIC ACID, HYALURONIC ACID, PHENOXY ETHANOL, ALICE BARRADENSIS LEAF EXTRACT, MALTO-DEXTRIN, THEOPHYLLINE, FRUIT BODY EXTRACT, PORES OFFICIALIS (MUSHROOM) EXTRACT, SUCROSE DIOLAUATE, PANTHENOL, HYDROLYZED LUPINE PROTEIN, POLYSORBATE 20, ESON, PISONI SATIVUM (PEA) EXTRACT, RUSCUS ACULEATUS ROOT EXTRACT, AMMONIUM GLYCERYLPHOSPHATE, CENTELLA ASIATICA LEAF EXTRACT, HYDROLYZED YEAST PROTEIN, CALENDULA OFFICINALIS FLOWER EXTRACT, P-ANISIC ACID, PEG-40 HYDROGENATED CASTOR OIL, SODIUM CITRATE, SORBIC ACID, RH-POLYPEPTIDE-3, RH-POLYPEPTIDE-6A, MICA, CI 77492, CI 77491, CI 77499, ULTRAMARINES

#### Other Information

- Protect this product from excessive heat and direct sun.

**Questions?** <https://www.cellromax.com/>

Manufactured by: FINECOS  
 Manufactured for: Pharmacist & Health Co., Ltd.  
 357, Guseong-ro, Giheung-gu, Yongin, Gyeonggi-do, Republic of Korea (Zip: 16914)  
 Lot#/Expiry date: Separate indication

Made in Republic of Korea



## CELLROMAX 7 SIGNATURE CC CREAM

ethylhexyl methoxycinnamate, titanium dioxide cream cream

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:79895-103 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength        |
|--|-------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP) | TITANIUM DIOXIDE  | 6.3 g in 100 mL |

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)

OCTINOXATE

7.4 g in 100 mL

**Inactive Ingredients**

| Ingredient Name  | Strength |
|--|----------|
| <b>GELATIN HYDROLYSATE (PORCINE SKIN, MW 3000)</b> (UNII: 0K9R94573C)                |          |
| <b>HYDROGENATED POLYBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)                          |          |
| <b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)   |          |
| <b>LARICIFOMES OFFICINALIS FRUITING BODY</b> (UNII: 7IFM8431X3)                      |          |
| <b>TRIHYDROXYSTEARIN</b> (UNII: 06YD7896S3)  |          |
| <b>MAITAKE</b> (UNII: A1U5YJI0Z8)  |          |
| <b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)   |          |
| <b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)                               |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)   |          |
| <b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)                          |          |
| <b>PANTHENOL</b> (UNII: WV9CM0O67Z)  |          |
| <b>SORBIC ACID</b> (UNII: X045WJ989B)  |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)   |          |
| <b>ARGAN OIL</b> (UNII: 4V59G5UW9X)  |          |
| <b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)   |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)  |          |
| <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |          |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)  |          |
| <b>SUCROSE DILAURATE</b> (UNII: 5926LC4S7M)  |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)  |          |
| <b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)  |          |
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>P-ANISIC ACID</b> (UNII: 4SB6Y7DMM3)  |          |
| <b>AMMONIUM GLYCYRRHIZATE</b> (UNII: 3VRD35U26C)                                     |          |
| <b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)                       |          |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |          |
| <b>RUSCUS ACULEATUS ROOT</b> (UNII: ZW12V9511Q)                                      |          |
| <b>ALMOND OIL</b> (UNII: 66YXD4DKO9)   |          |
| <b>POLYGLYCERYL-2 STEARATE</b> (UNII: 253MC0P0YV)                                    |          |
| <b>MICA</b> (UNII: V8A1AW0880)   |          |
| <b>TROPOLONE</b> (UNII: 7L6DL16P1T)  |          |
| <b>METHYL TRIMETHICONE</b> (UNII: S73ZQ10GXM)  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)  |          |
| <b>CERESIN</b> (UNII: Q1LS2UJO3A)  |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>ENZACAMENE</b> (UNII: 8I3XWY40L9)   |          |
| <b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)   |          |
| <b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)                                       |          |
| <b>METHYL GLUCETH-20</b> (UNII: J3QD0LD11P)  |          |
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)   |          |
| <b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F)                        |          |
| <b>AQUAPORIN-1</b> (UNII: 36141CLK2Y)  |          |
| <b>CENTELLA ASIATICA LEAF</b> (UNII: 6810070TYD)                                     |          |

|   |
|---|
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT)                                    |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)                                    |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)                 |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)                                |
| HYALURONIC ACID (UNII: S270N0TRQY)  |
| FERROSFERRIC OXIDE (UNII: XM0M87F357)                                     |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)                               |
| ESCIN (UNII: RUU8G67GQM)  |
| MALTODEXTRIN (UNII: 7CVR7L4A2D)   |
| PEA (UNII: W4X7H8GYFM)  |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH)                                     |
| CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)                                       |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)                           |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)                                     |
| POLYGLYCERYL-2 OLEATE (UNII: 5759J47SAM)                                  |
| VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR) |
| BENTONITE (UNII: A3N5ZCN45C)  |
| ULTRAMARINE VIOLET (UNII: 1YZ11D167R)                                     |
| FIBROBLAST GROWTH FACTOR 7 (UNII: 9YXF283GP1)                             |

### Packaging

| # | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:79895-103-02 | 1 in 1 BOX  | 11/17/2020           |                    |
| 1 | NDC:79895-103-01 | 50 mL in 1 CONTAINER; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352                                  | 11/17/2020           |                    |

**Labeler** - PHARMACIST&HEALTH CO., LTD. (690417665)

**Registrant** - PHARMACIST&HEALTH CO., LTD. (690417665)

### Establishment

| Name    | Address | ID/FEI    | Business Operations    |
|---------|---------|-----------|------------------------|
| FINECOS |         | 689604970 | manufacture(79895-103) |