

**CELLROMAX SUN BLOCK- octinoxate, titanium dioxide, zinc oxide, octisalate cream
Pharmacist&Health Co., Ltd.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Ethylhexyl Methoxycinnamate 7.5%, Titanium Dioxide 6.24%, Zinc Oxide 4.455%, Ethylhexyl Salicylate 3.0%

Water, Cyclopentasiloxane, Dipropylene Glycol, Cetyl Ethylhexanoate, Butylene Glycol, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Glycerin, 1,2-Hexanediol, Niacinamide, Methyl Methacrylate Crosspolymer, Dimethicone, Hydrogenated C6-14 Olefin Polymers, PEG-10 Dimethicone, Ozokerite, Sodium Chloride, Distearidmonium Hectorite, Barium Sulfate, Magnesium Stearate, Aluminum Hydroxide, Sorbitan Sesquioleate, Stearic Acid, Citric Acid, Dimethicone/PEG-10/15 Crosspolymer, Polysilicone-11, Polyhydroxystearic Acid, Lavandula Angustifolia (Lavender) Oil, Boswellia Carterii Oil, Ethylhexyl Palmitate, Isopropyl Myristate, Isostearic Acid, Lecithin, Hydrogen Dimethicone, Adenosine, Polyglyceryl-3 Polyricinoleate, Silica, Disodium EDTA, Magnesium Myristate, Propylene Glycol, Tripropylene Glycol, Sodium Citrate, Allantoin, Portulaca Oleracea Extract, Tocopherol, Alanine, Arginine, Histidine, Tyrosine, Leucine, Methionine

Purpose: Sunscreen

Directions: 1. Apply after basic skin care product. 2. Spread an appropriate amount over the entire face following the skin texture. 3. Reapply as required.

Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs.

Keep Out of Reach of Children.

For external use only.

Apply appropriate amount on your skin.

Apply with your skin before direct sunlight.

Cellromax

Sun Block SPF 50+, PA+++

NET WT. 1.69 FL. OZ. (50 ml)

Cellromax

Sun Block SPF 50+, PA+++

Drug Facts

Active Ingredients	Purpose
Ethylhexyl Methoxycinnamate 7.5%	Sunscreen
Titanium Dioxide 6.24%	Sunscreen
Zinc Oxide 4.45%	Sunscreen
Ethylhexyl Salicylate 3.0%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.**
- Do not use** on damaged or broken skin.
- When using this product** keep out of eyes. Rinse with to remove.
- Stop use and ask a doctor** if rash occurs.
- Keep out of reach of children.** If product is swallowed, medical help or contact Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - after 40 minutes of swimming or sweating.
 - immediately after towel drying.
 - at least every 3 to 4 hours.
- **Sun protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. to 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor.

Inactive Ingredients WATER, CYCLOPENTASILOXANE, DIPROPYLENE GLYCOL, CETYL ETHYLHEXANOATE, BUTYLENE GLYCOL, LAURYL PEG-9 POLYDIMETHYL-SILOXYETHYL DIMETHICONE, GLYCERIN, 1,3-HEXANEDIOL, NIACINAMIDE, METHYL METHACRYLATE, CROSSPOLYMER, DIMETHICONE, HYDROGENATED C8-14 OLEFIN POLYMERS, PEG-10 DIMETHICONE, OZONERITE, SODIUM CHLORIDE, DISTEARDIMONIUM HECTORITE, BARIUM SULFATE, MAGNESIUM STEARATE, ALUMINUM HYDROXIDE, SORBITAN SESQUICLEATE, STEARIC ACID, CITRIC ACID, DIMETHICONE/PEG-10/15 CROSSPOLYMER, POLYSILOXANE-11, POLYHYDROXYSTEARIC ACID, LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL, BOSWELLIA CARTERII OIL, ETHYLHEXYL PALMITATE, ISOPROPYL MYRISTATE, ISOSTEARIC ACID, LECITHIN, HYDROGEN DIMETHICONE, ADENOSINE, POLYGLYCERYL-3 POLYRICINOLEATE, SILICA, DISODIUM EDTA, MAGNESIUM MYRISTATE, PROPYLENE GLYCOL, TRIPROPYLENE GLYCOL, SODIUM CITRATE, ALLANTOIN, PORTULACA OLERACEA EXTRACT, TOCOPHEROL, ALANINE, ARGININE, HISTIDINE, TYROSINE, LEUCINE, METHIONINE

Other Information

- Protect this product from excessive heat and direct sun.

Questions? <https://www.cellromax.com/>

Manufactured by: SOLEO COSMETIC Co., Ltd.
 Manufactured for: Pharmacist&Health Co., Ltd.
 357, Guseong-ro, Giheung-gu, Yongin, Gyeonggi-do, Republic of Korea (Zip: 16914)
 Lot#/Expiry date: Separate indication

Made in Republic of Korea



CELLROMAX SUN BLOCK

octinoxate, titanium dioxide, zinc oxide, octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79895-104
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4.455 g in 100 mL

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6.24 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 mL
Inactive Ingredients		
Ingredient Name		Strength
DIMETHICONE (UNII: 92RU3N3Y1O)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)		
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)		
FRANKINCENSE OIL (UNII: 67ZYA5T02K)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YO1)		
ADENOSINE (UNII: K72T3FS567)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
TRIPROPYLENE GLYCOL (UNII: 3C8845E7C1)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
ALLANTOIN (UNII: 344S277G0Z)		
TOCOPHEROL (UNII: R0ZB2556P8)		
ARGININE (UNII: 94ZLA3W45F)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
GLYCERIN (UNII: PDC6A3C0OX)		
1,2-HEXANEDIOL (UNII: TR046Y3K1G)		
NIACINAMIDE (UNII: 25X51I8RD4)		
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)		
HYDROGENATED POLY(C6-14 OLEFIN; 2 CST) (UNII: P0TX083987)		
CERESIN (UNII: Q1LS2UJO3A)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
BARIUM SULFATE (UNII: 25BB7EKE2E)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
LAVENDER OIL (UNII: ZBP1YXW0H8)		
ETHYLHEXYL PALMITATE (UNII: 2865993309)		
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)		
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
ALANINE (UNII: OF5P57N2ZX)		
HISTIDINE (UNII: 4QD397987E)		
LEUCINE (UNII: GMW67QNF9C)		
MAGNESIUM STEARATE (UNII: 70097M6B0)		
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
MAGNESIUM MYRISTATE (UNII: Z1917F0578)		
WATER (UNII: 059QF0K00R)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)		

CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
METHIONINE (UNII: AE28F7PNPL)	
PORTULACA OLERACEA LEAF (UNII: 9JW9D9JGHZ)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
TYROSINE (UNII: 42HK56048U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79895-104-02	1 in 1 BOX	11/17/2020	
1	NDC:79895-104-01	50 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/17/2020	

Labeler - Pharmacist&Health Co., Ltd. (690417665)

Registrant - Pharmacist&Health Co., Ltd. (690417665)

Establishment			
Name	Address	ID/FEI	Business Operations
SOLEO COSMETIC Co., Ltd.		557829412	manufacture(79895-104)

Revised: 11/2020

Pharmacist&Health Co., Ltd.