

**CALCIUM POLYCARBOPHIL- calcium polycarbophil tablet, film coated**  
**Cardinal Health**

-----  
**0339-Cardinal**

***Drug Facts***

***Active ingredient (in each caplet)***

Calcium polycarbophil 625 mg (equivalent to polycarbophil 500 mg)

***Purpose***

Bulk-forming laxative

***Uses***

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you are**

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**When using this product**

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24-hour period unless directed by a doctor

**Stop use and ask a doctor if**

you fail to have a bowel movement after use or have rectal bleeding. These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- take this product (child or adult dose) with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
- dosage will vary according to diet, exercise, previous laxative use or severity of constipation
- continued use for 1 to 3 days is normally required to provide full benefit

---

adults and children 12 years and over  
children under 12 years

2 caplets, 1 to 4 times per day  
ask a doctor

---

### ***Other information***

□ **each caplet contains:** calcium 140 mg

□ do not use if printed seal under cap is torn or missing □ store in a dry place at 15° - 30°C (59° - 86°F)

□ protect contents from moisture

Caramel, crospovidone, hypromellose, magnesium silicate, magnesium stearate, microcrystalline cellulose, mineral oil, polyethylene glycol, silica, sodium lauryl sulfate and stearic acid

### ***Questions or comments?***

1-800-231-4670

\*This product is not manufactured or distributed by GlaxoSmithKline, owner of the registered trademark Fibercon®.

©2020 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43017  
[www.myleader.com](http://www.myleader.com) 1-800-200-6313

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

LEADER

NDC 70000-0067-1

Fiber Laxative + Calcium

Calcium Polycarbophil, 625 mg

Bulk-Forming Laxative

Fiber Therapy for Regularity

COMPARE TO FIBERCON® active ingredient\*

250 Caplets

**LEADER<sup>2</sup>**

NDC 70000-0067-1

# Fiber Laxative + Calcium

Calcium Polycarbophil, 625 mg  
Bulk-Forming Laxative

Fiber Therapy  
for Regularity

Actual  
Size

**COMPARE TO  
FIBERCON<sup>®</sup>  
active ingredient\***

100% Money  
Back Guarantee

250 CAPLETS

LOT # & EXP. DATE: F50485

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Drug Facts**

**Active ingredient (in each caplet)**  
Calcium polycarbophil 625 mg (equivalent to polycarbophil 500 mg).....Bulk-forming laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

**Warnings**

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing, if you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Ask a doctor before use if you have** ■ abdominal pain, nausea, or vomiting ■ a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you are taking any other drug.** Take this product two or more hours before or after other drugs. All laxatives may affect how other drugs work.

**When using this product,** ■ do not use for more than 7 days unless directed by a doctor ■ do not take more than 8 caplets in a 24-hour period unless directed by a doctor

**Stop use and ask a doctor if** ■ you fail to have a bowel movement after use or have rectal bleeding. These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** ■ take this product (child or adult dose) with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning. ■ dosage will vary according to diet, exercise, previous laxative use or severity of constipation ■ continued use for 1 to 3 days is normally required to provide full benefit ■ adults and children 12 years of age and over 2 caplets, 1 to 4 times per day children under 12 years of age ask a doctor

**Other information** ■ each caplet contains: calcium 140 mg ■ do not use if primed seal under cap is torn or missing ■ store in a dry place at 15° – 30° C (69° – 86° F) ■ protect contents from moisture

**Inactive ingredients** Caramel, crospovidone, hypromellose, magnesium silicate, magnesium stearate, microcrystalline cellulose, mineral oil, polyethylene glycol, silica, sodium lauryl sulfate and stearic acid

**Questions or comments?** 1-800-231-4670

\*This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare Holdings (US) LLC, owner of the registered trademark Fiber Con<sup>®</sup>.  
©2021 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER<sup>2</sup> and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43007  
[www.leader.com](http://www.leader.com) 1-800-200-6375

All LEADER<sup>2</sup> Brand Products Have A  
**100% Money Back Guarantee**

Return to place of purchase if not satisfied.

CIN 5669387 REV. 8/21



96295114027 9

## CALCIUM POLYCARBOPHIL

calcium polycarbophil tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0067
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM POLYCARBOPHIL</b> (UNII: 8F049NKY49) (POLYCARBOPHIL - UNII:W25LM17A4W)	CALCIUM POLYCARBOPHIL	625 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B6978945GQ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSPVIDONE</b> (UNII: 2S7830E561)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CARAMEL</b> (UNII: T9D99G2B1R)	

### Product Characteristics

<b>Color</b>	white (off white)	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	19mm

<b>Flavor</b>		<b>Imprint Code</b>	CPC;339	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0067-1	250 in 1 BOTTLE; Type 0: Not a Combination Product	11/18/2020	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	11/18/2020		

**Labeler** - Cardinal Health (063997360)

Revised: 1/2024

Cardinal Health