

HEARTBURN RELIEF- aluminum hydroxide and magnesium carbonate suspension
CHAIN DRUG MARKETING ASSOCIATION

QC ES heartburn relief

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 254 mg
Magnesium carbonate 237.5 mg

Purpose

Antacid

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- laxative effect may occur
- do not use maximum dosage for more than 2 weeks
- do not take more than 16 teaspoonfuls in 24 hours

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- adults and children 12 years and older take 2-4 teaspoonful four times a day or as directed by a doctor

- children under 12 years: consult a doctor
- take after meals and at bedtime
- dispense product only by spoon or other measuring device

Other information

- each 5 mL teaspoonful contains: **magnesium 70 mg, sodium 16 mg**
- store at room temperature
- protect from freezing
- keep tightly closed
- **TAMPER-EVIDENT:** Do not use this product if inner foil seal over mouth of the bottle is broken or missing.

Inactive ingredients

benzyl alcohol, edetate disodium, flavor, glycerin, purified water, saccharin sodium, simethicone emulsion, sodium alginate, sorbitol solution, xanthan gum

Questions or comments?

1-800-540-3765

package Label



Compare to the active ingredients in Gaviskon**

Heartburn Relief

Extra Strength

ALUMINA AND MAGNESIUM CARBONATE ORAL SUSPENSION USP ANTACID

- Fast-acting heartburn relief
- Helps keep acid down for hours



Cherry Flavor

12 FL OZ (355 mL)

231-17222-0
REV GC-1119

Drug Facts

Active ingredients (in each 5 mL teaspoonful)	Purpose
Aluminum hydroxide 254 mg	Antacid
Magnesium carbonate 237.5 mg	Antacid

Uses relieves • acid indigestion • heartburn • sour stomach
• upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have • kidney disease
• a magnesium-restricted diet • a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product • laxative effect may occur
• do not use maximum dosage for more than 2 weeks
• do not take more than 16 teaspoonfuls in 24 hours

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions

- shake well before use
- adults and children 12 years and older take 2-4 teaspoonful four times a day or as directed by a doctor
- children under 12 years: consult a doctor
- take after meals and at bedtime
- dispense product only by spoon or other measuring device

Other information

- each 5 mL teaspoonful contains: magnesium 70 mg, sodium 16 mg
- store at room temperature • protect from freezing • keep tightly closed
- **TAMPER-EVIDENT:** Do not use this product if inner foil seal over mouth of the bottle is broken or missing.

Inactive ingredients benzyl alcohol, edetate disodium, flavor, glycerin, purified water, saccharin sodium, simethicone emulsion, sodium alginate, sorbitol solution, xanthan gum

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by GlaxoSmithKline, owner of the registered trademark Gaviskon® Extra Strength.



Distributed by C.D.M.A., Inc.©
43157 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

931-17222-0
REV GC-1119

HEARTBURN RELIEF

aluminum hydroxide and magnesium carbonate suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-565
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	254 mg in 5 mL
MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D)	MAGNESIUM CARBONATE	237.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C00X)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-565-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	11/01/2019	

Labeler - CHAIN DRUG MARKETING ASSOCIATION (011920774)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(63868-565)