

MAGNESIUM CITRATE- magnesium citrate liquid

Walgreen Co

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Magnesium citrate 1.745 g per fl oz

purpose

Saline laxative

Use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Warnings for use of product

Do not use if

you are on a low salt diet

Ask a doctor before use if you have

- kidney disease
- a magnesium or sodium-restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist if

you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work

Stop use and ask a doctor

if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition

If pregnant or breast-feeding

ask a help professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses
- adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours
- children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours
- children 2 to 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours
- children under 2 years of age- ask a doctor

discard unused product within 24 hours of opening bottle

Other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- sodium content 45 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

inactive ingredients

citric acid, lemon oil, polyethylene glycol , purified water, sodium bicarbonate, sodium saccharin, sucrose

Questions or Comments

1-888-593-0593

Adverse reaction

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

MADE IN U.S.A. WITH U.S. AND FOREIGN COMPONENTS

principal display panel

Well at Walgreens

WALGREENS PHARMACIST RECOMMENDED

Magnesium

Citrate

Saline Laxative

Oral Solution

Lemon Flavor

Walgreens Pharmacist Survey Study, November 2012

10FL OZ (296 mL)

TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING



MAGNESIUM CITRATE

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0667
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
LEMON OIL (UNII: I9GRO824LL)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)

SUCROSE (UNII: C151H8M554)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0667-38	.296 mL in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	07/15/1989	

Labeler - Walgreen Co (008965063)

Registrant - Vi-Jon (790752542)

Establishment

Name	Address	ID/FEI	Business Operations
Vi-Jon		790752542	manufacture(0363-0667)

Revised: 7/2013

Walgreen Co