

**CARBOXYMETHYLCELLULOSE SODIUM- carboxymethylcellulose  
sodium solution/ drops  
AvPAK**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Carboxymethylcellulose Sodium Ophthalmic Solution 0.5%  
(preservative free)**

**Lubricant Eye Drops**

***Active ingredient***

Carboxymethylcellulose sodium 0.5%

***Purpose***

Eye lubricant

***Uses***

- For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun.
- May be used as a protectant against further irritation.

***Warnings***

- **For use in the eyes only.**
- **To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.**
- **Do not touch unit-dose tip to eye.**
- **If solution changes color or becomes cloudy, do not use.**

**Stop use and ask a doctor if**

you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***Directions***

To open, **TWIST AND PULL TAB TO REMOVE.** Instill 1 or 2 drops in the affected eye(s) as needed and discard container.

## Other information

- Use only if single-use container is intact.
- Store at room temperature 15°-30°C (59°-86°F).
- **RETAIN THIS CARTON FOR FUTURE REFERENCE.**






## Inactive ingredients

Calcium chloride; hydrochloric acid; magnesium chloride; potassium chloride; purified water; sodium chloride; sodium hydroxide and sodium lactate.

## Questions or comments?

1-855-361-3993

## PRINCIPAL DISPLAY PANEL

		 <p>NDC 50268-067-30 <b>Carboxymethylcellulose Sodium Ophthalmic Solution 0.5% PF</b> Lubricant Eye Drops</p>									
<p><b>DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING</b></p> <table border="1"><tr><td><b>Drug Facts</b></td></tr><tr><td><b>Active ingredient (in each single-use container) Purpose</b> Carboxymethylcellulose Sodium 0.5% Eye Lubricant</td></tr><tr><td><b>Use</b> • For the temporary relief of burning, irritation and discomfort due to dryness of the eye or exposure to wind or sun. • May be used as a protectant against further irritation.</td></tr><tr><td><b>Warnings</b> <b>For use in the eyes only</b> <b>Do not use</b> • If solution changes color or becomes cloudy. <b>When using this product</b> • Avoid contamination, do not touch tip of container to any surface. • Do not reuse. Once opened, discard. • Do not touch unit-dose tip to eye. <b>Stop use and ask a doctor if</b> • You experience eye pain, changes in vision, continued redness or irritation of the eye. • The condition worsens or persists for more than 72 hours. <b>Keep this and all drugs out of the reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).</td></tr><tr><td><b>Directions</b> • To open, <b>TWIST AND PULL TAB TO REMOVE.</b> • Instill 1 or 2 drops in the affected eye(s) as needed and discard container.</td></tr><tr><td><b>Other information</b> • Store at room temperature 15°-30°C (59°-86°F). • Use only if single-use container is intact. • <b>RETAIN THIS CARTON FOR FUTURE REFERENCE.</b></td></tr><tr><td><b>Inactive Ingredients</b> Calcium chloride, hydrochloric acid, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium hydroxide and sodium lactate.</td></tr><tr><td><b>Questions or comments?</b> • 1-855-361-3993</td></tr></table>	<b>Drug Facts</b>	<b>Active ingredient (in each single-use container) Purpose</b> Carboxymethylcellulose Sodium 0.5% Eye Lubricant	<b>Use</b> • For the temporary relief of burning, irritation and discomfort due to dryness of the eye or exposure to wind or sun. • May be used as a protectant against further irritation.	<b>Warnings</b> <b>For use in the eyes only</b> <b>Do not use</b> • If solution changes color or becomes cloudy. <b>When using this product</b> • Avoid contamination, do not touch tip of container to any surface. • Do not reuse. Once opened, discard. • Do not touch unit-dose tip to eye. <b>Stop use and ask a doctor if</b> • You experience eye pain, changes in vision, continued redness or irritation of the eye. • The condition worsens or persists for more than 72 hours. <b>Keep this and all drugs out of the reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).	<b>Directions</b> • To open, <b>TWIST AND PULL TAB TO REMOVE.</b> • Instill 1 or 2 drops in the affected eye(s) as needed and discard container.	<b>Other information</b> • Store at room temperature 15°-30°C (59°-86°F). • Use only if single-use container is intact. • <b>RETAIN THIS CARTON FOR FUTURE REFERENCE.</b>	<b>Inactive Ingredients</b> Calcium chloride, hydrochloric acid, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium hydroxide and sodium lactate.	<b>Questions or comments?</b> • 1-855-361-3993	<p><b>How To Use:</b> To open <b>TWIST AND PULL TAB TO REMOVE.</b> Instill 1 or 2 drops in the affected eye(s) as needed and discard container.</p>  	 <p><i>Compare to Refresh Plus® Lubricant Eye Drops active ingredient!<sup>†</sup></i></p> <p>NDC 50268-067-30</p> <p><b>Carboxymethylcellulose Sodium Ophthalmic Solution 0.5% PF</b> (preservative free)</p> <p>Lubricant Eye Drops</p> <p><b>MOISTURIZING RELIEF</b></p> <p>Immediate, Soothing Relief for Dry Eyes</p> <p>30 Sterile Single-Use Containers 0.01 FL OZ (0.4 mL) each</p>	<p>This product instantly moisturizes and relieves dry, irritated eyes with a fast-acting, long-lasting formula for sensitive eyes.</p> <p>This product comes in preservative-free single-use vials and are safe to use as often as needed, so your eyes can feel good – anytime, anywhere.</p> <p><sup>†</sup>This product is not manufactured or distributed by Allergan, Inc., owner of the registered trademark Refresh Plus™ Lubricant Eye Drops.</p> <p>Distributed by: AvKARE Pulaski, TN 38478</p> <p>Rev. 09/2020 AV 09/2020</p>  <p>3 50268 06730 8</p>
<b>Drug Facts</b>											
<b>Active ingredient (in each single-use container) Purpose</b> Carboxymethylcellulose Sodium 0.5% Eye Lubricant											
<b>Use</b> • For the temporary relief of burning, irritation and discomfort due to dryness of the eye or exposure to wind or sun. • May be used as a protectant against further irritation.											
<b>Warnings</b> <b>For use in the eyes only</b> <b>Do not use</b> • If solution changes color or becomes cloudy. <b>When using this product</b> • Avoid contamination, do not touch tip of container to any surface. • Do not reuse. Once opened, discard. • Do not touch unit-dose tip to eye. <b>Stop use and ask a doctor if</b> • You experience eye pain, changes in vision, continued redness or irritation of the eye. • The condition worsens or persists for more than 72 hours. <b>Keep this and all drugs out of the reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).											
<b>Directions</b> • To open, <b>TWIST AND PULL TAB TO REMOVE.</b> • Instill 1 or 2 drops in the affected eye(s) as needed and discard container.											
<b>Other information</b> • Store at room temperature 15°-30°C (59°-86°F). • Use only if single-use container is intact. • <b>RETAIN THIS CARTON FOR FUTURE REFERENCE.</b>											
<b>Inactive Ingredients</b> Calcium chloride, hydrochloric acid, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium hydroxide and sodium lactate.											
<b>Questions or comments?</b> • 1-855-361-3993											



NDC 50268-067-50

### Carboxymethylcellulose Sodium Ophthalmic Solution 0.5% PF Lubricant Eye Drops



Compare to Refresh Plus®  
Lubricant Eye Drops active  
ingredient††

NDC 50268-067-50

### Carboxymethylcellulose Sodium Ophthalmic Solution 0.5% PF (preservative free)

Lubricant Eye Drops

**MOISTURIZING RELIEF**

Immediate, Soothing Relief for Dry Eyes

50 Sterile Single-Use Containers  
0.01 FL OZ (0.4 mL) each

This product instantly moisturizes and relieves dry, irritated eyes with a fast-acting, long-lasting formula for sensitive eyes.

This product comes in preservative-free single-use vials and are safe to use as often as needed, so your eyes can feel good – anytime, anywhere.

††This product is not manufactured or distributed by Allergan, Inc., owner of the registered trademark Refresh Plus® Lubricant Eye Drops.

Distributed by:  
AVKARE  
Pulaski, TN 38478

Rev. 09/2020 AV 09/2020



**DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING**

#### Drug Facts

**Active ingredient (in each single-use container) Purpose**  
Carboxymethylcellulose Sodium 0.5%, Eye Lubricant

#### Use

- For the temporary relief of burning, irritation and discomfort due to dryness of the eye or exposure to wind or sun.
- May be used as a protectant against further irritation.

#### Warnings

**For use in the eyes only**

#### Do not use

- If solution changes color or becomes cloudy.

#### When using this product

- Avoid contamination, do not touch tip of container to any surface.
- Do not reuse. Once opened, discard.
- Do not touch unit-dose tip to eye.

#### Stop use and ask a doctor if

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens or persists for more than 72 hours.

**Keep this and all drugs out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- To open, **TWIST AND PULL TAB TO REMOVE.**

- Instill 1 or 2 drops in the affected eye(s) as needed and discard container.

#### Other information

- Store at room temperature 15°-30°C (59°-86°F).
- Use only if single-use container is intact.
- **RETAIN THIS CARTON FOR FUTURE REFERENCE.**

#### Inactive ingredients


Calcium chloride, hydrochloric acid, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium hydroxide and sodium lactate.

#### Questions or comments?

- 1-855-361-3993

#### How To Use:

To open **TWIST AND PULL TAB TO REMOVE.** Instill 1 or 2 drops in the affected eye(s) as needed and discard container.



NDC 50268-067-70

### Carboxymethylcellulose Sodium Ophthalmic Solution 0.5% PF Lubricant Eye Drops



Compare to Refresh Plus®  
Lubricant Eye Drops active  
ingredient††

NDC 50268-067-70

### Carboxymethylcellulose Sodium Ophthalmic Solution 0.5% PF (preservative free)

Lubricant Eye Drops

**MOISTURIZING RELIEF**

Immediate, Soothing Relief for Dry Eyes

70 Sterile Single-Use Containers  
0.01 FL OZ (0.4 mL) each

This product instantly moisturizes and relieves dry, irritated eyes with a fast-acting, long-lasting formula for sensitive eyes.

This product comes in preservative-free single-use vials and are safe to use as often as needed, so your eyes can feel good – anytime, anywhere.

††This product is not manufactured or distributed by Allergan, Inc., owner of the registered trademark Refresh Plus® Lubricant Eye Drops.

Distributed by:  
AVKARE  
Pulaski, TN 38478

Rev. 09/2020 AV 09/2020



**DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING**

#### Drug Facts

**Active ingredient (in each single-use container) Purpose**  
Carboxymethylcellulose Sodium 0.5%, Eye Lubricant

#### Use

- For the temporary relief of burning, irritation and discomfort due to dryness of the eye or exposure to wind or sun.
- May be used as a protectant against further irritation.

#### Warnings

**For use in the eyes only**

#### Do not use

- If solution changes color or becomes cloudy.

#### When using this product

- Avoid contamination, do not touch tip of container to any surface.
- Do not reuse. Once opened, discard.
- Do not touch unit-dose tip to eye.

#### Stop use and ask a doctor if

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens or persists for more than 72 hours.

**Keep this and all drugs out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- To open, **TWIST AND PULL TAB TO REMOVE.**

- Instill 1 or 2 drops in the affected eye(s) as needed and discard container.

#### Other information

- Store at room temperature 15°-30°C (59°-86°F).
- Use only if single-use container is intact.
- **RETAIN THIS CARTON FOR FUTURE REFERENCE.**

#### Inactive ingredients

Calcium chloride, hydrochloric acid, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium hydroxide and sodium lactate.

#### Questions or comments?

- 1-855-361-3993

## CARBOXYMETHYLCELLULOSE SODIUM

carboxymethylcellulose sodium solution/ drops

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50268-067	
<b>Route of Administration</b>	OPHTHALMIC			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) (CARBOXYMETHYLCELLULOSE - UNII:05JZI7B19X)		CARBOXYMETHYLCELLULOSE SODIUM	5 mg in 1 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)				
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)				
POTASSIUM CHLORIDE (UNII: 660YQ98I10)				
WATER (UNII: 059QF0KO0R)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
SODIUM LACTATE (UNII: TU7HW0W0QT)				
HYDROCHLORIC ACID (UNII: QTT17582CB)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50268-067-30	30 in 1 CARTON	11/19/2020	
1		0.4 mL in 1 VIAL, SINGLE-USE; Type 0: Not a Combination Product		
2	NDC:50268-067-50	50 in 1 CARTON	11/19/2020	
2		0.4 mL in 1 VIAL, SINGLE-USE; Type 0: Not a Combination Product		
3	NDC:50268-067-70	70 in 1 CARTON	11/19/2020	
3		0.4 mL in 1 VIAL, SINGLE-USE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part349		11/19/2020	

**Labeler** - AvPAK (832926666)