

**TOLNAFTATE- antifungal liquid maximum strength liquid**  
**Target Corporation**

-----  
**Target Tolnaftate 1% Anti-Fungal**

***Active ingredient***

Tolnaftate 1% w/w

***Purpose***

Antifungal

***Uses***

- proven clinically effective in the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis)
- prevents the recurrences of athlete's foot with daily use
- for effective relief of itching, burning, cracking, redness and scaling

***Warnings***

**For external use only.**

**Do not use**

on children under 2 years of age unless directed by a doctor.

**When using this product**

avoid contact with eyes.

**Stop use and consult a doctor if**

- irritation occurs
- there is no improvement in 4 weeks

**Keep out of reach of children.**

If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

***Directions***

**Read all warnings and directions. Use only as directed.**

- clean the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product

- for athlete's foot: pay special attention to spaces between toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks.
- If condition persists longer, consult a doctor
- to prevent athlete's foot: wash the feet thoroughly, apply a thin layer of the product to the feet once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

### ***Other information***

- store at room temperature 15°-30°C (59° - 86°F)
- protect from freezing. If freezing occurs warm to room temperature
- keep tightly closed when not in use

### ***Inactive ingredient***

Water, Acrylates Copolymer, Glycerin (RSPO), Phenoxyethanol, Tocopherol, Sodium Hydroxide, Ethylhexylglycerin

### ***Questions?***

**Call 1-866-964-0939**

### **Principal Display Panel**

maximum

strength

antifungal

liquid

tolnaftate 1%

new formula

proven clinically effective in

the cure and prevention of

fungus on fingers, toes and

around nails

burning and scaling

relieves itching,

with moisturizer

easy to apply

applicator brush

NET 1 FL OZ (30 mL)

maximum strength  
**antifungal liquid**  
tolnaftate 1%



NDC XXXXX-XXX-XX

Compare to active ingredient in Fungi-Nail® Anti-Fungal Liquid\*

maximum strength  
**antifungal liquid**  
tolnaftate 1%

new formula

proven clinically effective in the cure and prevention of fungus on fingers, toes and around nails  
relieves itching, burning and scaling with moisturizer  
easy to apply applicator brush



ACTUAL SIZE



NET 1 FL OZ (30 mL)



Eliminates and helps stop the spread of fungal infections on cuticles, around nail edges, and under nail tips where reachable with applicator brush. Topical antifungal treatment will not penetrate hard nail surfaces.

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
Made in Canada  
TM & ©2021 Target Brands, Inc.



\*This product is not manufactured or distributed by Kramer Laboratories, Inc., owner of the registered trademark Fungi-Nail®.

DO NOT USE IF NECKBAND IS BROKEN

**Drug Facts**

**Active ingredient Purpose**  
Tolnaftate 1% w/w.....Antifungal

**Uses**

- proven clinically effective in the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis)
- prevents the recurrences of athlete's foot with daily use
- for effective relief of itching, burning, cracking, redness and scaling

**Warnings**

For external use only.

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes.

Stop use and consult a doctor if

- irritation occurs
- there is no improvement in 4 weeks

Keep out of reach of children. If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

**Directions** Read all warnings and directions. Use only as directed.

- clean the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks.
- If condition persists longer, consult a doctor
- to prevent athlete's foot: wash the feet thoroughly, apply a thin layer of the product to the feet once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

**Other information**

- store at room temperature 15-30°C (59-86°F)
- protect from freezing. If freezing occurs warm to room temperature
- keep tightly closed when not in use

**Inactive ingredient**

Water, Acrylates Copolymer, Glycerin (RSP0), Phenoxylethanol, Tocopherol, Sodium Hydroxide, Ethylhexylglycerin

**Questions?** Call 1-866-964-0939

53-121TG

**DO NOT USE IF NECKBAND IS BROKEN**

**Active ingredient:** Tolnaftate (1% w/w)

**Purpose:** Antifungal **Uses:** Proven clinically effective in the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis)

NDC XXXXX-XXX-XX

maximum strength  
**antifungal liquid**

tolnaftate 1%

proven clinically effective in the cure and prevention of fungus on fingers, toes and around nails



NET 1 FL OZ (30 mL)

**Warnings:** For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with eyes. Stop use and consult a doctor if irritation occurs or there is no improvement within 4 weeks. Keep out of reach of children. If accidental ingestion occurs, get medical help or contact a Poison Control Center right away. **Directions:** Read all warnings and directions. Use only as directed. Clean the affected area and dry thoroughly. Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: pay special attention to spaces between the toes. Wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor. To prevent athlete's foot wash the feet thoroughly; apply a thin layer of the product to the feet once or twice daily (morning and/or night).

This product is not effective on the scalp or nails.

**Inactive Ingredient:** Water, Acrylates Copolymer, Glycerin (RSPO), Phenoxylethanol, Tocopherol, Sodium Hydroxide, Ethylhexylglycerin

**Other information:** Store at room temperature 15°-30°C (59°-86°F)

Protect from freezing. If freezing occurs warm to room temperature. Keep tightly closed when not in use.

**Questions? Call 1-800-910-6874**

245 06 0098 R0 C-001472-01-090

Distributed by Target Corporation

Minneapolis, MN 55403

Made in Canada

TM & ©2021 Target Brands, Inc.

50-121TG

## TOLNAFTATE

antifungal liquid maximum strength liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-091
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	0.3 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
TOCOPHEROL (UNII: R0ZB2556P8)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-	30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a	02/15/2021	

091-01	Combination Product	02/15/2021	
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	02/15/2021	

**Labeler** - Target Corporation (006961700)

Revised: 2/2024

Target Corporation