# NUMB GEL ANESTHETIC- lidocaine hcl gel RENU LABORATORIES, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **NUMB Gel Anesthetic**

Lidocaine HCI 4%

Topical anesthetic

**Uses:** For temporary relief of pain associated with minor skin procedures

For External Use only.

When using this product, do not use in or near the eyes • do not use in large quantities, particularly over raw surfaces or blistered areas. • do not use on puncture wounds • for more than one week without consulting a doctor

### Stop Use and ask a doctor if:

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions: adults and children 2 years and older:** apply to the affected area up to 3 to 4 times a day

children under 2 years - ask a doctor

**Inactive Ingredients:** Aloe Barbadensis Leaf Powder, Benzyl Alcohol, Deionized Water, Disodium EDTA, Ethyl Alcohol SD 40B, Glycerin

Store at 20 - 25 C (68 - 77 degrees F)

**Questions?** 574-975-3632

If pregnant or breast-feeding, ask a health professional before use.

JAR LABEL AND BOX ART





Wear gloves to apply. Shave and wash treatment area and dry completely. Stir EGA and apply a small amount to treatment area, Leave on for 30 minutes for a small area or 45-66 minutes for a large area before wiping off completely. You do not need to cover the area during this initial application. Apply stencil with Electrum Stencil Primer.

Tatloo outline first.

Ong fets Continued Lit corner and pred back **Drug Facts** Active ingredient Purpose Lidocaine HCI 4% . . Topical Anesthetic Uses For the temporary relief of gain associated with minor sith procedures Warnings For external use only

Warnsings

For entermal use only

Do Not Use

I be only as director. Read and some inside years are consumed in the body or or out, inflated or swotien skin

on large areas of the body or or out, inflated or swotien skin

on particular wounds

for more than one week without some the product of this type
to not been one seek without some the product of the type
to not been particular as footor if
somewhat a doctor if

with a medicated patch # avoid contact with eyes and museus membranes # a programs persent in most two 7 days or done application but generally disappears in several hours.

Stopp use and ask a doctor if where the product was application.

GEL ANESTHETIC

ž

If pregnant or breast-feeding, ask a health professional before to affective and every 6 to 3 hours, the first before to affective and every 6 to 3 hours, the first before the fielden and pets a Hawaillowed to the first before the fielden and pets a Hawaillowed to the first before the first bef

DISTRIBUTED BY ELECTRUM SUPPLY WWW.ELECTRUMSUPPLY.COM Elkhart, in 46516

### **NUMB GEL ANESTHETIC**

lidocaine hcl gel

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:76348-595

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	1.12 g in 28 g

Inactive Ingredients		
Ingredient Name	Strength	
GLYCERIN (UNII: PDC6A3C0OX)		
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)		
ALOE VERA LEAF (UNII: ZY81Z83H0X)		
BENZYL ALCOHOL (UNII: LKG8494WBH)		
WATER (UNII: 059QF0KO0R)		
ALCOHOL (UNII: 3K9958V90M)		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:76348-595- 02	1 in 1 BOX	11/20/2020			
1	NDC:76348-595- 01	28 g in 1 JAR; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	11/20/2020		

# Labeler - RENU LABORATORIES, INC. (945739449)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
RENU LABORATORIES, INC.		945739449	manufacture(76348-595)		

Revised: 1/2022 RENU LABORATORIES, INC.