

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS TINTED
MINERAL LIGHT FLUID SUNSCREEN BROAD SPECTRUM SPF 40 MEDIUM-
titanium dioxide and zinc oxide lotion
Cosmetique Active Production**

Drug Facts

Active ingredients

Titanium dioxide 17%

Zinc oxide 8%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use

- apply generously 15 minutes before sun exposure
- apply to all skin exposed to the sun
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

isohexadecane, water, dimethicone, triethylhexanoin, c15-19 alkane, silica, c12-15 alkyl benzoate, caprylyl methicone, butyloctyl salicylate, iron oxides, aluminum stearate, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, alumina, polyhydroxystearic acid, PEG-9 polydimethylsiloxyethyl dimethicone, pentylene glycol, acrylates/dimethicone copolymer, aluminum hydroxide, stearic acid, niacinamide, phenoxyethanol, magnesium sulfate, caprylyl glycol, triethoxycaprylylsilane, disteardimonium hectorite, diethylhexyl syringylidenemalonate, tocopherol, disodium stearyl glutamate, propylene carbonate, cassia alata leaf extract, maltodextrin, dipropylene glycol, sodium citrate, caprylic/capric triglyceride

Questions or comments?

1-888-LRP LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)



A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS

Every day, dermatologists observe skin damage caused by UVA and UVB rays. UVB rays mainly cause tanning. They cause sunburn and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause skin aging or sun allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad spectrum protection through the use of CELL-OX SHIELD®, a synergistic combination of UVA/UVB filters combined with antioxidants.

3 337875 894210

40
ANTHELIOS
TINTED MINERAL
MEDIUM

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

NEW
ANTHELIOS
TINTED MINERAL
LIGHT FLUID SUNSCREEN
40 BROAD SPECTRUM
SPF 40
FACE SUNSCREEN

MEDIUM

100% MINERAL
UV FILTERS

With CELL-OX SHIELD®
UVA / UVB Protection
+ Antioxidants

Tested on sensitive skin.
Fragrance-free.

1.7 FLOZ - 50 ml

ANTHELIOS TINTED MINERAL DEEP 40

Skin Type:
All including Sensitive
Texture:
Light Fluid
Application:
Face

1. For Sensitive Skin. Ideal for all skin types including sensitive skin, and those who want a tinted sunscreen that provides a healthy glow with 100% mineral UV filters.
2. Lightweight, Blendable Tint. A gentle, mineral sunscreen with a non-greasy texture. The subtle, blendable tint with iron oxides creates a healthy glow while minimizing white cast, and is suitable for deeper pigmented skin. It provides a smooth base for makeup application. Leaves skin feeling hydrated with a dewy, radiant finish. Shake well before use.
3. CELL-OX SHIELD TECHNOLOGY
100% Mineral UV Filters. Titanium dioxide and zinc oxide deliver broad spectrum sunscreen protection. **Powerful Antioxidant Protection** with sesamol, a tropical leaf extract known to defend skin cells against damaging free radicals caused by the sun that can accelerate skin aging. **RESULTS.** This sunscreen decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see Directions).

Drug Facts

Active ingredients	Purpose
Titanium dioxide 17%, Zinc oxide 8%	Sunscreen Sunscreen

Uses
• helps prevent sunburn
• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask doctor if rash occurs
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions
For sunscreen use:
• shake well before use
• apply generously 15 minutes before sun exposure
• apply to all skin exposed to the sun
• reapply at least every 2 hours
• use a water resistant sunscreen if swimming or sweating
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeved shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Other information
• protect the product in this container from excessive heat and direct sun
Inactive ingredients
isohexadecane, water, dimethicone, triethylhexanoin, C15-19 alkane, silica, C12-15 alkyl benzoate, caprylyl methicone, butylcetyl salicylate, iron oxides, aluminum stearate, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, alumina, polyhydroxyisostearic acid, PEG-9 polydimethylsilyloxyethyl dimethicone, pentaerythritol dicaprylate/dimethicone copolymer, aluminum hydroxide, stearic acid, niacinamide, phenoxypolonyl, magnesium sulfate, caprylyl glycol, triethoxycaprylylsilane, disteardimonium hectorite, diethylhexyl syringylidene malonate, tocopherol, disodium stearyl glutamate, propylene carbonate, cassia alata leaf extract, methylsiloxane, dipropylene glycol, sodium citrate, caprylic/capric triglyceride

Questions or comments?
1-888-LRP-LABO 1-888-571-5226
Monday-Friday (9a.m. - 5p.m. EST)
©2015 LRP
Made in France. Distribution reserved to La Roche-Posay approved distributors. La Roche-Posay LLC, 10 Hudson Yards, New York, NY 10001.
La Roche-Posay Laboratoire Dermatologique
CA 86200 La Roche-Posay, France
USA 75000 33884 ST LOUEN CEDEX FR
www.laroche-posay.us

C1 - Internal use

TINTED MINERAL LIGHT FLUID SUNSCREEN BROAD SPECTRUM SPF 40 MEDIUM

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69625-210
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium dioxide (UNII: 15FIX9V2JP) (Titanium dioxide - UNII:15FIX9V2JP)	Titanium dioxide	170 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)	Zinc oxide	80 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ISOHEXADECANE (UNII: 918X1OUF1E)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
C15-19 ALKANE (UNII: C187N1IM01)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
TOCOPHEROL (UNII: R0ZB2556P8)	

DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SENNA ALATA LEAF (UNII: 4BXR6YZN92)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69625-210-01	1 in 1 CARTON	12/15/2023	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69625-210-02	1 in 1 CARTON	12/15/2023	
2		5 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/15/2023	

Labeler - Cosmetique Active Production (282658798)

Establishment

Name	Address	ID/FEI	Business Operations
Cosmetique Active Production		282658798	manufacture(69625-210)

Establishment

Name	Address	ID/FEI	Business Operations
Interspray		364829903	pack(69625-210)

Revised: 12/2023

Cosmetique Active Production