

STOMACH RELIEF- bismuth subsalicylate tablet, chewable
ARMY AND AIR FORCE EXCHANGE SERVICE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Exchange Select 44-319

Active ingredient (in each tablet)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever/antidiarrheal

Uses

relieves:

- diarrhea
- travelers' diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - indigestion
 - nausea
 - heartburn
 - belching
 - fullness
 - gas

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are:

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- chew or dissolve in mouth
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- adults and children 12 years and over: 2 tablets every 1/2 to 1 hour as needed. Do not exceed 8 doses (16 tablets) in 24 hours.
- use until diarrhea stops, but not more than 2 days
- children under 12 years: ask a doctor

Other information

- **each tablet contains:** calcium 40 mg, salicylate 102 mg
- **TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF CELLOPHANE UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive heat
- store in a dry place

Inactive ingredients

calcium carbonate, cherry flavor, D&C red #27 aluminum lake, D&C red #30 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, mannitol, povidone, saccharin sodium, stearic acid, talc

Questions or comments?

1-800-426-9391

Principal Display Panel

exchange √ select™

**Compare To
The Active Ingredient
of Pepto-Bismol®†**

***Stomach
Relief***

Bismuth subsalicylate 262 mg

**Upset Stomach Reliever
Antidiarrheal**

MULTI-SYMPTOM RELIEF:

- Nausea
- Upset Stomach
- Heartburn
- Diarrhea
- Indigestion

Actual Size

30 Cherry Flavored
Chewable Tablets

√ quality value

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF CELLOPHANE UNIT IS TORN,
BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

†This product is not manufactured or distributed by
Procter & Gamble, owner of the registered trademark
Pepto-Bismol®.

50844 REV0215K31901

"SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.,

Hauppauge, NY 11788

1-800-426-9391



Exchange Select 44-319

STOMACH RELIEF

bismuth subsalicylate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:5530 1-319
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ, BISMUTH CATION - UNII:ZS9CD1I8YE)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	

D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	16mm
Flavor	CHERRY	Imprint Code	44;319
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-319-01	5 in 1 CARTON	07/16/1998	
1		6 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part335	07/16/1998	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(55301-319)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(55301-319)