

**PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen, diphenhydramine
hcl tablet, coated
Walgreen Company**

Walgreens 44-556

Active ingredients (in each gelcap)

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Purpose

Pain reliever
Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis

- glaucoma
- liver disease
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gelcaps at bedtime
 - do not take more than 2 gelcaps of this product in 24 hours
- children under 12 years: do not use

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- use by expiration date on package

Inactive ingredients

ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1,

FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

VALUE SIZE NDC 0363-0556-54

Walgreens

• WALGREENS •
PHARMACIST RECOMMENDED

Compare to the active ingredients
in Extra Strength Tylenol® PM††

Pain Reliever PM

ACETAMINOPHEN 500 mg / PAIN RELIEVER
DIPHENHYDRAMINE HCl 25 mg /
NIGHTTIME SLEEP AID

Nighttime Extra Strength

375 GELCAPS

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†Our pharmacists recommend the Walgreens brand.
We invite you to compare to national brands.

††This product is not manufactured or distributed by
Johnson & Johnson Corporation, owner of the
registered trademark Extra Strength Tylenol® PM.

50844 ORG032255654

DISTRIBUTED BY: **WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015**

100% SATISFACTION GUARANTEED

walgreens.com ©2021 Walgreen Co.

Drug Facts (continued)

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over
- take 2 gelscaps at bedtime
- do not take more than 2 gelscaps of this product in 24 hours
- children under 12 years: do not use

Other information

- use by expiration date on package
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

- ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

Questions or comments? 1-800-426-9391

VALUE SIZE

NDC 0363-0556-54

Walgreens

Compare to the active ingredients in Extra Strength Tylenol® PM*

Pain Reliever PM

ACETAMINOPHEN 500 mg / PAIN RELIEVER

DIPHENHYDRAMINE HCl 25 mg / NIGHTTIME SLEEP AID

Nighttime

Extra Strength

375 GELCAPS

ACTUAL SIZE

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each gelcap)

Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Nighttime sleep-aid

Uses

- temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

- Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product
- Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash
- If a skin reaction occurs, stop use and seek medical help right away.
- Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- If you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

ITEM 274313 W00000-0000-0

3 11917 15824 2

Our pharmacist recommends the Walgreens brand. We invite you to compare to national brands. This product is not intended to be used by children under 12 years of age. © 2013 Walgreens Corporation, owner of the registered trademark Extra Strength Tylenol® PM. WSC03630556-54 REV 04/12

DISTRIBUTED BY: WALGREENS CO., 200 N. MILWAUKEE, DEERFIELD, IL 60015

1-800-426-9391 walgreens.com

Walgreens 44-556

PAIN RELIEVER PM EXTRA STRENGTH

acetaminophen, diphenhydramine hcl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0556
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2Z H5LOQY)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ 8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

SHELLAC (UNII: 46N107B71O)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	blue (dark blue) , blue (light blue)		Score	no score
Shape	OVAL		Size	20mm
Flavor			Imprint Code	L;6
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0556-09	1 in 1 CARTON	12/17/2007	
1		20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-0556-57	125 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2007	
3	NDC:0363-0556-54	375 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2007	
4	NDC:0363-0556-31	1 in 1 CARTON	12/17/2007	02/27/2022
4		80 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M013	12/17/2007	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(0363-0556) , pack(0363-0556)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-0556)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-0556)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(0363-0556)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-0556)

Revised: 7/2023

Walgreen Company