

**PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen, diphenhydramine  
hcl tablet, coated  
Walgreen Company**

-----  
**Walgreens 44-556**

***Active ingredients (in each gelcap)***

Acetaminophen 500 mg  
Diphenhydramine HCl 25 mg

***Purpose***

Pain reliever  
Nighttime sleep-aid

***Uses***

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

***Ask a doctor before use if you have***

- a breathing problem such as emphysema or chronic bronchitis

- glaucoma
- liver disease
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 gelcaps at bedtime
  - do not take more than 2 gelcaps of this product in 24 hours
- children under 12 years: do not use

***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- use by expiration date on package

***Inactive ingredients***

ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1,

FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

**VALUE SIZE** NDC 0363-0556-54

**Walgreens**

• WALGREENS •  
PHARMACIST RECOMMENDED

Compare to the active ingredients  
in Extra Strength Tylenol® PM††

**Pain Reliever PM**

**ACETAMINOPHEN** 500 mg / PAIN RELIEVER  
DIPHENHYDRAMINE HCl 25 mg /  
NIGHTTIME SLEEP AID

Nighttime          Extra Strength

**375** GELCAPS

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†Our pharmacists recommend the Walgreens brand.

We invite you to compare to national brands.

††This product is not manufactured or distributed by  
Johnson & Johnson Corporation, owner of the  
registered trademark Extra Strength Tylenol® PM.

**50844 ORG032255654**

DISTRIBUTED BY: **WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015**

**100% SATISFACTION GUARANTEED**

**walgreens.com** ©2021 Walgreen Co.

**Drug Facts (continued)**

When using this product

- drowsiness will occur ■ avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days ■ redness or swelling is present
- fever gets worse or lasts more than 3 days ■ new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed
- adults and children 12 years and over
- take 2 gelscaps at bedtime ■ do not take more than 2 gelscaps of this product in 24 hours
- children under 12 years: do not use

**Other information**

- use by expiration date on package ■ avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Inactive ingredients** ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

Questions or comments? 1-800-426-9391

VALUE SIZE NDC 0363-0556-04



Compare to the active ingredients in Extra Strength Tylenol® PM\*

# Pain Reliever PM

ACETAMINOPHEN 500 mg / PAIN RELIEVER  
DIPHENHYDRAMINE HCl 25 mg / NIGHTTIME SLEEP AID

Nighttime Extra Strength

375 GELCAPS



ACTUAL SIZE

**Drug Facts** TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Active ingredients (in each gelcap)**

Active ingredients (in each gelcap)	Purpose
Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Nighttime sleep-aid

**Uses** temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease ■ glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

ITEM 274313 W00000-0000-0



3 11917 15024 2

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not intended to be substituted by Johnson & Johnson's Tylenol® PM. Registered trademark Extra Strength Tylenol® PM, 50644 OR0302259654 WALGREENS PAIN RELIEVER. DISTRIBUTED BY WALGREENS CO., 200 WILMOTR, KEEPFIELD, IL 60055. ©2011 Walgreen Co. walgreen.com

## Walgreens 44-556

PAIN RELIEVER PM EXTRA STRENGTH			
acetaminophen, diphenhydramine hcl tablet, coated			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0556
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	
<b>Inactive Ingredients</b>			
Ingredient Name	Strength		
<b>AMMONIA</b> (UNII: 5138Q19F1X)			
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)			
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)			
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)			
<b>FD&amp;C RED NO. 3</b> (UNII: PN2Z H5LOQY)			
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)			
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ 8H6N6OH)			
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)			
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)			
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)			
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)			
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)			
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)			
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)			
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)			
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)			

<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	blue (dark blue) , blue (light blue)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	L;6
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0556-09	1 in 1 CARTON	12/17/2007	
1		20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-0556-57	125 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2007	
3	NDC:0363-0556-54	375 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2007	
4	NDC:0363-0556-31	1 in 1 CARTON	12/17/2007	02/27/2022
4		80 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/17/2007	

**Labeler** - Walgreen Company (008965063)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(0363-0556) , pack(0363-0556)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-0556)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-0556)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		868734088	manufacture(0363-0556)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(0363-0556)

Revised: 7/2024

Walgreen Company