

RENOTOX- triticum aestivum, asparagus officinalis, berberis vulgaris, echinacea (angustifolia), kali muriaticum, petroselinum sativum, sabal serrulata, solidago virgaurea, taraxacum officinale, uva-ursi, barosma (betulina), eupatorium purpureum, kidney (suis), bryonia (alba), mercurius corrosivus, aluminum metallicum, antimonium crudum, argentum metallicum, arsenicum album, aurum metallicum, baryta carbonica, beryllium metallicum, bismuthum metallicum, boron, bromium, cadmium metallicum, cerium metallicum, liquid

BioActive Nutritional, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Triticum Aestivum MT, Asparagus Officinalis 3X, Berberis Vulgaris 3X, Echinacea (Angustifolia) 3X, Kali Muriaticum 3X, Petroselinum Sativum 3X, Sabal Serrulata 3X, Solidago Virgaurea 3X, Taraxacum Officinale 3X, Uva-Ursi 3X, Barosma (Betulina) 5X, Eupatorium Purpureum 6X, Kidney (Suis) 8X, Bryonia (Alba) 12X, Mercurius Corrosivus 12X, Aluminum Metallicum 12X, 30X, Antimonium Crudum 12X, 30X, Argentum Metallicum 12X, 30X, Arsenicum Album 12X, 30X, Aurum Metallicum 12X, 30X, Baryta Carbonica 12X, 30X, Beryllium Metallicum 12X, 30X, Bismuthum Metallicum 12X, 30X, Boron 12X, 30X, Bromium 12X, 30X, Cadmium Metallicum 12X, 30X, Cerium Metallicum 12X, 30X, Cesium Chloride 12X, 30X, Chromium 12X, 30X, Cobaltum Metallicum 12X, 30X, Cuprum Metallicum 12X, 30X, Dysprosium Metallicum 12X, 30X, Erbium Metallicum 12X, 30X, Europium Metallicum 12X, 30X, Ferrum Metallicum 12X, 30X, Gadolinium Metallicum 12X, 30X, Germanium Sesquioxide 12X, 30X, Holmium Metallicum 12X, 30X, Indium Metallicum 12X, 30X, Lithium Carbonicum 12X, 30X, Magnesium Metallicum 12X, 30X, Manganum Metallicum 12X, 30X, Mercurius Solubilis 12X, 30X, Molybdenum 12X, 30X, Neodymium Oxide 12X, 30X, Niccolum Metallicum 12X, 30X, Osmium Metallicum 12X, 30X, Palladium Metallicum 12X, 30X, Platinum Metallicum 12X, 30X, Plumbum Metallicum 12X, 30X, Praseodymium Metallicum 12X, 30X, Rhodium Metallicum 12X, 30X, Rubidium Nitricum 12X, 30X, Samarium Metallicum 12X, 30X, Selenium Metallicum 12X, 30X, Stannum Metallicum 12X, 30X, Strontium Carbonicum 12X, 30X, Terbium Metallicum 12X, 30X, Thallium Metallicum 12X, 30X, Uranium Nitricum 12X, 30X, Vanadium Metallicum 12X, 30X, Ytterbium Oxide 12X, 30X, Zincum Metallicum 12X, 30X, Influenzinum (2020-2021) 30X, Morbillinum 30X, Botulinum 30X, 60X, Escherichia Coli 30X, 60X, Proteus (Vulgaris) 30X, 60X, Pseudomonas Aeruginosa 30X, 60X, Proteus (Morgani) 30X, 60X, Salmonella Typhi Nosode 33X, Lanthanum Metallicum 14C, Clostridium Perfringens 15C, 30C, Epstein-Barr Virus Nosode 30C, Niobium Metallicum 30C, Poliomyelitis Nosode 30C, Tantalum Metallicum 30C.

INDICATIONS:

For temporary relief of pain in the abdomen extending around to the back, pain in the

thighs and loins on urinating and frequent urination.

WARNINGS:

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

INDICATIONS:

For temporary relief of pain in the abdomen extending around to the back, pain in the thighs and loins on urinating and frequent urination.

INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol

QUESTIONS:

Distributed by:

BioActive Nutritional, Inc.
1803 N. Wickham Rd.
Melbourne, FL 32935
bioactivenutritional.com

PACKAGE LABEL DISPLAY:

BIOActiveNutritional

RENOTOX

HOMEOPATHIC

2 FL OZ (60 ml)



BIOActive Nutritional

RENOTOX

HOMEOPATHIC

WARNINGS: If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

LOT:

Distributed by:
BioActive Nutritional, Inc.
1803 N. Wickham Rd.
Melbourne, FL 32935
bioactivenutritional.com

ACTIVE INGREDIENTS: Triticum Aestivum MT, Asparagus, Berber Vulg, Echinacea, Kali Mur, Petroselinum, Sabal, Solidago, Taraxacum, Uva-Ursi 3X, Barosma 5X, Eupatorium Purp 6X, Kidney 8X, Bryonia, Merc Corros 12X, Alumin Met, Antimon Crud, Arg Met, Arsenicum Alb, Aur Met, Baryta Carb, Beryllium, Bismuth Met, Boron, Bromium, Cadmium Met, Cerium Metallicum, Cesium Chloride, Chromium, Cobaltum Met, Cuprum Met, Dysprosium Metallicum, Erbium Metallicum, Europium Metallicum, Ferrum Met, Gadolinium Metallicum, Germanium Sesquioxide, Holmium Metallicum, Indium, Lithium Carb, Magnesium Met, Mang Met, Merc Solub, Molybdenum, Neodymium Oxide, Niccolum Met, Osmium, Palladium, Platinum Met, Plumb Met, Praseodymium Metallicum, Rhodium, Rubidium Nitricum, Samarium Metallicum, Selenium, Stannum Met, Strontium Carb, Terbium Metallicum, Thallium, Uranium Nitricum, Vanadium, Ytterbium Oxide, Zinc Met 12X, 30X, Influenzinum, Morbillinum 30X, Botulinum, Colibacillinum, Proteus (Morganii), Proteus (Vulgaris), Pseudomonas Aeruginosa 30X, 60X, Salmonella Typhi Nosode 33X, Lanthanum Metallicum 14C, Clostridium Perfringens 15C, 30C, Epstein-Barr Virus Nosode, Niobium Metallicum, Poliomyelitis Nosode, Tantalum Metallicum 30C.

INACTIVE INGREDIENTS: Demineralized Water, 25% Ethanol

2 FL OZ (60 ml)

INDICATIONS:
For temporary relief of pain in the abdomen extending around to the back, pain in the thighs and loins on urinating and frequent urination.

DIRECTIONS:
10 drops orally,
3 times a day.
Consult a physician for use in children under 12 years of age.

RENOTOX

triticum aestivum, asparagus officinalis, berberis vulgaris, echinacea (angustifolia), kali muriaticum, petroselinum sativum, sabal serrulata, solidago virgaurea, taraxacum officinale, uva-ursi, barosma (betulina), eupatorium purpureum, kidney (suis), bryonia (alba), mercurius corrosivus, aluminum metallicum, antimonium crudum, argentum metallicum, arsenicum album, aurum metallicum, baryta carbonica, beryllium metallicum, bismuthum metallicum, boron, bromium, cadmium metallicum, cerium metallicum, liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43857-0582
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TRITICUM AESTIVUM WHOLE (UNII: 3C3Y389JBU) (TRITICUM AESTIVUM WHOLE - UNII:3C3Y389JBU)	TRITICUM AESTIVUM WHOLE	1 [hp_X] in 1 mL
ASPARAGUS (UNII: Z1EJP3037Z) (ASPARAGUS - UNII:Z1EJP3037Z)	ASPARAGUS	3 [hp_X] in 1 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	3 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA WHOLE (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA WHOLE	3 [hp_X] in 1 mL
POTASSIUM CHLORIDE (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295053K152)	POTASSIUM CATION	3 [hp_X] in 1 mL
PETROSELINEUM CRISPUM WHOLE (UNII: 1WZA4Y92EX) (PETROSELINEUM CRISPUM - UNII:1WZA4Y92EX)	PETROSELINEUM CRISPUM WHOLE	3 [hp_X] in 1 mL
SAW PALMETTO (UNII: J7WWH9M8QS) (SAW PALMETTO - UNII:J7WWH9M8QS)	SAW PALMETTO	3 [hp_X] in 1 mL
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	3 [hp_X] in 1 mL
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	3 [hp_X] in 1 mL

ARCTOSTAPHYLOS UVA-URSI LEAF (UNII: 3M5V3D1X36) (ARCTOSTAPHYLOS UVA-URSI LEAF - UNII:3M5V3D1X36)	ARCTOSTAPHYLOS UVA-URSI LEAF	3 [hp_X] in 1 mL
AGATHOSMA BETULINA LEAF (UNII: 369DDH39Z0) (AGATHOSMA BETULINA LEAF - UNII:369DDH39Z0)	AGATHOSMA BETULINA LEAF	5 [hp_X] in 1 mL
EUTROCHIUM PURPUREUM ROOT (UNII: 0VYG5PVN5Q) (EUPATORIUM PURPUREUM ROOT - UNII:0VYG5PVN5Q)	EUTROCHIUM PURPUREUM ROOT	6 [hp_X] in 1 mL
PORK KIDNEY (UNII: X7BC15P86H) (PORK KIDNEY - UNII:X7BC15P86H)	PORK KIDNEY	8 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	12 [hp_X] in 1 mL
MERCURIC CHLORIDE (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	12 [hp_X] in 1 mL
ALUMINUM (UNII: CPD4NFA903) (ALUMINUM - UNII:CPD4NFA903)	ALUMINUM	12 [hp_X] in 1 mL
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	12 [hp_X] in 1 mL
SILVER (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G)	SILVER	12 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	12 [hp_X] in 1 mL
GOLD (UNII: 79Y1949PYO) (GOLD - UNII:79Y1949PYO)	GOLD	12 [hp_X] in 1 mL
BARIUM CARBONATE (UNII: 6P669D8HQ8) (BARIUM CATION - UNII:V645272HLN)	BARIUM CARBONATE	12 [hp_X] in 1 mL
BERYLLIUM (UNII: OW5102UV6N) (BERYLLIUM - UNII:OW5102UV6N)	BERYLLIUM	12 [hp_X] in 1 mL
BISMUTH (UNII: U015TT5I8H) (BISMUTH - UNII:U015TT5I8H)	BISMUTH	12 [hp_X] in 1 mL
BORON (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	12 [hp_X] in 1 mL
BROMINE (UNII: SBV4XY874G) (BROMINE - UNII:SBV4XY874G)	BROMINE	12 [hp_X] in 1 mL
CADMIUM (UNII: 00BH33GNHG) (CADMIUM - UNII:00BH33GNHG)	CADMIUM	12 [hp_X] in 1 mL
CERIUM (UNII: 30K4522N6T) (CERIUM - UNII:30K4522N6T)	CERIUM	12 [hp_X] in 1 mL
CESIUM CHLORIDE (UNII: GNR9HML8BA) (CESIUM CATION - UNII:LCC4BG14DM)	CESIUM CHLORIDE	12 [hp_X] in 1 mL
CHROMIUM (UNII: 0R0008Q3JB) (CHROMIUM - UNII:0R0008Q3JB)	CHROMIUM	12 [hp_X] in 1 mL
COBALT (UNII: 3G0H8C9362) (COBALT - UNII:3G0H8C9362)	COBALT	12 [hp_X] in 1 mL
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	12 [hp_X] in 1 mL
DYSPROSIUM (UNII: 1D4N45714Q) (DYSPROSIUM - UNII:1D4N45714Q)	DYSPROSIUM	12 [hp_X] in 1 mL
ERBIUM (UNII: 77B218D3YE) (ERBIUM - UNII:77B218D3YE)	ERBIUM	12 [hp_X] in 1 mL
EUROPIUM (UNII: 444W947O8O) (EUROPIUM - UNII:444W947O8O)	EUROPIUM	12 [hp_X] in 1 mL
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	12 [hp_X] in 1 mL
GADOLINIUM (UNII: AU0V1LM3JT) (GADOLINIUM - UNII:AU0V1LM3JT)	GADOLINIUM	12 [hp_X] in 1 mL
GERMANIUM SESQUIOXIDE (UNII: 96WE91N25T) (GERMANIUM SESQUIOXIDE - UNII:96WE91N25T)	GERMANIUM SESQUIOXIDE	12 [hp_X] in 1 mL
HOLMIUM (UNII: W1XX32SQN1) (HOLMIUM - UNII:W1XX32SQN1)	HOLMIUM	12 [hp_X] in 1 mL
INDIUM (UNII: 045A6V3VFX) (INDIUM - UNII:045A6V3VFX)	INDIUM	12 [hp_X] in 1 mL

LITHIUM CARBONATE (UNII: 2BMD2GNA4V) (LITHIUM CATION - UNII:8H8Z5UER66)	LITHIUM CARBONATE	12 [hp_X] in 1 mL
MAGNESIUM (UNII: I38ZP9992A) (MAGNESIUM - UNII:I38ZP9992A)	MAGNESIUM	12 [hp_X] in 1 mL
MANGANESE (UNII: 42Z2K6ZL8P) (MANGANESE - UNII:42Z2K6ZL8P)	MANGANESE	12 [hp_X] in 1 mL
MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	12 [hp_X] in 1 mL
MOLYBDENUM (UNII: 81AH48963U) (MOLYBDENUM - UNII:81AH48963U)	MOLYBDENUM	12 [hp_X] in 1 mL
NEODYMIUM OXIDE (UNII: AYT3H319PN) (NEODYMIUM OXIDE - UNII:AYT3H319PN)	NEODYMIUM OXIDE	12 [hp_X] in 1 mL
NICKEL (UNII: 7OV03QG267) (NICKEL - UNII:7OV03QG267)	NICKEL	12 [hp_X] in 1 mL
OSMIUM (UNII: 2E7M2550PY) (OSMIUM - UNII:2E7M2550PY)	OSMIUM	12 [hp_X] in 1 mL
PALLADIUM (UNII: 5TWQ1V240M) (PALLADIUM - UNII:5TWQ1V240M)	PALLADIUM	12 [hp_X] in 1 mL
PLATINUM (UNII: 49DFR088MY) (PLATINUM - UNII:49DFR088MY)	PLATINUM	12 [hp_X] in 1 mL
LEAD (UNII: 2P299V784P) (LEAD - UNII:2P299V784P)	LEAD	12 [hp_X] in 1 mL
PRASEODYMIUM (UNII: NKN7EZA750) (PRASEODYMIUM - UNII:NKN7EZA750)	PRASEODYMIUM	12 [hp_X] in 1 mL
RHODIUM (UNII: DMK383DSAC) (RHODIUM - UNII:DMK383DSAC)	RHODIUM	12 [hp_X] in 1 mL
RUBIDIUM NITRITE (UNII: 93722E7JA1) (RUBIDIUM CATION - UNII:PR87B22TGJ, NITRITE ION - UNII:J39976L608)	RUBIDIUM NITRITE	12 [hp_X] in 1 mL
SAMARIUM (UNII: 42OD65L39F) (SAMARIUM - UNII:42OD65L39F)	SAMARIUM	12 [hp_X] in 1 mL
SELENIUM (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	12 [hp_X] in 1 mL
TIN (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	TIN	12 [hp_X] in 1 mL
STRONTIUM CARBONATE (UNII: 41YPU4MMCA) (STRONTIUM CATION - UNII:37077S2C93)	STRONTIUM CARBONATE	12 [hp_X] in 1 mL
TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	12 [hp_X] in 1 mL
THALLIUM (UNII: AD84R52XLF) (THALLIUM - UNII:AD84R52XLF)	THALLIUM	12 [hp_X] in 1 mL
URANYL NITRATE HEXAHYDRATE (UNII: 3V057702FY) (URANIUM CATION (6+) - UNII:5PI36AS4G7)	URANYL NITRATE HEXAHYDRATE	12 [hp_X] in 1 mL
VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	12 [hp_X] in 1 mL
YTTERBIUM OXIDE (UNII: T66CZ53RP4) (YTTERBIUM OXIDE - UNII:T66CZ53RP4)	YTTERBIUM OXIDE	12 [hp_X] in 1 mL
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	12 [hp_X] in 1 mL
INFLUENZA A VIRUS A/GUANGDONG-MAONAN/SWL1536/2019 CNIC-1909 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: NY1FF92M1E) (INFLUENZA A VIRUS A/GUANGDONG-MAONAN/SWL1536/2019 CNIC-1909 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:R0BT251SA5)	INFLUENZA A VIRUS A/GUANGDONG-MAONAN/SWL1536/2019 CNIC-1909 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)	30 [hp_X] in 1 mL
INFLUENZA A VIRUS A/HONG KONG/2671/2019 IVR-208 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: P8ORN3UOM6) (INFLUENZA A VIRUS A/HONG KONG/2671/2019 IVR-208 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:THG3PU0KOK)	INFLUENZA A VIRUS A/HONG KONG/2671/2019 IVR-208 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED)	30 [hp_X] in 1 mL
INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: B93BQX9789) (INFLUENZA B	INFLUENZA B VIRUS B/PHUKET/3073/2013	30 [hp_X]

VIRUS B/PHUKET/3073/2013 BVR-1B HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9YRA9J0KI2	ANTIGEN (FORMALDEHYDE INACTIVATED)	in 1 mL
INFLUENZA B VIRUS B/WASHINGTON/02/2019 ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: VEH9U90EHX) (INFLUENZA B VIRUS B/WASHINGTON/02/2019 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:1G2CU2LIB5)	INFLUENZA B VIRUS B/WASHINGTON/02/2019 ANTIGEN (FORMALDEHYDE INACTIVATED)	30 [hp_X] in 1 mL
MEASLES VIRUS (UNII: HT3R7C012Q) (MEASLES VIRUS - UNII:HT3R7C012Q)	MEASLES VIRUS	30 [hp_X] in 1 mL
BOTULINUM TOXIN TYPE A (UNII: E211KPY694) (BOTULINUM TOXIN TYPE A - UNII:E211KPY694)	BOTULINUM TOXIN TYPE A	30 [hp_X] in 1 mL
ESCHERICHIA COLI (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	30 [hp_X] in 1 mL
PROTEUS VULGARIS (UNII: 11T9HCO30O) (PROTEUS VULGARIS - UNII:11T9HCO30O)	PROTEUS VULGARIS	30 [hp_X] in 1 mL
PSEUDOMONAS AERUGINOSA (UNII: Y793W5V55N) (PSEUDOMONAS AERUGINOSA - UNII:Y793W5V55N)	PSEUDOMONAS AERUGINOSA	30 [hp_X] in 1 mL
PROTEUS MORGANII (UNII: 56X6LID5ZY) (PROTEUS MORGANII - UNII:56X6LID5ZY)	PROTEUS MORGANII	30 [hp_X] in 1 mL
SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR TYPHI (UNII: 760T5R8B3O) (SALMONELLA ENTERICA ENTERICA SEROVAR TYPHI - UNII:760T5R8B3O)	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR TYPHI	33 [hp_X] in 1 mL
LANTHANUM (UNII: 6I3K30563S) (LANTHANUM - UNII:6I3K30563S)	LANTHANUM	14 [hp_C] in 1 mL
CLOSTRIDIUM PERFRINGENS (UNII: OVP6XX033E) (CLOSTRIDIUM PERFRINGENS - UNII:OVP6XX033E)	CLOSTRIDIUM PERFRINGENS	15 [hp_C] in 1 mL
HUMAN HERPESVIRUS 4 (UNII: 2A26YW7PNX) (HUMAN HERPESVIRUS 4 - UNII:2A26YW7PNX)	HUMAN HERPESVIRUS 4	30 [hp_C] in 1 mL
NIOBIUM (UNII: 05175J654G) (NIOBIUM - UNII:05175J654G)	NIOBIUM	30 [hp_C] in 1 mL
POLIOVIRUS (UNII: FZJ641678T) (POLIOVIRUS - UNII:FZJ641678T)	POLIOVIRUS	30 [hp_C] in 1 mL
TANTALUM (UNII: 6424HBN274) (TANTALUM - UNII:6424HBN274)	TANTALUM	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0582-1	60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	05/21/2021	01/11/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/21/2021	01/11/2027

Labeler - BioActive Nutritional, Inc. (624980496)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0582) , api manufacture(43857-0582) , label(43857-0582) , pack(43857-0582)

Revised: 11/2023

BioActive Nutritional, Inc.