

**COLD AND ALLERGY- chlorpheniramine maleate, phenylephrine hcl tablet  
DOLGENCORP, LLC**

-----  
**Dollar General 44-462**

***Active ingredients (in each tablet)***

Chlorpheniramine maleate 4 mg  
Phenylephrine HCl 10 mg

***Purpose***

Antihistamine  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
  - itchy, watery eyes
  - runny nose
  - itching of the nose or throat
  - nasal congestion
  - sneezing
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing
  - nasal congestion

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

## **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

## **When using this product**

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

## **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## ***Directions***

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use

## ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

## ***Inactive ingredients***

croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

## ***Questions or comments?***

**1-888-309-9030**

## ***Principal display panel***

**DG™ | health**

## **Maximum Strength**

### **Cold & Allergy**

Chlorpheniramine maleate, 4 mg / **Antihistamine**  
Phenylephrine HCl, 10 mg / **Nasal Decongestant**

Temporarily Relieves:

- Sneezing • Nasal congestion
- Runny nose • Itchy, watery eyes

Pseudoephedrine Free

### **48 Tablets**

Actual Tablet Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**100%**

**Satisfaction**

**Guaranteed!**

(888) 309-9030

50844 REV0319A46222

DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each tablet)</b></p> <p>Chlorpheniramine maleate 4 mg Antihistamine Phenylephrine HCl 10 mg Nasal decongestant</p>	<p><b>Uses</b></p> <p>Temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:</p> <ul style="list-style-type: none"> <li>itchy, watery eyes</li> <li>runny nose</li> <li>sneezing</li> <li>nasal congestion</li> </ul> <p>Temporarily relieves these symptoms due to the common cold:</p> <ul style="list-style-type: none"> <li>runny nose</li> <li>sneezing</li> <li>nasal congestion</li> </ul>
<p><b>Warnings</b></p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> <li>high blood pressure</li> <li>heart disease</li> <li>thyroid disease</li> <li>diabetes</li> <li>glaucoma</li> <li>difficulty in urination due to enlargement of the prostate gland</li> <li>a breathing problem such as emphysema or chronic bronchitis</li> </ul> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</p> <p>When using this product</p> <ul style="list-style-type: none"> <li>do not exceed recommended dosage</li> <li>excitability may occur, especially in children</li> </ul>	<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>drunkenness may occur</li> <li>avoid alcoholic beverages</li> <li>alcohol, sedatives and tranquilizers may increase drowsiness</li> <li>use caution when driving a motor vehicle or operating machinery</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>symptoms do not improve within 7 days or occur with a fever</li> <li>nervousness, dizziness, or sleeplessness occur</li> </ul> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>
<p><b>Directions</b></p> <p>Adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.</p> <p>Children under 12 years: do not use</p>	<p><b>Other information</b></p> <p>TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN</p> <p>store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)</p> <p>see end flap for expiration date and lot number</p> <p><b>Inactive ingredients</b> croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid</p> <p><b>Questions or comments?</b> 1-888-309-9030</p>

# Maximum Strength Cold & Allergy

B-0315-462-22-CA  
REV0319A46222

**DG**™ | health

# Maximum Strength Cold & Allergy

Chlorpheniramine maleate, 4 mg/Antihistamine  
Phenylephrine HCl, 10 mg/Nasal Decongestant

Temporarily Relieves:

- Sneezing
- Nasal congestion
- Runny nose
- Itchy, watery eyes

Pseudoephedrine Free

**48 Tablets**

Actual Tablet Size

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50844 REV0319A46222  
DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No print area Lot no/Exp date



A0702

**Dollar General 44-462**

## COLD AND ALLERGY

chlorpheniramine maleate, phenylephrine hcl tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-962
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	44;462
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55910-962-22	2 in 1 CARTON	06/01/2019	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	06/01/2019	

**Labeler** - DOLGENCORP, LLC (068331990)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	manufacture(55910-962) , pack(55910-962)

## **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(55910-962)

Revised: 4/2024

DOLGENCORP, LLC