

ISOPROPYL ALCOHOL 99%- isopropyl alcohol 99% liquid
UBQ Industries, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Isopropyl Alcohol 99%

Active Ingredient(s)

Isopropyl Alcohol 99% v/v. Purpose: Antiseptic

Purpose Section

first aid antiseptic, isopropyl alcohol

Indications and usage section

first aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings Section

For external use only. Flammable. Keep away from heat or flame

Ask a doctor before use if you have

deep puncture wounds, animal bites or serious burns

When using this product

do not get into eyes, do not apply over large areas of the body, do not use longer than one week unless directed by a doctor

Stop using this product if

condition persists or gets worse

Keep this and all drugs out of the reach of children

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center (1-800-222-1222) immediately

Directions

clean effected area. apply small amount of this product on the area 1 - 3 times daily, may be covered with a sterile bandage, if bandaged, let dry first

Other information

store at room temperature. does not contain, nor is intended as a substitute for grain or ethyl alcohol. will produce serious gastric disturbances if taken internally

Inactive Ingredients

purified water

Package Label - Principal Display Panel

236 ml NDC 80668-414-05

NDC 80668-414-05



99% Isopropyl Alcohol

99% Isopropyl Alcohol by Volume

Does not contain, nor is intended as a substitute for grain ethyl alcohol. Will produce serious gastric disturbances if taken internally. Use only in a well-ventilated area; fumes may be harmful.

KEEP OUT OF REACH OF CHILDREN: If swallowed, get medical help or contact a Poison Control Center right away.

WARNING: flammable, keep away from fire or flame, heat, spark, electrical
Do not get into eyes.



8oz (236 ml)

<i>Isopropyl rubbing alcohol</i> 99% by volume	
Drug Facts	
Active ingredients (by volume):	Purpose
Isopropyl alcohol (99% conc.)	first aid antiseptic
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns	
Warnings For external use only; flammable, keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have ■ deep punctured wounds, animal bites or serious burns	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor	
Stop using this product if ■ condition persists or gets worse	
Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately.	
Directions ■ clean effected area ■ apply small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first	
Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol. will produce serious gastric disturbances if taken internally.	
Inactive Ingredient purified water	

946.4 ml NDC 80668-414-06

NDC 80668-414-06



99% Isopropyl Alcohol
99% Isopropyl Alcohol by Volume

Does not contain, nor is intended as a substitute for grain ethyl alcohol. Will produce serious gastric disturbances if taken internally. Use only in a well-ventilated area; fumes may be harmful.

KEEP OUT OF REACH OF CHILDREN: If swallowed, get medical help or contact a Poison Control Center right away.

WARNING: flammable, keep away from fire or flame, heat, spark, electrical
Do not get into eyes.



32oz (946.4 ml)

18927 ml NDC 80668-414-01

Isopropyl rubbing alcohol 99% by volume	
Drug Facts	
Active ingredients (by volume):	Purpose
Isopropyl alcohol (99% conc.)	first aid antiseptic
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns	
Warnings For external use only; flammable, keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have ■ deep punctured wounds, animal bites or serious burns	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor	
Stop using this product if ■ condition persists or gets worse	
Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately.	
Directions ■ clean effected area ■ apply small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first	
Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol. will produce serious gastric disturbances if taken internally.	
Inactive Ingredient purified water	

Isopropyl rubbing alcohol 99% by volume	
Drug Facts	
Active ingredients (by volume): Isopropyl alcohol (99% conc.)	Purpose first aid antiseptic
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns	
Warnings For external use only; flammable, keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have ■ deep punctured wounds, animal bites or serious burns	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor	
Stop using this product if ■ condition persists or gets worse	
Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately.	
Directions ■ clean affected area ■ apply small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first	
Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol, will produce serious gastric disturbances if taken internally.	
Inactive Ingredient purified water	



UBQ Industries, LLC
515 Academy Dr
Rogersville MO 65742
417-753-9431
UBQind.com
RusticStrength.com

NDC 80668-414-01



99% Isopropyl Alcohol

99% Isopropyl Alcohol by Volume

Does not contain, nor is intended as a substitute for grain ethyl alcohol. Will produce serious gastric disturbances if taken internally. Use only in a well-ventilated area; fumes may be harmful.

KEEP OUT OF REACH OF CHILDREN: If swallowed, get medical help or contact a Poison Control Center right away.
WARNING: flammable, keep away from fire or flame, heat, spark, electrical



5 gallon (18927 ml)

cost/ounce

INDICATIONS

For external use only as an antiseptic, disinfectant and rubefacient.

TO MAKE A STANDARD SOLUTION (70%)

Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY

DIRECTIONS

Use full strength as topical antiseptic or for disinfection of instruments. May be use for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.



3785 ml NDC 80668-414-02

Isopropyl rubbing alcohol 99% by volume	
Drug Facts	
Active ingredients (by volume): Isopropyl alcohol (99% conc.)	Purpose first aid antiseptic
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns	
Warnings For external use only; flammable, keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have ■ deep punctured wounds, animal bites or serious burns	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor	
Stop using this product if ■ condition persists or gets worse	
Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately.	
Directions ■ clean affected area ■ apply small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first	
Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol, will produce serious gastric disturbances if taken internally.	
Inactive Ingredient purified water	



UBQ Industries, LLC
515 Academy Dr
Rogersville MO 65742
417-753-9431
UBQind.com
RusticStrength.com

NDC 80668-414-02



99% Isopropyl Alcohol

99% Isopropyl Alcohol by Volume

Does not contain, nor is intended as a substitute for grain ethyl alcohol. Will produce serious gastric disturbances if taken internally. Use only in a well-ventilated area; fumes may be harmful.

KEEP OUT OF REACH OF CHILDREN: If swallowed, get medical help or contact a Poison Control Center right away.
WARNING: flammable, keep away from fire or flame, heat, spark, electrical
Do not get into eyes.



1 gallon (3785ml)

cost/ounce

INDICATIONS

For external use only as an antiseptic, disinfectant and rubefacient.

TO MAKE A STANDARD SOLUTION (70%)
Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY

DIRECTIONS

Use full strength as topical antiseptic or for disinfection of instruments. May be use for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.



1892 ml NDC 80668-414-03

Isopropyl rubbing alcohol 99% by volume	
Drug Facts	
Active ingredients (by volume): Isopropyl alcohol (99% conc.)	Purpose first aid antiseptic
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns	
Warnings For external use only; flammable, keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have ■ deep punctured wounds, animal bites or serious burns	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor	
Stop using this product if ■ condition persists or gets worse	
Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately.	
Directions ■ clean affected area ■ apply small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first	
Other information ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol. Will produce serious gastric disturbances if taken internally.	
Inactive Ingredient purified water	

UBQ Industries, LLC
515 Academy Dr
Rogersville MO 65742
417-753-9431
UBQind.com
RusticStrength.com



NDC 80668-414-03



99% Isopropyl Alcohol 99% Isopropyl Alcohol by Volume

Does not contain, nor is intended as a substitute for grain ethyl alcohol. Will produce serious gastric disturbances if taken internally. Use only in a well-ventilated area; fumes may be harmful.
KEEP OUT OF REACH OF CHILDREN: If swallowed, get medical help or contact a Poison Control Center right away.
WARNING: flammable, keep away from fire or flame, heat, spark, electrical
Do not get into eyes.



64 ounces (1892 ml)

cost/ounce

INDICATIONS
For external use only as an antiseptic, disinfectant and rubefacient.

TO MAKE A STANDARD SOLUTION (70%)
Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY

DIRECTIONS
Use full strength as topical antiseptic or for disinfection of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

Isopropyl rubbing alcohol 99% by volume	
Drug Facts	
Active ingredients (by volume): Isopropyl alcohol (99% conc.)	Purpose first aid antiseptic
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns	
Warnings For external use only; flammable, keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have ■ deep punctured wounds, animal bites or serious burns	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor	
Stop using this product if ■ condition persists or gets worse	
Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison control center (1-800-222-1222) immediately.	
Directions ■ clean affected area ■ apply small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first	
Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol. Will produce serious gastric disturbances if taken internally.	
Inactive Ingredient purified water	

UBQ Industries, LLC
515 Academy Dr
Rogersville MO 65742
417-753-9431
UBQind.com
RusticStrength.com



NDC 80668-414-04



99% Isopropyl Alcohol 99% Isopropyl Alcohol by Volume

Does not contain, nor is intended as a substitute for grain ethyl alcohol. Will produce serious gastric disturbances if taken internally. Use only in a well-ventilated area; fumes may be harmful.
KEEP OUT OF REACH OF CHILDREN: If swallowed, get medical help or contact a Poison Control Center right away.
WARNING: flammable, keep away from fire or flame, heat, spark, electrical
Do not get into eyes.



16oz (473.2 ml)

473.2ml NDC 80668-414-04

ISOPROPYL ALCOHOL 99%
isopropyl alcohol 99% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80668-414
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	99 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	1 mL in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80668-414-01	18927 mL in 1 PAIL; Type 0: Not a Combination Product	03/20/2020	
2	NDC:80668-414-02	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/20/2020	
3	NDC:80668-414-03	1892 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/20/2020	
4	NDC:80668-414-04	473.2 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/20/2020	
5	NDC:80668-414-06	946.4 mL in 1 JUG; Type 0: Not a Combination Product	03/20/2020	
6	NDC:80668-414-05	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/20/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/20/2020	

Labeler - UBQ Industries, LLC (069021187)**Establishment**

Name	Address	ID/FEI	Business Operations
UBQ Industries, LLC		069021187	repack(80668-414) , manufacture(80668-414) , relabel(80668-414)