

**MEDIQUE AT HOME DIPHEN- diphenhydramine hcl tablet, film coated**  
**Unifirst First Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Medique @ Home Diphen Caplet**

**Drug Facts**

**Active ingredient (in each caplet)**

Diphenhydramine Hydrochloride 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other respiratory allergies
- runny nose ■ sneezing ■ itching of the nose or throat ■ itchy, watery eyes
- temporarily relieves these symptoms due to the common cold
- runny nose ■ sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one that is used on skin.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast feeding,** ask a health professional before use.

**Keep out of the reach of children.** In case of overdose, get medical help or contact

a Poison Control Center right away (1-800-222-1222).

***Directions***

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

**Adults and children 12 years and over** 1 to 2 caplets

**Children 6 to under 12 years** 1 caplet

**Children under 6 years** do not use

***Other information***

- store at room temperature 68°-77°F (20°-25°C)
- protect from light
- **TAMPER EVIDENT** child resistant packets
- do not use any opened or torn packets

***Inactive ingredients***

croscarmellose sodium, D&C red #27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide

***Questions or comments?*** 1-800-634-7680

Medique® @ Home

Diphen Caplets

Diphenhydramine HCl 25 mg

Antihistamine

Pull to Open

Child-Resistant Packets

\*not actual size

50 Packets

(1 Caplet Per Packet)

Compare to the active ingredient in Benadryl® Ultratab® Tablets

**Medique** Home

# Diphen Caplets

Diphenhydramine HCl 25 mg  
Antihistamine

Pull to Open



50 Packets  
(1 Caplet Per Packet)

Compare to the active ingredient  
in Benadryl® ULTRATAB® Tablets

## Drug Facts

<b>Active ingredient (in each caplet)</b> Diphenhydramine Hydrochloride 25 mg	<b>Purpose</b> Antihistamine
<b>Uses</b>	
<ul style="list-style-type: none"> <li>temporarily relieves these symptoms due to hay fever or other respiratory allergies           <ul style="list-style-type: none"> <li>runny nose</li> <li>sneezing</li> <li>itching of the nose or throat</li> <li>itchy, watery eyes</li> </ul> </li> <li>temporarily relieves these symptoms due to the common cold           <ul style="list-style-type: none"> <li>runny nose</li> <li>sneezing</li> </ul> </li> </ul>	
<b>Warnings</b>	
<p>Do not use</p> <ul style="list-style-type: none"> <li>to make a child sleepy</li> <li>with any other product containing diphenhydramine, even one that is used on skin</li> </ul> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> <li>a breathing problem such as emphysema or chronic bronchitis</li> <li>trouble urinating due to an enlarged prostate gland</li> <li>glaucoma</li> </ul> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</p> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>marked drowsiness may occur</li> <li>avoid alcoholic drinks</li> <li>alcohol, sedatives and tranquilizers may increase the drowsiness</li> <li>be careful when driving a motor vehicle or operating machinery</li> <li>excitability may occur, especially in children</li> </ul> <p>If pregnant or breast feeding, ask a health professional before use.</p> <p>Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	
<i>(continued on back panel)</i>	

Retain carton for complete product information

## Drug Facts (continued)

<b>Directions</b>	
<ul style="list-style-type: none"> <li>take every 4 to 6 hours, or as directed by a doctor</li> <li>do not take more than 6 times in 24 hours</li> </ul>	
<b>Adults and children 12 years and over</b>	1 to 2 caplets
<b>Children 6 to under 12 years</b>	1 caplet
<b>Children under 6 years</b>	do not use
<b>Other information</b>	
<ul style="list-style-type: none"> <li>store at room temperature 68°-77°F (20°-25°C)</li> <li>protect from light</li> <li>TAMPER EVIDENT child resistant packets</li> <li>do not use any opened or torn packets</li> </ul>	
<b>Inactive ingredients</b>	
croscarmellose sodium, D&C red #27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide	
<b>Questions or comments?</b> 1-800-634-7680	

†Benadryl® ULTRATAB® is a registered trademark of Johnson & Johnson Corp. and is not affiliated with Medique Products or this product.



Reorder 71450  
Manufactured for  
Medique Products  
Fort Myers, FL 33967  
1-800-634-7680  
www.mediqueproducts.com

## MEDIQUE AT HOME DIPHEN

diphenhydramine hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-166
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)</b> (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)</b>	
<b>CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)</b>	
<b>TITANIUM DIOXIDE (UNII: 15FIX9V2JP)</b>	
<b>D&amp;C RED NO. 27 ALUMINUM LAKE (UNII: Z K64F7XSTX)</b>	
<b>MAGNESIUM STEARATE (UNII: 70097M6I30)</b>	
<b>CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)</b>	
<b>LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)</b>	
<b>SILICON DIOXIDE (UNII: ETJ7Z6XBU4)</b>	
<b>HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)</b>	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	11mm

<b>Flavor</b>		<b>Imprint Code</b>	048;D
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-166-50	50 in 1 BOX	02/01/2021	
1		1 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/01/2021	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 3/2022

Unifirst First Aid Corporation