

**TRIBIOTIC LC LC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate,  
lidocaine ointment  
HART Health**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**TRIBIOTIC-LC**

Active Ingredients (in each gram)

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg (equivalent to 3.5mg neomycin base)

Polymyxin B Sulfate 5,000 units

Lidocaine 40mg

Purpose:

Topical Antibiotic

Topical Antibiotic

Topical Antibiotic

Topical Anesthetic

Uses: First aid to help prevent infection and temporarily relieve pain in

- minor cuts
- scrapes
- burns
- abrasions

Warnings: For external use only

Serious burns require immediate medical attention

Allergy alert: Do not use if you are allergic to any of the ingredients

do not use

- in or near the eyes
- over large portions of the body
- in large quantities, particularly over raw surfaces or blistered areas
- longer than 7 days unless directed by a doctor
- more than 1 to 3 times daily

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or lasts for more than 7 days
- a rash or other allergic reaction occurs
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions:

Do not use more than directed.

Adults and children 12 years of age and over:

- clean the affected area
- apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 12 years of age: ask a doctor

Petrolatum

tribioticlc.jpg



## TRIBIOTIC LC LC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, lidocaine ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50332-0031
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 in 1 g
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50332-0031-2	25 in 1 BOX, UNIT-DOSE		
1	NDC:50332-0031-0	.5 g in 1 PACKET		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	05/04/2012	

**Labeler** - HART Health (069560969)

Revised: 10/2012

HART Health