

**CLE CCC WARM MEDIUM- titanium dioxide, octinoxate, octisalate cream**  
**KW ABSC, INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**69231-025 CCC Warm Medium**

Titanium Dioxide 8.43%

Ethylhexyl Methoxycinnamate 7.00%

Ethylhexyl Salicylate 3.00%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2)

Wear long-sleeve shirts, pants, hats, and sunglasses

Ask a doctor to use for children under 6 months

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, Cyclopentasiloxane, Iron Oxides (CI 77492), C12-15 Alkyl Benzoate, Butylene Glycol, Cyclohexasiloxane, Isoamyl p-Methoxycinnamate, Cetyl PEG/PPG-10/1 Dimethicone, Mica (CI 77019), Niacinamide, Dicaprylyl Carbonate, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Ceresin, Diisostearyl Malate, Sodium Chloride, Iron Oxides (CI 77491), Polyester-1, Silica Dimethyl Silylate, Distearidimonium Hectorite, Sorbitan Sesquioleate, Synthetic Wax, Lauryl PEG-9 Polydimethylsiloxylethyl Dimethicone, Sorbitan Olivatate, Iron Oxides (CI 77499), Vegetable Oil, Chlorphenesin, Dipropylene Glycol, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Oil, 1,2-Hexanediol, Propylene Carbonate, Hydroxyacetophenone, Dimethicone, Cananga Odorata Flower Oil, Adenosine, Disodium EDTA, Natto Gum, Saussurea Involucrata Extract, Bambusa Vulgaris Leaf/Stem Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Cocos Nucifera (Coconut) Oil, Tocopheryl Acetate, Hydrolyzed Hyaluronic Acid, Tocopherol

WARM  
MEDIUM

**DRUG FACTS**

**ACTIVE INGREDIENTS-PURPOSES**

TITANIUM DIOXIDE 8.43% - SUNSCREEN  
BENZOYL PEROXIDE 7% - SUNSCREEN  
SALICYLIC ACID 0.5% - SUNSCREEN

**USES**

HELP PREVENT SUNBURN

**DIRECTIONS**

- APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY TWO HOURS.  
- SUN PROTECTION MEASURES. SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNSCREEN WITH A BROAD-SPECTRUM SPF OF 15 OF HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING:  
1) LIMITED TIME IN THE SUN, ESPECIALLY FROM 10 AM TO 2 PM.  
2) WEAR LONG-SLEEVE SHIRTS, PANTS, HATS, AND SUN GLASSES  
- ASK A DOCTOR TO USE FOR CHILDREN UNDER 6 MONTHS

**INACTIVE INGREDIENTS**

WATER, CYCLOPENTASILOXANE, C12-15 ALKYL BENZOATE, IRON OXIDES (CI 77492), BUTYLENE GLYCOL, CYCLOHEXASILOXANE, ISOAMYL P-METHOXYCINNAMATE, CETYL PEG/PPG-10/1 DIMETHICONE, MICA (CI 77019), NIACINAMIDE, DICAPRYLYL CARBONATE, BIS-ETHYLHEXYLOXYPHENOL, METHOXYPHENYL TRIAZINE, CERESIN, DISOCTEARYL MALATE, SODIUM CHLORIDE, IRON OXIDES (CI 77491), POLYESTER-1, SILICA DIMETHYL SILYLATE, DISTEAR DIMONIUM HECTORITE, SORBITAN SESQUOLEATE, SYNTHETIC WAX, LAURYL PEG-9 POLYDIMETHYL SILOXETHYL DIMETHICONE, SORBITAN OLIVATE, IRON OXIDES (CI 77499), VEGETABLE OIL, CHLOROPHENESIN, DIPROPYLENE GLYCOL, CITRUS AURANTIUM BERGAMIA (BERGAMOT) FRUIT OIL, CITRUS AURANTIUM DULCIS (ORANGE) OIL, 1,2-HEXANEDIOL, PROPYLENE CARBONATE, HYDROXYACETOPHENONE, DIMETHICONE, CANANGA ODORATA FLOWER OIL, ADENOSINE, DISODIUM EDTA, NATTO GUM, SAUSSUREA INVOLUCRATA EXTRACT, BAMBUSA VULGARIS LEAF/STEM EXTRACT, VACCINIUM ANGUSTRIFOLIUM (BLUE BERRY) FRUIT EXTRACT, COCOS NUCIFERA (COCONUT) OIL, TOCOPHERYL ACETATE, HYDROLYZED HYALURONIC ACID, TOCOPHEROL

**DRUG FACTS (CONTINUED)**

**WARNINGS**

**FOR EXTERNAL USE ONLY**  
DO NOT USE ON DAMAGED OR BROKEN SKIN. STOP USING AND ASK A DOCTOR IF RASH OCCURS. WHEN USING THIS PRODUCT, KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**OTHER INFORMATION**

PROTECT THIS PRODUCT FROM EXCESSIVE HEAT AND DIRECT SUN.

MANUFACTURED FOR  
CLE LIFESTYLE CORPORATION  
1855 BISHOP AVENUE CARSON,  
CALIFORNIA USA 90746

MADE IN KOREA  
[WWW.CLECOSMETICS.COM](http://WWW.CLECOSMETICS.COM)



1 90488000038 5  
WARM MEDIUM



PLEASE RECYCLE FOR ENVIRONMENTAL PRESERVATION PURPOSE. PLEASE FOLLOW THE INSTRUCTIONS AND CAUTION INFORMATION BEFORE USE.



**CLE COSMETICS**

GUIDED BY THE BELIEF THAT THERE'S TRUTH IN IMPERFECTION AND FREEDOM IN FLUIDITY, CLE COSMETICS IS A MINIMALIST BRAND DESIGNED TO SUPPORT THE CONTEMPORARY WOMAN WITH SELF-CARE BASICS AS SHE PURSUES THE FULLEST EXPRESSION OF HER PERSONAL POWER AND SENSUALITY.

CCC CREAM IS COMPOSED OF CC AND BB CREAM, UTILIZING MICRO CAPSULE TECHNOLOGY – AN EFFECTIVE TECHNIQUE TO ENSURE THE ESSENCE, TINT AND SUN PROTECTION ARE RELEASED INSTANTLY.

RADIANT SKIN  
**CCC CREAM**

MICRO CAPSULE TECHNOLOGY

BROAD SPECTRUM SPF50 PA+++

**SUNSCREEN**

30 ML 1FLOZ

titanium dioxide, octinoxate, octisalate cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69231-025
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 mg in 30 mL
<b>OCTISALATE</b> (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	0.9 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	2.52846 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>AMILOXATE</b> (UNII: 376KTP06K8)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>BEMOTRIZINOL</b> (UNII: PWZ1720CBH)	
<b>CERESIN</b> (UNII: Q1LS2UJO3A)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>SYNTHETIC WAX (1200 MW)</b> (UNII: Q3Z4BCH099)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	

CANANGA OIL (UNII: 8YOY78GNNX)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69231-025-02	1 in 1 PACKAGE	11/27/2018	
1	NDC:69231-025-01	30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/27/2018	

**Labeler** - KW ABSC, INC. (079548604)

**Registrant** - KW ABSC, INC. (079548604)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Cit Co., Ltd		690081646	manufacture(69231-025)

Revised: 11/2018

KW ABSC, INC.