

HABIFAC- formic acid, nitric acid, baptisia tinctoria root, graphite, calcium sulfide, thuja occidentalis leafy twig, cynanchum vincetoxicum leaf, and glechoma hederacea flowering top solution/ drops
PEKANA Naturheilmittel GmbH

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

HABIFAC™

Ingredients:

Acidum formicicum	8X
Acidum nitricum	6X
Baptisia tinctora	5X
Glechoma hederacea	4X
Graphites	8X
Hepar sulfuris	8X
Thuja occidentalis	10X
Vincetoxicum hirundinaria	8X

Selected ingredients prepared by spagyric processes.

Contains 17% alcohol by volume.

Indications

Restorative remedy for minor systemic weakness. Application of this homeopathic remedy for the designated usage is exclusively based on homeopathic experience. With severe forms of this disease, a clinically proven therapy is indicated.

Dosage

Unless otherwise prescribed, adults take 15-20 drops, 3 times per day. For pediatric dosages, consult your practitioner.

Warning

If symptoms persist, contact a licensed practitioner. If you have known sensitivity to any of the ingredients, please consult your licensed practitioner before use. If you are pregnant or nursing a baby, seek the advice of a health care professional before use.

Keep out of the reach of children.

Protect from light and heat.

Tamper Evident

Do not use this product if tamper evident strip is broken or removed from base of cap.

**To report adverse events, contact BioResource at 321B Blodgett Street,
Cotati, CA 94931**

Distributed by:

BioResource Inc.
Cotati, CA 94931

Manufactured by:

PEKANA[®] GmbH
D-88353 Kisslegg

PRINCIPAL DISPLAY PANEL - 50 ml Bottle Box

HABIFAC[™]

Oral Drops

Homeopathic Medicine

Restorative remedy
for minor systemic
weakness

**1.7 FL OZ
(50 ml)**

PEKANA[®]



867

50 ml

HABIFAC™

HABIFAC™

Oral Drops

Homeopathic Medicine

Restorative remedy
for minor systemic
weakness

1.7 FL OZ
(50 ml)

PEKANA®

Ingredients:

Acidum formioicum	8X
Acidum nitricum	6X
Baptisia tinctoria	5X
Glechoma hederacea	4X
Graphites	8X
Hepar sulfuris	8X
Thuja occidentalis	10X
Vincetoxicum hirundinaria	8X

Selected ingredients prepared by spagyric processes.
Contains 17% alcohol by volume.

Distributed by:
BioResource Inc.
Cotati, CA 94931
Made in Germany

Manufactured by:
PEKANA® GmbH
D-88353 Kisslegg

To report adverse events,
contact BioResource at
321B Blodgett Street, Cotati, CA 94931

050-050us-V7

HABIFAC™

Oral Drops

Homeopathic Medicine

Restorative remedy
for minor systemic
weakness

1.7 FL OZ
(50 ml)

PEKANA®

Indications: Restorative remedy for minor systemic weakness. Application of this homeopathic remedy for the designated usage is exclusively based on homeopathic experience. With severe forms of this disease, a clinically proven therapy is indicated. **Dosage:** Unless otherwise prescribed, adults take 15-20 drops, 3 times per day. For pediatric dosages, consult your practitioner. **Warning:** If symptoms persist, contact a licensed practitioner. If you have known sensitivity to any of the ingredients, please consult your licensed practitioner before use. If you are pregnant or nursing a baby, seek the advice of a health care professional before use. Keep out of the reach of children. Protect from light and heat. **Tamper Evident:** Do not use this product if tamper evident strip is broken or removed from base of cap.

NDC-Code: 59469-141-10

867



HABIFAC

formic acid, nitric acid, baptisia tinctoria root, graphite, calcium sulfide, thuja occidentalis leafy twig, cynanchum vincetoxicum leaf, and glechoma hederacea flowering top solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59469-141
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Formic Acid (UNII: 0YIW783RG1) (Formic Acid - UNII:0YIW783RG1)	Formic Acid	8 [hp_X] in 50 mL
Nitric Acid (UNII: 411VRN1TV4) (Nitric Acid - UNII:411VRN1TV4)	Nitric Acid	6 [hp_X] in 50 mL
Baptisia tinctoria Root (UNII: 5EF0HM5WU) (Baptisia Tinctoria Root - UNII:5EF0HM5WU)	Baptisia tinctoria Root	5 [hp_X] in 50 mL
Graphite (UNII: 4QQN74LH4O) (Graphite - UNII:4QQN74LH4O)	Graphite	8 [hp_X] in 50 mL
Calcium sulfide (UNII: 1MBW07J51Q) (Calcium sulfide - UNII:1MBW07J51Q)	Calcium sulfide	8 [hp_X] in 50 mL
Thuja occidentalis Leafy Twig (UNII: 1NT28V9397) (Thuja occidentalis Leafy Twig - UNII:1NT28V9397)	Thuja occidentalis Leafy Twig	10 [hp_X] in 50 mL
Vincetoxicum Hirundinaria Leaf (UNII: 9WLP0FA6U4) (Vincetoxicum Hirundinaria Leaf - UNII:9WLP0FA6U4)	Vincetoxicum Hirundinaria Leaf	8 [hp_X] in 50 mL
Glechoma hederacea Flowering Top (UNII: 2458J91U39) (Glechoma Hederacea Flowering Top - UNII:2458J91U39)	Glechoma hederacea Flowering Top	4 [hp_X] in 50 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Alcohol (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59469-141-10	1 in 1 BOX	04/12/2008	
1		50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		04/12/2008	

Labeler - PEKANA Naturheilmittel GmbH (320344542)

Establishment

Name	Address	ID/FEI	Business Operations
PEKANA Naturheilmittel GmbH		320344542	MANUFACTURE(59469-141)

Revised: 12/2022

PEKANA Naturheilmittel GmbH