COPPERTONE GLOW SUNSCREEN SPF 50- avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% aerosol, spray Beiersdorf Inc

Coppertone Glow Spray Sunscreen SPF 50

Drug Facts

Drug Facts

Active Ingredients

Active ingredients

(To Deliver) Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

Purpose

Purpose

Sunscreen

Use

Use

■ helps prevent sunburn

Warnings

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Keep out of reach of children. If product is swallowed, get medical help or contact a

Poison Control Center right away.

Stop use and ask a doctor if rash occurs

Directions

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other Information

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive Ingredients

Inactive ingredients water, isobutane, SD alcohol 40-B (12.6% v/v), butyloctyl salicylate, diethylhexyl carbonate, glycereth-26, styrene/acrylates copolymer, butylene glycol, diisopropyl adipate, dimethicone, polyamide-8, isododecane, 1,2-hexanediol, ammonium acryloyldimethyltaurate/beheneth-25 methacrylate crosspolymer, glycerin, hydroxyacetophenone, mica, synthetic fluorphlogopite, tocopherol, ethylhexyl methoxycrylene, arachidyl alcohol, iron oxides, bismuth oxychloride, fragrance, xanthan gum, behenyl alcohol, silica, arachidyl glucoside, disodium EDTA, sodium ascorbyl

Questions

Questions? 1-866-288-3330

Principal Display Panel



Coppertone Glow Sunscreen Lotion Spray

Glow

Lightweight Spray with Shimmer

Free of oxybenzone, octinoxate, parabens, PABA & phthlates

Water Resistant (80 minutes)

Broad Spectrum SPF 50

NET WT 5 OZ (142g)

COPPERTONE GLOW SUNSCREEN SPF 50

avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% aerosol, spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-0004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	90 mg in 1 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	90 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYAMIDE-8 (4500 MW) (UNII: 77723GV81A)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
MICA (UNII: V8A1AW0880)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALCOHOL (UNII: 3K9958V90M)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
ISODODECANE (UNII: A8289P68Y2)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DIETHYLHEXYL CARBONATE (UNII: YCD5000Z6L)	
COBALT DISODIUM EDETATE (UNII: 3EY1Y2QRLI)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOBUTANE (UNII: BXR49TP611)	

GLYCERETH-26 (UNII: NNE56F2N14)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DOCOSANOL (UNII: 9G10E216XY)	
ARACHIDYL GLUCOSIDE (UNII: 6JVW35JOOJ)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FRAGRANCE FRESH CITRUS FLORAL ORC1501495 (UNII: OU4GI2R2WB)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	

Product Characteristics			
Color	yellow (White to pale yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging			
# Item Code Package Description		Marketing Start Date	Marketing End Date
1 NDC:66800- 0004-5	142 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/02/2020	

Labeler - Beiersdorf Inc (001177906)

Revised: 1/2024 Beiersdorf Inc