ANETHUM GRAVEOLENS- anethum graveolens pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ANETHUM GRAVEOLENS 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490
TWIST TO OPEN - USE ONLY IF SEALED

ANETHUM GRAVEOLENS 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ANETHUM GRAVEOLENS 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ANETHUM GRAVEOLENS 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ANETHUM GRAVEOLENS 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ANETHUM GRAVEOLENS 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ANETHUM GRAVEOLENS

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional
homeopathic use
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, CA

ANETHUM GRAVEOLENS 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ANETHUM GRAVEOLENS 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ANETHUM GRAVEOLENS 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ANETHUM GRAVEOLENS

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional
homeopathic use
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: Sucrose

ANETHUM GRAVEOLENS 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ANETHUM GRAVEOLENS 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ANETHUM GRAVEOLENS 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ANETHUM GRAVEOLENS 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional
homeopathic use
Keep out of reach
of children
Directions: Take 5

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, CA

ANETHUM GRAVEOLENS 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ANETHUM GRAVEOLENS 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ANETHUM GRAVEOLENS 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ANETHUM GRAVEOLENS 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional
homeopathic use
Keep out of reach
of children

Directions: Take 5
pellets orally once Inactive ingredients: Sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, CA 94

ANETHUM GRAVEOLENS 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ANETHUM GRAVEOLENS 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ANETHUM GRAVEOLENS 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



Hahnemann Labs Inc.

ANETHUM GRAVEOLENS

1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional
homeopathic use
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
Sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, CA

ANETHUM GRAVEOLENS 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



ANETHUM GRAVEOLENS 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



ANETHUM GRAVEOLENS 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

ANETHUM GRAVEOLENS

anethum graveolens pellet

100		100	ori	2	-10	210
				116		

Route of Administration

Product Type HUMAN OTC DRUG

N OTC DRUG Item Code (Source)

NDC:63545-993

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DILL (UNII: Y05PC4JZRH) (DILL - UNII:Y05PC4JZRH)	DILL	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 993-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020			
2	NDC:63545- 993-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020			
3	NDC:63545- 993-03	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020			
4	NDC:63545- 993-04	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020			

ANETHUM GRAVEOLENS **30C**

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		12/16/2020			

ANETHUM GRAVEOLENS

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-994		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DILL (UNII: Y05PC4JZRH) (DILL - UNII:Y05PC4JZRH)	DILL	100 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains						

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 994-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020			
2	NDC:63545- 994-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020			
3	NDC:63545- 994-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020			
4	NDC:63545- 994-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020			

ANETHUM GRAVEOLENS 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing E Category Citation Date Date					
unapproved homeopathic		12/16/2020			

ANETHUM GRAVEOLENS

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-996	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DILL (UNII: Y05PC4JZRH) (DILL - UNII:Y05PC4JZRH)	DILL	500 [hp_C]		

Inactive Ingredients				
Ingredient Name Strength				
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 996-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020		
2	NDC:63545- 996-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020		
3	NDC:63545- 996-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020		
4	NDC:63545- 996-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020		

ANETHUM GRAVEOLENS 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		12/16/2020		

ANETHUM GRAVEOLENS

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-992	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DILL (UNII: Y05PC4JZRH) (DILL - UNII:Y05PC4JZRH)	DILL	12 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 992-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020		
2	NDC:63545- 992-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020		
3	NDC:63545- 992-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020		

ANCYLOSTOMA CANINUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		12/16/2020		

ANETHUM GRAVEOLENS

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-991	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DILL (UNII: Y05PC4JZRH) (DILL - UNII:Y05PC4JZRH)	DILL	6 [hp_C]		

Inactive Ingredients				
Ingredient Name Strength				
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 991-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020			
2	NDC:63545- 991-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020			
3	NDC:63545- 991-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020			

ANETHUM GRAVEOLENS 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		12/16/2020		

ANETHUM GRAVEOLENS

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-995	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DILL (UNII: Y05PC4JZRH) (DILL - UNII:Y05PC4JZRH)	DILL	200 [hp_C]		

Inactive Ingredients				
Ingredient Name Strength				
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545- 995-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020	
2	NDC:63545- 995-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020	
3	NDC:63545- 995-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020	
4	NDC:63545- 995-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020	

ANETHUM GRAVEOLENS 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		12/16/2020		

ANETHUM GRAVEOLENS

Product Information			
Product Type	HUMAN OTC DRUG Item Code (Source)		NDC:63545-997
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DILL (UNII: Y05PC4JZRH) (DILL - UNII:Y05PC4JZRH)	DILL	1 [hp_M]

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545- 997-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020	
2	NDC:63545- 997-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/16/2020	
3	NDC:63545- 997-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020	
4	NDC:63545- 997-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/16/2020	

ANETHUM GRAVEOLENS 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/16/2020	

Labeler - Hahnemann Laboratories, Inc. (147098081)

Registrant - Hahnemann Laboratories, Inc. (147098081)

TWIST TO OPEN - USE ONLY IF SEALED

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-991, 63545-992, 63545-993, 63545-994, 63545-995, 63545-996, 63545-997)

Revised: 12/2022 Hahnemann Laboratories, Inc.