

**SALICYLIC ACID- liquid corn and callus remover liquid**  
**Wal-Mart Stores, Inc.**

-----  
**Equate Liquid Corn & Callus Remover**

***Active ingredient***

Salicylic acid 17%w/w

***Purpose***

Corn and callus remover

***Uses***

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

**For external use only.**

**Flammable**

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

**Do not use**

- on irritated skin
- on any area that is infected or reddened

**Ask a doctor before use if you have**

- if you are a diabetic or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

**Stop and ask a doctor**

if discomfort persists, see your doctor or podiatrist

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly

- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

### ***Other information***

store between 20°C to 30°C (68°F to 86°F)

### ***Inactive ingredients***

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

### ***Questions?***

1-888-287-1915

### **Principal Display Panel**

**Equate**


**Liquid Corn & Callus Remover**

**Salicylic Acid**

- Removes corn & calluses quickly and safely
- Cushions provide relief of pain & pressure

0.31 FL OZ (9mL)

NDC 49035-088-09



**equate™**

# Liquid Corn & Callus Remover

Salicylic Acid 17%

Compare to Dr. Scholl's® Liquid Corn/Callus Remover

- Safely removes corns and calluses
- Soft foam cushions and protects

**3 CUSHIONS**

**0.33 FL OZ (9.8 mL)**

**Drug Facts**

| Active ingredient      | Purpose                 |
|------------------------|-------------------------|
| Salicylic acid 17% w/w | Corn and callus remover |

**Uses**

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

**Warnings**  
For external use only.

**Flammable**

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

**Do not use**

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eye, flush with water for 15 minutes

**Stop use and ask a doctor** if discomfort persists, see your doctor or podiatrist.

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

**Other information**

- store between 20°–25°C (68°–77°F)
- close tightly to prevent solidification
- store in a cool place

**Inactive ingredients** camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?** 1-888-287-1915

**Care**


- Wipe top of bottle clean after each use

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments please call 1-888-287-1915.

**DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716**  
\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®.

41-030WM

**165918**



6 81131 06827 7

**IMPORTANT: CLOSE CAP TIGHTLY AFTER USE**

**Active ingredient:** Salicylic acid (17% w/w)  
**Purpose:** Corn and callus remover **Uses:** For the removal of corns and calluses. Relieves pain by removing corns and calluses. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat. **Do not use** this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.

**CLOSE CAP TIGHTLY AFTER USE**

NDC 49035-088-09

**equate™**

# Liquid Corn & Callus Remover

Salicylic Acid 17%

Safely removes corns and calluses

**0.33 FL OZ (9.8 mL)**

**Do not use this product** on irritated skin, on any area that is infected or reddened. **When using this product** avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. **Avoid** inhaling vapors. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed) **Other information:** Store at 20°–25°C (68°–77°F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose **Questions? 1-888-287-1915**

**Keep packaging for complete drug facts information**  
Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

**DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716**  
MADE IN USA WITH U.S. AND IMPORTED PARTS

**NO VARNISH AREA**  
**0.5315"**

50-030WM

## SALICYLIC ACID

liquid corn and callus remover liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:49035-018 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID    | 0.17 g in 1 g |

**Inactive Ingredients**

| Ingredient Name                             | Strength |
|---|----------|
| <b>PYROXYLIN</b> (UNII: KYR8BR2X6O)         |          |
| <b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941) |          |
| <b>CASTOR OIL</b> (UNII: D5340Y2I9G)        |          |

**Packaging**

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:49035-018-09 | 9 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product | 03/04/2014           |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M030                                     | 03/04/2014           |                    |

**Labeler** - Wal-Mart Stores, Inc. (051957769)