

LUMIN UV DEFENSE MOISTURIZING BALM BROAD SPECTRUM SPF 30- zinc oxide cream

Pangaea Holdings, Inc.

Lumin UV Defense Moisturizing Balm Broad Spectrum SPF 30

Drug Facts

Active Ingredients

Zinc Oxide 20%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer

and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Cellulose Gum, Glycerin, Lauryl Glucoside, Cetyl Alcohol, Capryloyl Glycerin/Sebacic Acid Copolymer, Diheptyl Succinate, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Jojoba Seed Oil*, Sunflower Seed Oil*, Rosemary Leaf Extract, Papaya Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Propanediol, Hexanediol, Triethoxycaprylylsilane *Certified Organic Ingredients

Package Labeling:

<p>L U M I N</p> <hr/> <p>UV-Defense Moisturizing Balm</p> <p>BROAD SPECTRUM SPF 30 PA+++ UVA/UVB PROTECTION SUNSCREEN</p> <hr/> <p>An essential combo of hydration and protection. Defend against sunburn and early aging signs with a lightweight daily SPF moisturizer.</p> <hr/> <p>1 oz (30 mL)</p>	<table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> <tr> <td>Zinc Oxide 20%</td> <td>Sunscreen</td> </tr> <tr> <th colspan="2">Uses</th> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun </td> </tr> <tr> <th colspan="2">Warnings</th> </tr> <tr> <td colspan="2">For external use only</td> </tr> <tr> <td colspan="2">Do not use on damaged or broken skin</td> </tr> <tr> <td colspan="2">When using this product keep out of eyes. Rinse with water to remove.</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if rash occurs</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <th colspan="2">Directions</th> </tr> <tr> <td colspan="2">For sunscreen use:</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • Apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • Use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> - limit time in the sun, especially from 10 a.m. – 2 p.m. - wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months of age. Ask a doctor </td> </tr> <tr> <th colspan="2">Other Information</th> </tr> <tr> <td colspan="2">protect the product in this container from excessive heat and direct sun</td> </tr> <tr> <th colspan="2">Inactive Ingredients</th> </tr> <tr> <td colspan="2">Water, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Cellulose Gum, Glycerin, Lauryl Glucoside, Cetyl Alcohol, Capryloyl Glycerin/Sebacic Acid Copolymer, Diheptyl Succinate, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Jojoba Seed Oil*, Sunflower Seed Oil*, Rosemary Leaf Extract, Papaya Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Propanediol, Hexanediol, Triethoxycaprylylsilane *Certified Organic Ingredients</td> </tr> </table>	Drug Facts		Active Ingredients	Purpose	Zinc Oxide 20%	Sunscreen	Uses		<ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 		Warnings		For external use only		Do not use on damaged or broken skin		When using this product keep out of eyes. Rinse with water to remove.		Stop use and ask a doctor if rash occurs		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions		For sunscreen use:		<ul style="list-style-type: none"> • Apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • Use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> - limit time in the sun, especially from 10 a.m. – 2 p.m. - wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months of age. Ask a doctor 		Other Information		protect the product in this container from excessive heat and direct sun		Inactive Ingredients		Water, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Cellulose Gum, Glycerin, Lauryl Glucoside, Cetyl Alcohol, Capryloyl Glycerin/Sebacic Acid Copolymer, Diheptyl Succinate, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Jojoba Seed Oil*, Sunflower Seed Oil*, Rosemary Leaf Extract, Papaya Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Propanediol, Hexanediol, Triethoxycaprylylsilane *Certified Organic Ingredients	
Drug Facts																																					
Active Ingredients	Purpose																																				
Zinc Oxide 20%	Sunscreen																																				
Uses																																					
<ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 																																					
Warnings																																					
For external use only																																					
Do not use on damaged or broken skin																																					
When using this product keep out of eyes. Rinse with water to remove.																																					
Stop use and ask a doctor if rash occurs																																					
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																					
Directions																																					
For sunscreen use:																																					
<ul style="list-style-type: none"> • Apply liberally 15 minutes before sun exposure • Reapply at least every 2 hours • Use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> - limit time in the sun, especially from 10 a.m. – 2 p.m. - wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months of age. Ask a doctor 																																					
Other Information																																					
protect the product in this container from excessive heat and direct sun																																					
Inactive Ingredients																																					
Water, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Cellulose Gum, Glycerin, Lauryl Glucoside, Cetyl Alcohol, Capryloyl Glycerin/Sebacic Acid Copolymer, Diheptyl Succinate, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Jojoba Seed Oil*, Sunflower Seed Oil*, Rosemary Leaf Extract, Papaya Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Propanediol, Hexanediol, Triethoxycaprylylsilane *Certified Organic Ingredients																																					

www.luminskin.com
support@luminskin.com

SKINCO LLC
4361 Valley Blvd. #019,
Los Angeles, CA 90032



tion.
ns with

L U M I N

UV-Defense Moisturizing Balm

BROAD SPECTRUM SPF 30 PA+++
UVA/UVB PROTECTION SUNSCREEN

1 oz (3

An essential combo of hydration and protection. Defend against sunburn and early aging signs with a lightweight daily SPF moisturizer.

Drug Facts

Active Ingredients

Zinc Oxide 20% _____

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get

medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor


Other Information protect the product in this container from excessive heat and direct sun

Inactive Ingredients Water, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Cellulose Gum, Glycerin, Lauryl Glucoside, Cetyl Alcohol, Capryloyl Glycerin/Sebacic Acid Copolymer, Diheptyl Succinate, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Jojoba Seed Oil*, Sunflower Seed Oil*, Rosemary Leaf Extract, Papaya Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Propanediol, Hexanediol, Triethoxycaprylylsilane
*Certified Organic Ingredients

SKINCO LLC

4361 Valley Blvd. #019
Los Angeles, CA 90032

www.luminskin.com
support@luminskin.com



LUMIN

LUMIN UV DEFENSE MOISTURIZING BALM BROAD SPECTRUM SPF 30

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81234-805
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	200 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
LAURYL GLUCOSIDE (UNII: 76LN7P7UCU)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CAPRYLOYL GLYCERIN/SEBACIC ACID COPOLYMER (2000 MPA.S) (UNII: N7YC58165T)	
DIHEPTYL SUCCINATE (UNII: 057N7SS26Y)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
FYTIC ACID (UNII: 7IGF0S7R8I)	
JOJOBA OIL (UNII: 724GKU717M)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ROSEMARY (UNII: IJ67X351P9)	
PAPAYA (UNII: KU94FIY6JB)	
HAEMATOCOCCUS PLUVIALIS (UNII: 31T0FF0472)	
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PROPANEDIOL (UNII: 5965N8W85T)	
HEXANEDIOL (UNII: ZIA319275I)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81234-805-01	1 in 1 BOX	02/15/2021	01/05/2025
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/15/2021	01/05/2025

Labeler - Pangaea Holdings, Inc. (081181313)

Revised: 1/2024

Pangaea Holdings, Inc.