

## **MAGNESIUM CITRATE- magnesium citrate solution**

### **Cardinal Health**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Cherry Magnesium Citrate**

#### **164.000/164AA rev 1-ab**

### **Active ingredient**

Active ingredient in each fl oz

Magnesium citrate 1.745 g

### **Purpose**

Saline Laxative

### **Uses**

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

### **Warnings**

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

### **Ask a doctor or pharmacist before use if you are**

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

### **Stop use and ask a doctor if**

You have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

### **If pregnant**

**If pregnant or breast-feeding,** ask a health professional before use.

### **Keep out of reach of children**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30°C)

### **Directions**

- shake well before using
- drink a full glass (8 ounces) of liquid each dose
- may be taken as a single dose or in a divided doses

adults and children 12 years of age and over - 6.5 - 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age- ask a doctor

### **other information**

- each fl oz contains: magnesium 290 mg
- each fl oz contains: sodium 1 mg

### **Inactive ingredients**

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

### **Adverse reactions**

DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017

[www.myleader.com](http://www.myleader.com)

1-800-200-6313

### **principal display panel**

LEADER

NDC 70000-0575-1

Sugar-Free

Magnesium Citrate

Saline Laxative

Cherry

Flavor  
Non-Pasterurzed  
Break Resistant  
BPA-Free  
100% Money Back Guarantee  
10 FL OZ (296 mL)



MAGNESIUM CITRATE			
magnesium citrate solution			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0575
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM CITRATE</b> (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	0.059 g in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>water</b> (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0575-1	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/10/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	09/10/2021	

**Labeler** - Cardinal Health (063997360)

**Registrant** - Vi-Jon, LLC (790752542)

Establishment			
Name	Address	ID/FEI	Business Operations
Vi-Jon, LLC		790752542	manufacture(70000-0575)

Establishment			
Name	Address	ID/FEI	Business Operations
Vi-Jon, LLC		088520668	manufacture(70000-0575)