

**HYDROGEN PEROXIDE- hydrogen peroxide solution
MEDICAL PRODUCTS LABORATORIES, INC.**

**Hydrogen Peroxide
Topical Solution**

ACTIVE INGREDIENT

Hydrogen Peroxide 3%

Purpose

First aid antiseptic

Oral Debriding Agent

USES

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

WARNINGS

For external use only.

Do not use:

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens

Directions

For use as a first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage
- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

adults and children 2 years of age and over:

- mix with an equal amount of water
- swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

children under 12 years should be supervised in the use of this product

children under 2 years of age: consult a dentist or doctor

Other Information

- keep tightly closed and in a dark place at room temperature.
- do not shake bottle. Hold away from face when opening.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Inactive Ingredients

purified water

TOPICAL SOLUTION

FIRST AID ANTISEPTIC

ORAL DEBRIDING AGENT

- For treatment of minor cuts & abrasions
- For use as a gargle or rinse

Questions or comments?

Call 1-800-523-0191

10733-800-16

Walgreens

NDC 0368-0270-08

**3%
Hydrogen
Peroxide
Spray**

**TOPICAL SOLUTION
FIRST AID ANTISEPTIC**

• For treatment of minor cuts & abrasions

8 FL OZ (236 mL)

2000089

Drug Facts

Active ingredient

Hydrogen peroxide (stabilized) 3%

Purpose First aid antiseptic

Use First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only

Do not use • In the eyes or apply over large areas of the body • longer than one week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if the condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • spray a small amount of product on the affected area 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

Other information Keep tightly closed and at controlled room temperature. Do not shake bottle. Hold sprayer tip away from face when opening.

Inactive ingredient purified water

Questions or comments? Call 1-800-925-4733

DISTRIBUTED BY WALGREEN CO., 200 MILWAUKEE, WISCONSIN 53016

100% SATISFACTION GUARANTEED WALGREENS.COM ©2010 WALGREEN CO.

MADE IN THE U.S.A. WITH U.S. AND FOREIGN COMPONENTS

ITEM 845429 W10078-0420-F



10733-800-08

Walgreens

NDC 0368-0270-08

**3%
Hydrogen
Peroxide
Spray**

**TOPICAL SOLUTION
FIRST AID ANTISEPTIC**

• For treatment of minor cuts & abrasions

8 FL OZ (236 mL)

2000089

Drug Facts

Active ingredient
Hydrogen peroxide (stabilized) 3%

Purpose First aid antiseptic

Use First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings
For external use only
Do not use • In the eyes or apply over large areas of the body • longer than one week
Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns
Stop use and ask a doctor if the condition persists or gets worse
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • spray a small amount of product on the affected area 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

Other information Keep tightly closed and at controlled room temperature. Do not shake bottle. Hold sprayer tip away from face when opening.

Inactive ingredient purified water

Questions or comments? Call 1-800-925-4733
DISTRIBUTED BY WALGREEN CO., 200 N. MILWAUKEE, DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED. WALGREENS.COM ©2020 WALGREENS CO.
MADE IN THE U.S.A. WITH U.S. AND FOREIGN COMPONENTS
ITEM 845429 W10078-0420-F 3 11917 21594 5

HYDROGEN PEROXIDE

hydrogen peroxide solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:10733-800

Route of Administration TOPICAL, ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10733-800-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/16/2020	09/30/2022
2	NDC:10733-800-08	236 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	11/18/2020	



MEDICAL PRODUCTS LABORATORIES, INC.

NDC 10733-000-16

Hydrogen Peroxide

TOPICAL SOLUTION
FIRST AID ANTISEPTIC
ORAL DEBRIDING AGENT

- For treatment of minor cuts & abrasions
- For use as a gargle or rinse

16 FL OZ (1 PT)
473 mL

Drug Facts

Active ingredient	Purpose
Hydrogen peroxide (stabilized) 3%.....	First aid antiseptic; Oral debriding agent

Uses • First aid to help prevent the risk of infection in minor cuts, scrapes and burns • Aids in the removal of phlegm, mucus, or other secretions associated with respiratory tract issues

Warnings

For external use only

Do not use • in the eyes or apply over large areas of the body • longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if • the condition persists or gets worse • sore throat symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions First aid antiseptic: • clean the affected area • apply a small amount of product on the affected area 1 to 3 times a day • may be covered with a sterile bandage • if frustrated, let dry first

Oral debriding agent: adults, children over 2 years of age: • mix with an equal amount of water • wash tongue in the mouth over the affected area for at least 1 minute, then spit out • use up to 4 times daily after meals and at bedtime • children under 12 years of age should be supervised in the use • children under 2 years of age: consult a dentist, doctor

Other information keep tightly closed and at controlled room temperature. To get more bottles, hold away from face when opening

Inactive ingredient purified water

20001971001

MANUFACTURED BY:
MEDICAL PRODUCTS LABORATORIES, INC.
9990 GL OVAL ROAD, PHILADELPHIA, PA 19115
mpm.com

Questions or comments?
Call 1-800-525-0191



3 10733 00102 2

Marketing Information

Marketing

Application Number or Monograph

Marketing Start

Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M003	11/16/2020	

Labeler - MEDICAL PRODUCTS LABORATORIES, INC. (002290302)

Revised: 10/2023

MEDICAL PRODUCTS LABORATORIES, INC.