

RECHARGE REGIMEN FOR BALANCING, BOOSTING AND DEFENDING HEALTHY-LOOKING SKIN- titanium dioxide, zinc oxide cream

Rodan & Fields

Drug Facts

Active Ingredient

Titanium Dioxide 3.2%

Zinc Oxide 7.7%

Purpose

Sunscreen

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- After moisturizing, apply generously at least 15 minutes before sun exposure using fingertips. Smooth and blend evenly over entire face in an outward direction.
- Wear alone or under makeup to prime skin.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Children under 6 months of age: ask a doctor.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeve shirts, pants, hats and sunglasses.

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Isododecane, Cyclopentasiloxane, Dimethicone Crosspolymer, Calcium Sodium Borosilicate, Butyloctyl Salicylate, Jojoba Esters, Dimethicone, Glycerin, Sea Water/Maris Aqua/Eau De Mer, Hexyl Laurate, Acrylates/Dimethicone Copolymer, Water, Vaccinium Angustifolium (Blueberry) Fruit Extract, Carnosine, Sclareolide, Zinc PCA, Fragrance/Parfum, Silica, Dimethicone/Polyglycerin-3 Crosspolymer, Polyglyceryl-4 Isostearate, PEG-10 Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Stearic Acid, Biosaccharide Gum-4, Methyl Carboxymethylphenyl Aminocarboxypropylphosphonate, Isopropyl Titanium Triisostearate, Tocopherol, Sodium Citrate, Butylene Glycol, Propanediol, Dipropylene Glycol, Phenoxyethanol, Hexyl Cinnamal, Limonene, Linalool, Alumina, Iron Oxides (CI 77499).

Questions

1-888-995-5656

Principal Display Panel - Carton Label

RODAN + FIELDS
RECHARGE

Regimen for Balancing, Boosting and Defending

Healthy-Looking Skin

Based on Multi-Med Therapy, RECHARGE is a multitasking skincare system that acts like a nutrient-rich super vitamin to balance and boost skin's defenses — visibly improving skin with the first use. Each step is clinically tested so they work together to defend against premature aging and repair skin's moisture barrier.

This 3-step Regimen was developed by Stanford-trained Dermatologists Dr. Katie Rodan and Dr. Kathy Fields.

RDDAN + FIELDS

3-in-1 Super Cleanser

125 mL / 4.2 Fl. Oz. U.S.

Ultra Boost


Moisturizing Treatment

50 mL / 1.7 Fl. Oz. U.S.

Protect + Blur

Broad Spectrum SPF 30 Sunscreen

40 mL / 1.35 Fl. Oz. U.S.



RECHARGE REGIMEN FOR BALANCING, BOOSTING AND DEFENDING HEALTHY-LOOKING SKIN

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-8000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.032 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.077 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BOROSILICATE GLASS (UNII: BOJ6T9AR90)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
HYDROGENATED JOJOBA OIL/JOJOBA OIL, RANDOMIZED (IODINE VALUE 64-70) (UNII: 96YYQ5TK1K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
ZINC PIDOLATE (UNII: C32PQ86DH4)	
SCLAREOLIDE (UNII: 37W4O0O6E6)	
CARNOSINE (UNII: 8HO6PVN24W)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
BIOSACCHARIDE GUM-4 (UNII: 9XRL057X90)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-8000-1	1 in 1 CARTON	09/20/2019	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/20/2019	

