

RE-LIEVED LIDOCAINE PATCH- lidocaine patch 4% patch Transfer Technology

Re-Lieved Lidocaine 4% Patch

Active Ingredient

Lidocaine 4%

Purpose

Topical Analgesic

Use

For the temporary relief of pain

Warnings

For external use only

Do not use

If you are allergic to any ingredient in Re-Lieved Lidocaine Patch, on open wounds or damaged irritated skin.

Ask your doctor or pharmacist before use if you are using blood thinning medication, steroids, or non-steroidal anti-inflammatory drugs (NSAIDS)

When using this product

- do not use other topical products
- avoid contact with eyes or mucous membranes
- keep away from excessive heat

Stop use or ask a doctor if

- Condition worsens
- Symptoms persist for more than seven days

If pregnant or breastfeeding ask a physician before use.

Keep out of reach of children. If put in mouth, get medical help or contact a poison control center right away.

Directions adults and children 12 years or older

- Peel patch off plastic liner and place patch over affected area.
- Change patch 1 to 2 times a day.
- Wash hands after applying patch


- Under age 12 consult a physician before use

Other information

- Store at room temperature
- Do not exceed 100 ° Fahrenheit 38 ° Celsius
- For easier removal of patch apply rubbing alcohol or baby oil to adhesive edge

Inactive ingredients: Acrylic adhesive, polyethylene foam

Re-Lieved Lidocaine 4% Patch



Drug Facts Panel

Unique foam design • Stretches and contours to body
The Patch that Sticks!

RE-LIEVED

| Drug Facts | |
|---|-------------------------------------|
| Active ingredient Lidocaine 4% | Purpose Topical Analgesic |
| Use For the temporary relief of pain | |
| Warnings For external use only | |
| Do not use If you are allergic to any ingredient in Re-Lieved Lidocaine patch on open wounds, damaged irritated skin Ask your doctor or pharmacist before use if you are using blood thinning medications, steroids or non-steroidal anti-inflammatory drugs (NSAIDS) | |
| When using this product ■ Do not use other topical products ■ Avoid contact with eyes or mucous membranes ■ Keep away from excessive heat | |
| Stop use or ask a doctor if ■ Conditions worsen ■ Symptoms persist for more than 7 days | |
| If pregnant or breast feeding ask a physician before use Keep out of reach of children. If put in mouth, get medical help or contact a poison control center right away. | |
| Directions adults/children 12 years or older ■ Peel patch off plastic liner and place patch over affected area ■ Change patch 1 to 2 times a day ■ Wash hands after applying patch ■ Under age 12, consult a physician before use | |
| Other information ■ store at room temperature ■ Do not exceed 100° Fahrenheit, 38° Celsius ■ For easier removal of the patch apply rubbing alcohol or baby oil to adhesive edge | |
| Inactive ingredients Acrylic adhesive Polyethylene foam | |

Wear up to 12 hours

www.Re-Lieved.com
 800-826-0782



RE-LIEVED LIDOCAINE PATCH

lidocaine patch 4% patch

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:71662-000 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | |
|---|-----------|------------------|
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 18 mg in 116 cm2 |
|---|-----------|------------------|

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S) (UNII: 1PEZ3NLY6I) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:71662-000-01 | 116 cm2 in 1 POUCH; Type 0: Not a Combination Product | 11/02/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 11/02/2023 | |

Labeler - Transfer Technology (037968132)

Registrant - Transfer Technology (037968132)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------|---------|-----------|------------------------|
| Transfer Technology | | 037968132 | manufacture(71662-000) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------|---------|-----------|------------------------|
| Akron Coating & Adhesives | | 186569323 | manufacture(71662-000) |

Revised: 7/2023

Transfer Technology