

CALENDULA- calendula officinalis flowering top gel
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Calendula Gel 1.5oz

Calendula officinalis 1X

Calendula officinalis 1X ... Healing agent HPUS 7 %

Helps promote healing of skin irritations such as: rashes, razor burns, insect bites or stings

For external use only

Avoid contact with eyes.

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns.

Stop use and ask doctor if condition persists for more than 3 days or worsens.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Do not use if you are allergic to Calendula officinalis or to any of this product's inactive ingredients.

First cleanse the area with mild soap, rinse and dry. Then apply a thin layer of Calendula Gel to affected area 3 times a day or as needed.

Caprylyl glycol, carbomer, purified water, sodium hydroxide, sorbic acid, 1,2-hexanediol

Questions, Comments?

BoironCalendula.com

BoironUSA.com

info@boironusa.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Made in France

Net Weight 1.5 oz. (45g)

Do not use if glued carton end flaps are open or if the tube seal is broken,

Store at 68-77 ° F (20-25 ° C)

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Natural Active Ingredient 'Homeopathic mother tincture made from Calendula officinalis flowering tops.

***CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.**

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



FIRST AID

Calendula GEL

Drug Facts (continued)

Inactive ingredients
alcohol, caprylyl glycol, carbomer, dimethicone copolyol, EDTA disodium, purified water, sodium hydroxide, sorbic acid, 1,2-hexanediol

Questions or comments?
www.boironusa.com
info@boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc,
6 Campus Boulevard
Newtown Square, PA
19073-3267



Made in France



3 06961 10554 0

NDC 0220-1105-54

FIRST AID*

Calendula GEL

**Skin Irritations
Razor Burn
Insect bites***

Calendula GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Paraben-Free
- Works Naturally with Your Body



natural
ACTIVE INGREDIENT

NET WT.
1.5 oz (45 g)

BOIRON
World Leader in Homeopathic Medicines

FIRST AID

Calendula GEL

Calendula officinalis (Garden marigold) has been used topically for generations to naturally heal skin irritations. Calendula Gel is ideal for relieving razor burn and insect bites or stings.

- Cooling effect
- Quickly absorbed by the skin
- Non-greasy
- Paraben-free

The Boiron Promise
At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing safe, natural medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/ promise for details.

please recycle

Drug Facts

Active ingredient**	Purpose*
Calendula officinalis —————, Healing agent IX HPUS-7%	

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

- helps promote healing of skin irritations such as razor burn and insect bites or stings

Warnings
For external use only.
Avoid contact with eyes.
Do not use if you are allergic to Calendula officinalis or to any of this product's inactive ingredients.
Ask a doctor before use in case of deep or puncture wounds, animal bites or serious burns.
Stop use and ask a doctor if condition persists for more than 3 days or worsens.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For skin irritations, razor burn, and insect bites or stings, first cleanse the area with mild soap, rinse and dry.
- Then apply a thin layer of Calendula Gel to affected area 3 times a day or as needed.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- store at 68-77°F (20-25°C)

*These "Uses" have not been evaluated by the Food and Drug Administration. *C, K, CK, and X are homeopathic dilutions; see www.boironusa.com for details.

CALENDULA

calendula officinalis flowering top gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-1105
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	1 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)	
WATER (UNII: 059QF0K00R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

SORBIC ACID (UNII: X045WJ989B)

1,2-HEXANEDIOL (UNII: TR046Y3K1G)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-1105-54	45 g in 1 TUBE; Type 0: Not a Combination Product	09/30/1993	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/30/1993	

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-1105)

Revised: 10/2019

Laboratoires Boiron