

75% ALCOHOL DISINFECTANT- 75% alcohol disinfectant liquid
Dongyang Medical & Hygienic Articles Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

81276-015-01 500ml

Active Ingredient(s)

ALCOHOL DENAT. 75%

Purpose

efficient to kill staphylococcus aureus,e. coil, pseudo-monas aeruginosa and candida albicans etc

Use

1.Hand disinfection:follow the standard method to use soap to wash hands,rinse with running water,dry with sterile towels,then direct spray this product on hands and forearms until moist,wait for 3 minutes, rub hands until dry.

2.General object surface disinfection:directly spray on the object surface for until moist,wait for 3-5 minutes.

Warnings

1.EXTREMELY FLAMMABLE.

pressurized container; protect from sunlight and don't expose to temperatures exceeding 50° . Don't pierce or burn, even after use. Don't spray on a naked flame or any incandescent material. Keep it away from the reach of children . Don't spray towards eyes.

2.External disinfectant should not be taken orally and kept out of reach of children.

3.Use with caution if allergic to alcohol.

4.It should not be used to disinfect fat-soluble surface.

5.This product is irritating to wounds and mucous membranes.

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

away.

Directions

- 1. Hand disinfection: follow the standard method to use soap to wash hands, rinse with running water, dry with sterile towels, then direct spray this product on hands and forearms until moist, wait for 3 minutes, rub hands until dry.
- 2. General object surface disinfection: directly spray on the object surface for until moist, wait for 3-5 minutes.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

Water

Package Label - Principal Display Panel

500 ml in 1 bottle NDC:81276-015-01



75% DISINFECTANT

Main active ingredients: Ethanol 75% \pm 5%
Efficacy: Efficient to kill Staphylococcus aureus, E. coli, Pseudo- monas aeruginosa and Candida albicans etc.
Use range: Hand disinfection, general object surface disinfection.
Usage and dosage:
1. Hand disinfection: follow the standard method to use soap to wash hands, rinse with running water, dry with sterile towels, then direct spray this product on hands and forearms until moist, wait for 3 minutes, rub hands until dry.
2. General object surface disinfection: directly spray on the object surface for until moist, wait for 3-5 minutes.

CAUTION:

1. EXTREMELY FLAMMABLE. pressurized container; protect from sunlight and don't expose to temperatures exceeding 50 C. Don't pierce or burn, even after use. Don't spray on a naked flame or any incandescent material. Keep it away from the reach of children. Don't spray towards eyes.
2. External disinfectant should not be taken orally and kept out of reach of children.
3. Use with caution if allergic to alcohol.
4. It should not be used to disinfect fat-soluble surfaces.
5. This product is irritating to wounds and mucous membranes.

MANUFACTURER:
DONGYANG MEDICAL & HYGIENIC ARTICLES CO.,LTD.



75% ALCOHOL DISINFECTANT

75% alcohol disinfectant liquid

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:81276-015 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|------------------|
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 375 mL in 500 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Product Characteristics

| | | | |
|----------|--|--------------|------------|
| Color | | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | SHUANGNIAO |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:81276-015-01 | 500 mL in 1 BOTTLE; Type 0: Not a Combination Product | 05/06/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333A | 03/30/2020 | |

Labeler - Dongyang Medical & Hygienic Articles Co., Ltd. (530310429)

Registrant - Dongyang Medical & Hygienic Articles Co., Ltd. (530310429)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--|---------|-----------|---|
| Dongyang Medical & Hygienic Articles Co., Ltd. | | 530310429 | manufacture(81276-015) , label(81276-015) |