

# **ASPIRIN LOW DOSE CHEWABLE ORANGE- aspirin tablet, chewable**

## **A-S Medication Solutions**

-----

### **Drug Facts**

#### **Active ingredient (in each tablet)**

Aspirin 81mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

#### **Purpose**

Pain reliever

#### **Uses**

- for the temporary relief of minor aches and pains or as recommended by your doctor
- ask your doctor about other uses for Chewable Aspirin 81 mg

#### **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

#### **Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you have asthma
- you are taking a diuretic

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug for

- gout
- diabetes
- arthritis

**Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
  - pain gets worse or lasts more than 10 days
  - fever get worse or lasts more than 3 days
  - redness or swelling is present
  - ringing in the ears or loss of hearing occurs
  - any new symptoms occur

These could be signs of a serious condition

**If pregnant or breast-feeding**

ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- drink a full glass of water with each dose

---

adults and children 12 years and over	take 4 to 8 tablets every 4 hours not exceed 48 tablets in 24 hours unless directed by a doctor
children under 12 years	consult a doctor

---

## Other information

- store at room temperature (15<sup>0</sup>-30<sup>0</sup>C)
- **Tamper Evident:** do not use if safety seal under cap is broken or missing

## Inactive ingredients

corn starch, dextrose monohydrate, FD&C yellow #6, orange flavor, silicon dioxide, sodium saccharine, stearic acid

## Questions or comments?

1-800-616-2471

## HOW SUPPLIED

Product: 50090-7029

NDC: 50090-7029-0 1 TABLET, CHEWABLE in a BLISTER PACK / 300 in a CARTON

## Aspirin



## ASPIRIN LOW DOSE CHEWABLE ORANGE

aspirin tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50090-7029(NDC:0904-6794)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg		
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>		<b>Strength</b>		
STARCH, CORN (UNII: O8232NY3SJ)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)				
<b>Product Characteristics</b>				
<b>Color</b>	orange	<b>Score</b>	no score	
<b>Shape</b>	ROUND	<b>Size</b>	8mm	
<b>Flavor</b>		<b>Imprint Code</b>	PH034	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50090-7029-0	300 in 1 CARTON	01/08/2024	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M013	09/27/2018		

**Labeler -** A-S Medication Solutions (830016429)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
A-S Medication Solutions		830016429	RELABEL(50090-7029)

Revised: 3/2024

A-S Medication Solutions