

**TARGET UP AND UP KIDS SPF 50- avobenzene, homosalate, octisalate, octocrylene spray**  
**TARGET CORPORATION**

-----

**Target Up & Up Kids SPF 50 Continuous Spray**

**Active ingredients**

Avobenzene 3.0%

Homosalate 10.0%

Octisalate 5.0%

Octocrylene 4.0%

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures ( see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection

measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

**Other information**

• protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance,

stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin



SPF

50

Copy Limit

Height: 138 mm

Width: 157 mm

kids'

sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®

SPF 50 Continuous Spray Sunscreen\*

water resistant (80 minutes)

hypoallergenic

UVA/UVB protection

NET WT 7.3 OZ (207 g)

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

<b>Drug Facts</b>	
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	<b>Purpose</b> Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>Flammable:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray on hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Apply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> acrylates/octylacrylamide copolymer, alcohol denat., butylacetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, stearyltrimethylsilane, tocoopherol	
<b>Questions? Call 1-800-910-6874</b>	

100% satisfaction guaranteed or your money back.

037 11 2448 R00 C-002262-01-058

Distributed by Target Corporation

Minneapolis, MN 55403

TM & ©2024 Target Brands, Inc.

\*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Kids®.

→ NOT FOR SALE

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-86

2 x 7.3 oz (207 g)



**kids'**  
sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

**up&up** water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

2 – NET WT 7.3 OZ (207 g)  
TOTAL – NET WT 14.6 OZ (414 g)

**twin pack** **SPF 50**



**Drug Facts**

Active Ingredients	Purpose
Azobenzene 3.0%, Homosalate 10.0%, Octylsalicylate 3.0%, Octocrylene 4.0%	Sunscreen

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
For external use only

**Flammable:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** • on damaged or broken skin

**When using this product** • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- rub in 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray on hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age. Ask a doctor

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

**Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients** acrylates/octylacrylamide copolymer, alcohol denat., butylacetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, paraben, stearoylmethylamine, tocoopherol

**Questions? Call 1-800-910-0874**

**100% satisfaction guaranteed or your money back.**

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2023 Target Brands, Inc.

\*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Kids®.

03711 0123 800 C-002016-04-016  
7166182436 2  
3



Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)



# kids' sunscreen spray


## broad spectrum SPF 50

SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection



NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylammonium chloride, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-810-6874	

100% satisfaction guaranteed  
or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2022 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare LLC, owner of the registered  
trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



DOT-2P M5655

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)



SPF 50

## kids' sunscreen spray

broad spectrum SPF 50

**Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\***



water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

NET WT 7.3 OZ (207 g)

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	Purpose
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> <b>For external use only</b>	
<b>Flammable:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray on hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> acrylates/octylacrylamide copolymer, alcohol denat., butylacetyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, stearyltrimethylsilane, tocoopherol	
<b>Questions? Call 1-800-910-6874</b>	

100% satisfaction guaranteed or your money back.

037 11 0123 R00 C-002016-01-016  
 Distributed by Target Corporation  
 Minneapolis, MN 55403  
 TM & ©2023 Target Brands, Inc.

\*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademarks Coppertone® and Coppertone Kids®.

DOT2P MS655




Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)



# kids'


## sunscreen spray

broad spectrum SPF 50


Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection



NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	Purpose
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only <b>FLAMMABLE</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours Children under 6 months of age: Ask a doctor <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-810-6874	


100% satisfaction guaranteed or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2021 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H1562571.

DOT-2P M5655



Empty Before Recycling  
Check Locally\*  
METAL CAN  
\*Not recycled in all communities  
how2recycle.info

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-97

3 x 7.3 oz (207 g)

# up&up

## kids'

## sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

THREE - NET WT 7.3 OZ (207 g) TOTAL - NET WT 21.9 OZ (621 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	Purpose
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only <b>FLAMMABLE</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours Children under 6 months of age: Ask a doctor <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-810-6874	

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2022 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H1562571.

DOT-2P M5655



Empty Before Recycling  
Check Locally\*  
METAL CAN  
\*Not recycled in all communities  
how2recycle.info

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)





# kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*\*

reef-conscious formula†



water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

NET WT 7.3 OZ (207 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

## Drug Facts

Active ingredients	Purpose
Azelaic acid 3.0%	Sunscreen
Homosalate 10.0%	
Octocrylene 5.0%	
Octylmethoxycinnamate 4.0%	

**Uses:** • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings

For external use only

- do not use near heat, fire or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it.

• do not pierce or inhale. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- **Reapply:**
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

## Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## Inactive ingredients

alcohol denat., butyl alcohol, acrylates/copolymer, copolymer, paraffin, toluene (vitamin E), fragrance, stearyltrimellitate, capric/capric triglyceride, dextrose

## Questions?

Call 1-800-919-5874

100% satisfaction guaranteed or your money back.

037 11 3527 R00 C-001743-01-001  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2022 Target Brands, Inc.

\*\*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H 582571.



DOT-8P M5665

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-64

7.3 oz (207 g)





SPF 50

Copy Limit  
Height: 138 mm  
Width: 157 mm

# kids'

## sunscreen spray

broad spectrum SPF 50

**Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\***

**reef-conscious formula†**



water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

NET WT 7.3 OZ (207 g)

**RECOMMENDED**  
 **ACTIVE**

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	Purpose
<b>Active Ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b> For external use only.	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking. • avoid long term storage above 104°F (40°C).	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contains under pressure. • do not store at temperatures above 122°F.	
<b>Stop use and ask a doctor</b> if • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure. • rub in 4-5 inches away from the skin to apply. • Do not spray directly into face. Spray into hands then apply to face. • Do not apply in windy conditions. • Use in a well-ventilated area. • after 80 minutes of swimming or sweating • immediately after towel drying • reapply every 2 hours • if used under 6 months of age: Ask a doctor.	
<b>Additional Information:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.	
<b>Other Information</b> • protect the product in this container from excessive heat and direct sun. • may stain or damage walls, fabrics, materials or surfaces.	
<b>Inactive Ingredients</b> alcohol denat., butyl alcohol, dimethylsiloxane, copolymer, pentanediol, isocetyl palmitate E, fragrance, isobutyltrimethylsiloxane, caprylsilicic tripropylene glycol.	
<b>Questions?</b> Call 1-800-910-6874	

**100% satisfaction guaranteed or your money back.**

037 11 7819 R00 C-001472-01-029  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2021 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with HJ SB2571.

Empty Before Recycling



how2recycle.info

\*Not recycled in all communities

DOT-SP M6655



Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-86

2 x 7.3 oz (207 g)





**kids'**  
sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

**up & up** water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

2 – NET WT 7.3 OZ (207 g)  
TOTAL – NET WT 14.6 OZ (414 g)

**value pack**

**SPF 50**

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including tanning and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

037 11 7419 800 C-201672-01-029



3 71661 02475 6

**100% satisfaction guaranteed or your money back.**

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2021 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with NOAA 802571.

**Drug Facts**

Active Ingredients	Purpose
Azelaic Acid, 1%	Sunscreen
Homosalate 10.0%	
Octinoxate 7.0%	
Oxybenzone 3.0%	

**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure.
- Reapply every 2 hours, or after swimming, sweating, or towel drying.
- Do not spray directly into face. Spray into hands then apply to face.
- Do not use on damaged skin.
- Use on a well-moisturized skin.
- After 60 minutes of swimming or sweating, reapply after towel drying.
- Do not use on children under 6 months of age. Ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and other risks. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protective measures including:
  - limit time in the sun, especially from 10 a.m. to 4 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.

**Other Information**

- Protect the product in this container from exposure to heat and direct sun.
- May stain or damage some fabrics, including car surfaces.

**Inactive Ingredients**

Alcohol denat., triethyl citrate, xanthan gum, polyethylene glycol, caprylic/capric triglyceride, copolymer, parabens, fragrance, vitamin E, titanium dioxide, and other non-essential ingredients.

**Questions?**

1-800-451-4291

**NO CPSC**

**METAL CAN**

Do not recycle in curbside collection.

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-48

9.1 oz (258 g)





The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.2%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> <b>For external use only</b>	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor	
<b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butylacetyl salicylate, acrylates/acrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-910-6874	



**100% satisfaction guaranteed  
or your money back.**

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2019 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare, LLC, owner of the registered  
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



DOT-SP 14786

Target Up & Up Kids SPF 50 Continuous Spray  
NDC 11673-941-48  
9.1 oz (258 g)

value  
size

SPF  
50

# kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection



NET WT 9.1 OZ (258 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	<b>Purpose</b> Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age; ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-910-6874	

037 11 1433 R01  
IDC-000021-01-178  
3 71661 82501 2

100% satisfaction guaranteed  
or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2020 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare, LLC, owner of the registered  
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



how2recycle.info



Target Up & Up Kids SPF 50 Continuous Spray  
NDC 11673-941-48  
9.1 oz (258 g)

value  
size

SPF  
50

# kids'


## sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection



NET WT 9.1 OZ (258 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

### Drug Facts

#### Active ingredients

Azobenzene 3.0%  
Homosalate 10.0%  
Octisalate 5.0%  
Octocrylene 4.0%

#### Purpose

Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

#### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Use in a well-ventilated area
- Repeat every 80 minutes of swimming or sweating
- Immediately after towel drying
- Reapply every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limiting time in the sun, especially from 10 a.m. to 2 p.m.; wearing long-sleeved shirts, pants, hats, and sunglasses

#### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

#### Inactive ingredients

alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

#### Questions?

Call 1-800-810-8874

**100% satisfaction guaranteed  
or your money back.**

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2020 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare, LLC, owner of the registered  
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



how2recycle.info



DOT-2P M5655

Copy Limit  
Height: 138 mm  
Width: 175.5 mm  
Backgrounds Bleed Up  
Outside Dimensions







# kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection



NET WT 9.1 OZ (258 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

## Drug Facts

### Active ingredients

Azobenzene 3.0%  
Homosalate 10.0%  
Octisalate 5.0%  
Octocrylene 4.0%

### Purpose

Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

#### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- Reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

alcohol denat., butylcyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin

### Questions?

Call 1-800-810-6874

100% satisfaction guaranteed  
or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2019 Target Brands, Inc.


\*This product is not manufactured or distributed by  
Bayer HealthCare, LLC, owner of the registered  
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 S82571.



DOT-SP 14786  
TC/DOT-2Q 57 053

Target Up & Up Kids SPF 50 Continuous Spray  
NDC 11673-941-62  
3 x 5.5 oz (156 g)



Target Up & Up Kids SPF 50 Continuous Spray  
NDC 11673-941-374  
5.5 oz (156 g)



**SPF 50**

**kids' sunscreen spray**  
broad spectrum SPF 50

**Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen\***

reef-conscious formula†

**up&up** water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

**NET WT 5.5 OZ (156 g)**

**RECOMMENDED SKIN CANCER FOUNDATION ACTIVE**

The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avoobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Under 6 months of age: ask a doctor	
<b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butylcyclohexyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-910-6874	

**100% satisfaction guaranteed or your money back.**

C-001226-01-005 R01  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2020 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.

Empty Before Recycling

**Recycle Locally**

**METAL CAN**

\*Not recycled in all communities

how2recycle.info

DOT-2P M566

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-62

3 x 5.5 oz (156 g)

82343V\_Kids50\_TRIPACK

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avoobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Under 6 months of age: ask a doctor	
<b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butylcyclohexyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-910-6874	

**up&up kids' sunscreen spray**  
broad spectrum SPF 50

**Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen\***

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

**THREE - NET WT 5.5 OZ (156 g) TOTAL - NET WT 16.5 OZ (468 g)**

**100% satisfaction guaranteed or your money back.**

C-001226-01-005 R01  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2020 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.

DOT-2P M566

Target Up & Up Kids SPF 50 Continuous Spray

NDC 11673-941-37

5.5 oz (156 g)



## kids' sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†



water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection

NET WT 5.5 OZ (156 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun-induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

### Drug Facts

#### Active ingredients

Avozone 3.0%  
Homosalate 10.0%  
Octisalate 5.0%  
Octocrylene 4.0%

#### Purpose

Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

#### FLAMMABLE

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• Spray liberally and spread evenly by hand 15 minutes before sun exposure

- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

#### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients** alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

#### Questions?

Call 1-800-810-8874

**100% satisfaction guaranteed  
or your money back.**

037 11 6359 R00 C-000973-01-008

Distributed by Target Corporation

Minneapolis, MN 55403

TM & ©2019 Target Brands, Inc.

\*This product is not manufactured or distributed by Bayer HealthCare, LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

†Formula is compliant with HJ SB2571.



how2recycle.info



DOT-SP 14786  
TC/DOT-2Q 89 5703

Target Up & Up Kids SPF 50 Continuous Spray  
NDC 11673-941-38  
11 oz (312 g)

family  
size

SPF  
50

# kids'


## sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection



NET WT 11 OZ (312 g)

Copy Limit  
Height: 171 mm  
Width: 199.5 mm

Backgrounds Bleed to  
Outside Dimensions



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	<b>Purpose</b> Sunscreen
<b>Uses</b> • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only <b>FLAMMABLE</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin. <b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F. <b>Stop use and ask a doctor if</b> • rash occurs. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Children under 6 months of age: ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., butylacetyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylammonium chloride, caprylic/capric triglyceride, glycerin	
<b>Questions?</b> Call 1-800-910-6874	

100% satisfaction guaranteed  
or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2020 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare, LLC, owner of the registered  
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1 SB2571.



\*Not recycled in all communities

037 11 6156 R01  
IDC-000021-01-178



DOT-2P M5665

Target Up & Up Kids SPF 50 Continuous Spray  
NDC 11673-941-38  
11 oz (312 g)



family size **SPF 50**

# kids'

## sunscreen spray

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection



NET WT 11 OZ (312 g)

Copy Limit  
Height: 171 mm  
Width: 199.5 mm

Backgrounds Bleed to  
Outside Dimensions



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

## Drug Facts

### Active ingredients

Ambixone 3.0%
Homosalate 10.0%
Octisalate 5.0%
Octocrylene 4.0%

Purpose

Sunscreen

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

#### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

alcohol denat., butylacrylate, acrylates/octylacrylamide copolymer, panthenol, tocopheryl (Vitamin E), fragrance, stearyltrimethylammonium, caprylic/capric triglyceride, glycerin

### Questions?

Call 1-800-910-6874

037 11 0959 R00  
IDC-000021-01-178



100% satisfaction guaranteed  
or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2019 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare, LLC, owner of the registered  
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with HJ SB2571.



how2recycle.info



Target Up & Up Kids SPF 50 Continuous Spray  
NDC 11673-941-63  
2 x 5.5 oz (156 g)



# kids' sunscreen spray

broad spectrum SPF 50


twin pack

SPF 50

Compare to Coppertone® Kids® SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)  
hypoallergenic  
UVA/UVB protection



2 – NET WT 5.5 OZ (156 g)  
TOTAL – NET WT 11 OZ (312 g)

**RECOMMENDED**  
The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 4.0%	
<b>Uses</b> • helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b> <ul style="list-style-type: none"><li>• do not use near heat, flame or while smoking</li><li>• avoid long term storage above 104°F (40°C)</li></ul>	
Do not use • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes, rinse with water to remove, • keep away from face to avoid breathing it, • do not puncture or incinerate. Contents under pressure, • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"><li>• Spray liberally and spread evenly by hand 15 minutes before sun exposure</li><li>• Hold can 4-6 inches away from the skin to apply</li><li>• Do not spray directly into face. Spray into hands then apply to face</li><li>• Do not apply in windy conditions</li><li>• Use in a well-ventilated area</li><li>• reapply:<ul style="list-style-type: none"><li>• after 80 minutes of swimming or sweating</li><li>• immediately after towel drying</li><li>• at least every 2 hours</li></ul></li><li>• children under 6 months of age, ask a doctor</li><li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:<ul style="list-style-type: none"><li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li><li>• wear long-sleeve shirts, pants, hats, and sunglasses</li></ul></li></ul>	
<b>Inactive ingredients</b> alcohol denat., butylacryl, salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin	
<b>Other information</b> <ul style="list-style-type: none"><li>• protect this product from excessive heat and direct sun</li><li>• may stain or damage some fabrics, materials or surfaces</li></ul>	
<b>Questions?</b> Call 1-800-910-4874	



100% satisfaction guaranteed  
or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2019 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare, LLC, owner of the registered  
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H 582571.



Target Up & Up Kids SPF 50 Continuous Spray  
NDC 11673-941-37  
5.5 oz (156 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

#### Drug Facts

##### Active Ingredients

Avobenzone 3.0%  
Homosalate 10.0%  
Octisalate 5.0%  
Octocrylene 4.0%

##### Purpose

Sunscreen

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

##### Warnings

For external use only

##### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin,

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

##### Directions

• Spray liberally and spread evenly by hand 15 minutes before sun exposure

• Hold can 4-6 inches away from the skin to apply

• Do not spray directly into face. Spray into hands then apply to face

• Do not apply in windy conditions

• Use in a well-ventilated area

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

##### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients** alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

##### Questions?

Call 1-800-910-6874

037 11 0053 R00  
IDC-000021-01-161

**100% satisfaction guaranteed  
or your money back.**

Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & ©2019 Target Brands, Inc.

\*This product is not manufactured or distributed by  
Bayer HealthCare, LLC, owner of the registered  
trademark Coppertone® and Coppertone Kids®.

†Formula is compliant with H1-SB2571.



how2recycle.info



# kids'

## sunscreen spray

SPF  
50

broad spectrum SPF 50

Compare to Coppertone® Kids®  
SPF 50 Continuous Spray Sunscreen\*

reef-conscious formula†

water resistant (80 minutes)

hypoallergenic

UVA/UVB protection



NET WT 5.5 OZ (156 g)

## TARGET UP AND UP KIDS SPF 50

avobenzone, homosalate, octisalate, octocrylene spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-941
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-941-48	258 g in 1 CAN; Type 0: Not a Combination Product	12/10/2018	
2	NDC:11673-941-62	3 in 1 PACKAGE	12/10/2018	
2	NDC:11673-941-37	156 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:11673-941-63	2 in 1 PACKAGE	12/10/2018	
3	NDC:11673-941-37	156 g in 1 CAN; Type 0: Not a Combination Product		
4	NDC:11673-941-38	312 g in 1 CAN; Type 0: Not a Combination Product	12/10/2018	
5	NDC:11673-941-64	207 g in 1 CAN; Type 0: Not a Combination Product	01/18/2021	
6	NDC:11673-941-86	2 in 1 PACKAGE	01/18/2021	
6	NDC:11673-941-64	207 g in 1 CAN; Type 0: Not a Combination Product		
7	NDC:11673-941-97	3 in 1 PACKAGE	03/03/2022	
7	NDC:11673-941-64	207 g in 1 CAN; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/10/2018	

**Labeler** - TARGET CORPORATION (006961700)