

**JOINTFLEX - jointflex cream**  
**Strides Consumer LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**JointFlex®**  
**Pain Relief Cream**  
**Drug Facts**

**Active Ingredient**

Camphor (3.2%)

**Purpose**

Topical analgesic

**Uses:**

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

**Warnings:**

**For external use only.**

**Do not use**

- if skin is irritated or damaged
- excessive irritation develops
- 12 years of age or under

**Ask a doctor before use if you have**

- redness over the affected area

**When using this product**

- use only as directed
- avoid contact with the eyes and mucous membranes
- do not apply to wounds, damaged, broken or irritated skin

- do not bandage tightly or use a heating pad
- do not swallow

**Stop use and ask doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- redness develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

adults and children 12 years of age and older:

- clean, rinse and dry skin prior to application
- apply generously to painful muscles and joints, gently massaging until the JointFlex® Pain Relieving Cream disappears
- repeat as necessary, but no more than 4 times a day
- for optimum benefit, use daily for at least two weeks and continue to use daily thereafter

children under 12 years of age:

- ask a doctor

**Other information**

- store at room temperature with the cap closed
- notice: because this product contains natural nutrients, color may vary

**Inactive ingredients:**

Acetylated Lanolin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Vera, C12-15 Alkyl Benzoate, Chondroitin Sulfate, Diazolidinyl Urea, Dimethicone, Dimethiconol Stearate, Disodium EDTA, dl Panthenol, Glucosamine Sulfate, Glycerin, Glycerol Stearate, Glycosaminoglycans, Hydroxylated Lanolin, Hydroxypropyl methycellulose, Iodopropynyl Butylcarbamate, Methyl Gluceth-20, Methyl Glucose Sesquistearate, Peppermint Oil, Polysorbate 20, Potassium Carbomer, Purified Water, Tocopheryl Acetate (Vitamin E).

## **Questions and comments?**

Call (866) 235-4581 or email [stridesconsumer@emersongroup.com](mailto:stridesconsumer@emersongroup.com)

Manufactured for

Strides Consumer LLC,

East Brunswick, NJ 08816

†Results based on a 2021 Healthcare Provider survey conducted by InStep Health as part of a point-of-care marketing campaign sponsored by Strides Consumer LLC.

Manufactured for Strides Consumer LLC, East Brunswick, NJ 08816

Licensed user of trademarks. © 2022 Strides Consumer LLC

[www.jointflex.com](http://www.jointflex.com)

## **PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

**8 Week Challenge** for pain relief

**Effectively Reduces Joint Pain**

**#1 CLINICALLY RECOMMENDED† JOINT PAIN CREAM**

**JointFlex® - Pain Relief Cream**

**Immediate & Long Lasting Relief\***

*Contains Glucosamine & Chondroitin\*\**

No stain/ No Grease/ Pleasant Scent

**DEEP PENETRATING Fusome®** Technology

Quick & effective penetration

Targeted pain relief

Long lasting relief when used daily

**Flex Your Freedom™**

Relieves Back, Neck, Shoulder, Knees, Elbow, Foot, Ankle, Leg Hand and Wrist pain

NET WT 4 OZ (114g)

NDC 72927-904-01


Visit **[www.jointflex.com](http://www.jointflex.com)** for more information

\* when applied as directed

\*\* For skin conditioning

011-1605C-R03





Tube label

## PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

**8 Week Challenge** for pain relief

**Effectively Reduces Joint Pain**

**JointFlex® - Pain Relief Cream**

**Immediate & Long Lasting Relief\***

Contains Glucosamine & Chondroitin\*\*

No stain/ No Grease/ Pleasant Scent

**DEEP PENETRATING Fusome®** Technology

Quick & effective penetration

Targeted pain relief

Long lasting relief when used daily

**Flex Your Freedom™**

Relieves Back, Neck, Shoulder, Knees, Elbow, Foot, Ankle, Leg Hand and Wrist pain

NET WT 1 OZ (28g)

NDC 72927-904-03

Visit **www.jointflex.com** for more information

\* when applied as directed

\*\* For skin conditioning

011-1606C-R01



Carton Label

NDC 72927-904-03

# JointFlex®

Pain Relief Cream

NET WT 1 OZ (28g)

Manufactured for Shibley Consumer LLC, East Brunswick, NJ 08816. Licensed user of trademarks. © 2020 Shibley Consumer LLC. 01-1616 R20. [JointFlex.com](http://JointFlex.com). Questions or comments? Call (866) 235-4581.

Drug Facts	
<b>Active ingredient</b>	<b>Purpose</b>
Camphor (3.2%)	Topical analgesic
<b>Uses:</b> For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
<b>Warnings:</b> For external use only.	
Do not use ■ if skin is irritated or damaged ■ excessive irritation develops ■ 12 years of age or under	
Ask a doctor before use if you have ■ redness over the affected area	
When using this product ■ use only as directed ■ avoid contact with the eyes and mucous membranes ■ do not apply to wounds, damaged, broken or irritated skin ■ do not bandage tightly or use a heating pad ■ do not swallow	
Stop use and ask doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness develops	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions:</b>	
adults and children 12 years of age and older:	■ clean, rinse and dry skin prior to application ■ apply generously to painful muscles and joints, gently massaging until the JointFlex® Pain Relief Cream disappears ■ repeat as necessary, but no more than 4 times a day ■ for optimum benefit, use daily for at least two weeks and continue to use daily thereafter
children under 12 years of age:	■ ask a doctor
<b>Other information:</b> ■ store at room temperature with the cap closed ■ notice: because this product contains natural ingredients, color may vary	
<b>Inactive ingredients:</b> Acetylated Lanolin, Acrylates/C10-30 Alkyl Acrylates Copolymer, Aloe Vera, C12-15 Alkyl Benzoate, Chondroitin Sulfate, Diazolidinyl Urea, Dimethicone, Dimethiconol Stearate, Disodium EDTA, dl Panthenol, Glucosamine Sulfate, Glycerin, Glycerol Stearate, Glycosaminoglycans, Hydrolyzed Lanolin, Hydroxypropyl Methylcellulose, Isopropyl Myristate, Isopropyl Myristate, Methyl Gluceth-20, Methyl Glucose Sesquistearate, Peppermint Oil, Polysorbate 20, Potassium Carbomer, Purified Water, Tocopheryl Acetate (Vitamin E).	

3 72917 00023 8

Tube Label

**8 Week Challenge** for pain relief

**Effectively Reduces Joint Pain**

**JointFlex® - Pain Relief Cream**

**Immediate & Long Lasting Relief\***

Contains Glucosamine & Chondroitin\*\*

No stain/ No Grease/ Pleasant Scent

**DEEP PENETRATING Fusome®** Technology

Quick & effective penetration

Targeted pain relief

Long lasting relief when used daily

**Flex Your Freedom™**

Relieves Back, Neck, Shoulder, Knees, Elbow, Foot, Ankle, Leg Hand and Wrist pain

NET WT 1 OZ (28g)

NDC 72927-904-04

Visit **www.jointflex.com** for more information

\* when applied as directed

\*\* For skin conditioning

Sample not for retail sale.

NDC 72927-904-04

# JointFlex®

Pain Relief Cream

NET WT 1 OZ (28g)

Manufactured for Shildes Consumer LLC, East Brunswick, NJ 08816. Licensed user of trademarks. © 2020 Shildes Consumer LLC. 800-1616-BCO. jointflex.com. Questions or comments? Call (866) 235-4581.

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Camphor (3.2%)	Topical analgesic
<b>Uses:</b> For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
<b>Warnings:</b> For external use only.	
Do not use ■ if skin is irritated or damaged ■ excessive irritation develops ■ 12 years of age or under	
Ask a doctor before use if you have ■ redness over the affected area	
When using this product ■ use only as directed ■ avoid contact with the eyes and mucous membranes ■ do not apply to wounds, damaged, broken or irritated skin ■ do not bandage tightly or use a heating pad ■ do not swallow	
Stop use and ask doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness develops	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions:</b>	
adults and children 12 years of age and older:	■ clean, rinse and dry skin prior to application ■ apply generously to painful muscles and joints, gently massaging until the JointFlex® Pain Relief Cream disappears ■ repeat as necessary, but no more than 4 times a day ■ for optimum benefit, use daily for at least two weeks and continue to use daily thereafter
children under 12 years of age:	■ ask a doctor
<b>Other information:</b> ■ store at room temperature with the cap closed ■ notice: because this product contains natural ingredients, color may vary	
<b>Inactive ingredients:</b> Acetylated Lanolin, Acrylates/C10-30 Alkyl Acrylates Crosspolymer, Aloe Vera, C12-15 Alkyl Benzoate, Chondroitin Sulfate, Diazolidinyl Urea, Dimethicone, Dimethiconol Stearate, Disodium EDTA, dl Panthenol, Glucosamine Sulfate, Glycerin, Glycerol Stearate, Glycosaminoglycans, Hydroxyethyl Lanolin, Hydroxypropyl Methylcellulose, Isopropyl Myristate, Carbamate, Methyl Gluceth-20, Methyl Glucose Sesquisearate, Peppermint Oil, Polysorbate 20, Potassium Carbomer, Purified Water, Tocopheryl Acetate (Vitamin E).	

**Sample not for retail sale.**

**JOINTFLEX**  
jointflex cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72927-904
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	3.2 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ACETYLATED LANOLIN</b> (UNII: 2X654GD19H)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CARBOMER 1342</b> (UNII: 809Y72KV36)	
<b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO)	
<b>CHONDROITIN SULFATE (SHARK)</b> (UNII: 2ZAJ1K50XH)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLUCOSAMINE SULFATE POTASSIUM CHLORIDE</b> (UNII: 15VQ11I66N)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>HYDROXYLATED LANOLIN</b> (UNII: EOIOB9800C)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
<b>METHYL GLUCETH-20</b> (UNII: J3QD0LD11P)	
<b>METHYL GLUCOSE SESQUISTEARATE</b> (UNII: V1YW10H14D)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>POLYOXYL 40 STEARATE</b> (UNII: 13A4J4NH9I)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>SHARK CARTILAGE</b> (UNII: D2YCN1I522)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:72927-904-01	1 in 1 CARTON	08/02/2019	
1		114 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:72927-904-03	1 in 1 CARTON	08/02/2019	

2		28 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:72927-904-04	1 in 1 CARTON	08/02/2019	
3		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/02/2019	

**Labeler** - Strides Consumer LLC (116975770)

## Establishment

Name	Address	ID/FEI	Business Operations
Beltapharm SPA		429236789	MANUFACTURE(72927-904) , PACK(72927-904)

Revised: 8/2023

Strides Consumer LLC