

EMESYL NAUSEA RELIEF- ipecacuanha, tabacum, zingiber officinale spray

Itonis, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Emesyl Nausea Relief Nasal Spray

Active ingredients

Ipecacuanha 3C
Tabacum 3C
Zingiber officinale 1C

Purpose

Nausea symptom relief

Uses

For the symptomatic relief of nausea, and nausea like symptoms.

Warnings

For nasal use only

Ask a doctor before use if you have

- ear, nose or throat sensitivity
- susceptibility to nose bleeds

When using this product

- Avoid contact with eyes. In case of accidental contact with eyes, flush with water and immediately seek professional help.
- The use of this container by more than one person may spread infection.

Stop use and ask a doctor

if symptoms persist.

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Pump one or two times into each nostril. Use once every 4 hours as needed.
- Adults and children 6 years of age and older (with adult supervision):
 - Remove cap & safety clip (also see illustration on side carton & insert).
 - Hold with thumb at bottom of bottle and nozzle between your fingers.
 - Before using the first time, prime pump by depressing several times.
 - Place tip of nozzle just past nasal opening (approximately 1/8”).
 - While inside nasal opening, slightly angle nozzle outward.
 - Pump one to two times into each nostril.
 - After application, press lightly on outside of each nostril for about 5 seconds.
 - Wait at least 30 seconds before blowing nose.
 - Use once every 4 hours
- Children under 6 years of age: Consult a doctor before use.

Inactive Ingredients

benzalkonium chloride, glycerin, hydroxyethylcellulose, methyl paraben, purified water

Principal Display Panel

Emesyl

Nausea Relief

Nasal Spray

Relief of:

•

Nausea

•

Nausea – like symptoms

0.50 FL OZ (15mL) Homeopathic

Take at the first signs of nausea symptoms

No known drug interactions

Non-drowsy

No jitters

Non-habit forming

Homeopathic

Distributed by:

Itonis, Inc.

22951 Mill Creek Dr.

Suite A

Laguna Hills, CA 92653

Product Package

EMESYL

Nausea Relief

Take at the first signs of nausea symptoms

No known drug interactions

Non-drowsy

No Jitters

Non-habit forming

Homeopathic

Distributed by

Iticonis, Inc.

22951 Mill Creek Dr.

Suite A

Laguna Hills, CA 92653

EMESYL

Nausea Relief

Relief of:

Nausea

Nausea - like symptoms

Nasal Spray



0.50 FL OZ (15mL) Homeopathic

EMESYL

Nausea Relief

DIRECTIONS

1. Remove cap and safety clip.

2. Hold with thumb at bottom of bottle and to side between your ring & middle finger.

3. Prior to initial use, prime pump by holding upright and depress nozzle several times into air space until the liquid is dispensed.

4. Place tip of nozzle just past nasal opening (approximately 1/8").

5. While inside nasal opening, slightly angle nozzle outward, as shown.

6. Pump one to two times into each nostril.

7. After application, press lightly on the outside of each nostril for about 5 seconds.

Homeopathic

Drug Facts

Active Ingredients

Ipecacuanha 3C.....

Tabacum 3C.....

Zingiber officinale 1C.....

Purpose

Nausea symptom relief

Uses

For the symptomatic relief of nausea, and nausea like symptoms.

Warnings

For nasal use only

Ask a doctor before use if you have

ear, nose or throat sensitivity

susceptibility to nose bleeds

When using this product

Avoid contact with eyes. In case of accidental contact with eyes, flush with water and immediately seek professional help.

The use of this container by more than one person may spread infection. Stop use and ask a doctor if symptoms persist.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Pump one or two times into each nostril. Use once every 4 hours as needed.

Adults and children 6 years of age and older (with adult supervision):

Remove cap & safety clip (also see illustration on side carton & insert).

Hold with thumb at bottom of bottle and nozzle between your fingers.

Before using the first time, prime pump by depressing several times.

Place tip of nozzle just past nasal opening (approximately 1/8").

While inside nasal opening, slightly angle nozzle outward.

Pump one to two times into each nostril.

After application, press lightly on outside of each nostril for about 5 seconds.

Wait at least 30 seconds before blowing nose.

Use once every 4 hours.

Children under 6 years of age: Consult a doctor before use.

Inactive Ingredients

benzalkonium chloride, glycerin, hydroxyethylcellulose, methyl paraben, purified water

EMESYL NAUSEA RELIEF

ipecacuanha, tabacum, zingiber officinale spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59067-001
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	3 [hp_C] in 15 mL
TOBACCO LEAF (UNII: 6YR2608RSU) (TOBACCO LEAF - UNII:6YR2608RSU)	TOBACCO LEAF	3 [hp_C] in 15 mL
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	1 [hp_C] in 15 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE (100 MPAS AT 2 %) (UNII: R33S7TK2EP)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

		Marketing Start	Marketing End
--	--	-----------------	---------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59067-001-01	1 in 1 CARTON	05/20/2014	
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic			05/20/2014	

Labeler - Itonis, Inc. (829456545)

Revised: 10/2018

Itonis, Inc.