INTENSIVE HEALING ANTI ITCH- hydrocortisone cream Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Corporation Intensive Healing Anti-Itch Cream Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, sumac
- insect bites
- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- for the treatment of diaper rash. Ask a doctor.
- in the genital area if you have a vaginal discharge. Ask a doctor.

When using this product

- avoid contact with the eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

• condition worsens, symptoms persist for more than 7 days or clear up and occur again within a

few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

rectal bleeding occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- for external anal and genital itching, adults:
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

• store at 20°-25°C (68°-77°F)

Inactive ingredients

aloe barbadensis leaf juice, avena sativa (oat) kernel extract, benzyl alcohol, butylated hydroxytoluene, cetostearyl alcohol, cetyl alcohol, chamomilla recutita (matricaria) flower extract, diazolidinyl urea, dimethicone, distearyldimonium chloride, edetate disodium, glycerin, glyceryl monostearate, hydrolyzed collagen, hydrolyzed elastin, hydrolyzed jojoba esters, jojoba esters, magnesium ascorbyl phosphate, menthyl lactate, methyl gluceth-20, methylparaben, petrolatum, polysorbate 60, potassium hydroxide, PPG-12/SMDI copolymer, propylparaben, purified water, retinyl palmitate, stearamidopropyl PG-dimonium chloride phosphate, steareth-2, steareth-21, stearyl alcohol, tocopheryl acetate

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient of Cortizone ●10® Intensive Healing Formula

MAXIMUM STRENGTH

CLINICALLY PROVEN TO MOISTURIZE 24 HOURS

intensive healing anti-itch cream

relieves itch fast

temporarily relieves dry, itchy skin, rashes, insect bites, eczema & psoriasis, inflammation, irritation & redness

calms, nourishes, hydrates

safe for sensitive skin

1% hydrocortisone
with antioxidants & chamomile
NET WT 1 OZ (28 g)
enriched with vitamins A, C & E





Drug Facts

Active ingredient

Purpose

Uses

- tem porarily relieves itching as sociated with minor skin irritations, inflam mation, and rashes due to:

- of a doctor

Warnings For external use only

Do not use

for the treatment of diaper rash. Ask a docto

■ in the genital area if you have a vaginal discharge. Ask a doctor.

When using this product ■ avoid contact with the eyes

- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

Econdifion works as your primary and do not begin use of any other hydrocortisone product unless you have asked a doctor

 Erectal bleading segue.

■ rectal bleeding occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- # for itching of skin irritation, inflamma fion, and rashes:
 adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- children under 2 years of age: do notuse, aska a occor
 for external anal and genital itching, adults:
 when practical clean the affected area with mild scap and warm water and
 rinse thoroughly
 gently dry by pating or blotting with toilet tissue or a soft cloth before applying
 apply to affected area not more than 3 to 4 times daily


 title and to the action of the actio
- children under 12 years of age: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F)

Inactive ingredients aloe barbadens is leaf juice, avenas ativa (oat) kernel mactive in greaters are benacers is replace, even sativated by terms carried, benaced as the control of the con propybaraben, purified water, retinyl palmitate, stearam itopropyl PG-dimonium chloride phosphate, steareth-2, steareth-21, stearyl alcohol, tocopheryl acetate

(Questions or comments? 1-800-71 9-9260

*This product is not manufactured or distributed by Chattem, Inc., distributor of Cortizone •10® Intensive Healing Formula.





YOUR MONEY. ME'LL HAPPILY REFUND IF YOU'RE NOT SATISFIED,



Camp Hill, PA 17011 30 Hunter Lane **Pite Aid** DISTRIBUTED BY

INTENSIVE HEALING ANTI ITCH

hydrocortisone cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-0416

TOPICAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength HYDROCORTISONE (UNII: WI4X0X7BPJ) (HYDROCORTISONE - UNII:WI4X0X7BPJ) HYDROCORTISONE 1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
OAT (UNII: Z6J799EAJK)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)

CETYL ALCOHOL (UNII: 936JST6JCN) CHAMO MILE (UNII: FGL3685T2X)

DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)

DIMETHICO NE (UNII: 92RU3N3Y10)	
DISTEARYLDIMO NIUM CHLO RIDE (UNII: OM9573ZX3X)	
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)	
HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)	
MAGNESIUM ASCORBYL PHO SPHATE (UNII: 0 R8 22556 M5)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
METHYL GLUCETH-20 (UNII: J3QD0LD11P)	
METHYLPARABEN (UNII: A2I8 C7HI9 T)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
VITAMIN A PALMITATE (UNII: 1D1K0 N0 VVC)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

Product Characteristics				
Color	WHITE (Off white)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0416-1	1 in 1 CARTON	03/20/2014	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	03/20/2014		

Labeler - Rite Aid Corporation (014578892)

Revised: 12/2019 Rite Aid Corporation