

PREMIER VALUE FIBER THERAPY- methylcellulose tablet
PHARMACY VALUE ALLIANCE, LLC

Premier Value Fiber Therapy Methylcellulose 500 mg 100 Caplets

Active ingredient (in each caplet)

Methylcellulose 500mg

Purpose

Bulk-forming fiber laxative (a non-allergenic fiber)

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 12 -72 hours.

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have

- a sudden change in bowel habits that persists over a period of two weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- Constipation lasts more than 7 days
- you have rectal bleeding
- These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

Take this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid.

Taking this product without enough liquid may cause choking. See choking warning.

Age	Dose	Maximum Dose
adults & children 12 years of age and over	start with 2 caplets. Increase as needed up to 6 times per day.	Do not exceed 12 caplets per day
Children 6-11 years of age	Start with 1 caplet. Increase as needed up to 6 times per day	Do not exceed 6 caplets per day
children under 6 years of age	Consult a physician	Consult a physician

Other information

- **each caplet contains:** calcium 18 mg
- store at room temperature
- protect contents from humidity
- keep tightly closed

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

Inactive ingredients

adipic acid, calcium carbonate, crospovidone, FD&C Yellow no. 6, magnesium stearate, microcrystalline cellulose, polysorbate 80, silica.

Questions or comments?

1-866-467-2748

Principal Display Panel

Premier Value®

NDC# **68016-122-10**

***COMPARE TO THE ACTIVE INGREDIENTS CITRUCEL® CAPLETS**

Fiber Therapy

Fiber Therapy for Regularity

Methylcellulose

- Gentle and clinically proven effective
 - Gives you additional fiber to help relieve occasional constipation
 - Fiber for irregularity that won't cause excess gas**
- 100 CAPLETS

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

*When Used As Directed.

**Based on Laboratory Testing.

*This product is not manufactured or distributed by GlaxoSmithKline, owner of the registered trademark Citrucel® Caplets.

Fiber Therapy

METHYLCELLULOSE

- Gentle and clinically proven effective*
- Gives you additional fiber to help relieve occasional constipation
- Fiber for irregularity that won't cause excess gas**

100 FIBER CAPLETS

*COMPARE TO THE
ACTIVE INGREDIENT IN
CITRUCEL® CAPLETS

**TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER
CAP IS TORN OR MISSING.**

Drug Facts

Active ingredient (in each caplet) *Purpose*
Methylcellulose (a non-allergenic fiber) 500mg
..... Bulk-forming fiber laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 12-72 hours

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have ■ a sudden change in bowel habits that persists for two weeks ■ abdominal pain, nausea or vomiting

Stop use and ask a doctor if ■ constipation lasts more than 7 days ■ you have rectal bleeding
These could be signs of a serious condition.

Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center right away at 1-800-222-1222.

*This product is not manufactured or distributed by GlaxoSmithKline owner of the registered trademark Citrucel® Caplets.

If for any reason you are not satisfied
with this product, please return it to the
store where purchased for a full refund.

Distributed By:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087

*When Used As Directed.

**Based On Laboratory Testing.
Individual Results May Vary.

LOT:

122100PVL R

READ THESE INSTRUCTIONS
AND DIRECTIONS
PEEL BACK HERE

EXP:

NON VARNISH AREA

Drug Facts (continued)

Directions Take this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning.

Age	Dose	Maximum Dose
adults & children 12 years of age and over	start with 2 caplets. Increase as needed up to 6 times per day.	do not exceed 12 caplets per day.
children 6-11 years of age	start with 1 caplet. Increase as needed up to 6 times per day.	do not exceed 6 caplets per day.
children under 6 years of age	consult a physician	consult a physician

Other information ■ **each caplet contains:** calcium 18 mg ■ store at room temperature ■ protect contents from humidity ■ keep tightly closed

Inactive ingredients adipic acid, calcium carbonate, croscaprovdone, FD&C Yellow No. 6, magnesium stearate, microcrystalline cellulose, polysorbate 80, silica.

Questions or comments? 1-866-467-2748

STOP PEELING HERE

methylcellulose tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-122
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
METHYLCELLULOSE (4000 MPA.S) (UNII: MRJ667KA5E) (METHYLCELLULOSE (4000 MPA.S) - UNII:MRJ667KA5E)		METHYLCELLULOSE (4000 MPA.S)	500 mg	
Inactive Ingredients				
Ingredient Name			Strength	
ADIPIC ACID (UNII: 76A0JE0FKJ)				
CALCIUM CARBONATE (UNII: H0G9379FGK)				
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
Product Characteristics				
Color	ORANGE (Light orange)	Score	no score	
Shape	CAPSULE (Caplet)	Size	19mm	
Flavor		Imprint Code	RP122	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-122-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/19/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007		04/19/2019	

Labeler - PHARMACY VALUE ALLIANCE, LLC (101668460)