

**CLEAR CHOICE EXTRA STRENGTH PAIN RELIEVER- acetaminophen tablet  
Athlete's Needs, Inc.**

-----  
**Clear Choice Extra Strength Pain Reliever**

**Active Ingredient (in each tablet)**

Acetaminophen 500 mg

**Purposes**

Pain reliever/fever reducer

**Uses**

temporary relief of minor aches and pains associated with

- common cold
- headache
- toothache
- muscular aches
- backache
- minor pain of arthritis
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen.

- Severe liver damage may occur if
- adult takes more than 4,000mg of acetaminophen in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you**

are taking blood thinning drug warfarin

**Stop use and ask a doctor if**

- symptoms do not improve
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present
- a rare sensitivity reaction occurs
- **You may report side effects to 800-326-8147**

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) immediately.

Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**Do not exceed recommended dosage.**

**Directions**

**do not use more than directed (see overdose warning)**

**Do not use more than 10 days unless directed by a doctor**

- **adults and children 12 years and over: take two tablets every 4 to 6 hours. Do not take more than 8 tablets in 24 hours.**
- **children under 12 years: do not use this product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage**

**Other information**

- store between 59°-86°C (15°-30°F)

- do not use if imprinted safety seal under cap is broken or missing

### **Inactive ingredients**

corn starch, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

### **Package Label**

Clear Choice

Extra Strength

PAIN RELIEVER

ACETAMINOPHEN

PAIN & FEVER RELIEF

CONTAINS NO ASPIRIN

CAFFEINE FREE

Compare to Extra Strength Tylenol (R)

See new warnings information

100 Tablets

500 mg Each

Questions? Contact A.N.I. Toledo OH

Manufactured for A.N.I. Toledo OH 436253



Extra Strength  
**PAIN RELIEVER**  
ACETAMINOPHEN

**PAIN & FEVER RELIEF**  
**CONTAINS NO ASPIRIN**  
**CAFFEINE FREE**

Compare To  
Extra Strength  
Tylenol®\*

See new  
warnings information  
**500 mg Each**

**100 Tablets**

**Drug Facts**

**Active ingredient (in each tablet) Purposes**  
Acetaminophen 500 mg.....Pain reliever/fever reducer

**Uses** temporary relief of minor aches and pains associated with  
 ■ common cold ■ headache  
 ■ toothache ■ muscular aches ■ backache ■ minor pain of arthritis ■ premenstrual and menstrual cramps  
 ■ temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if  
 ■ adult takes more than 4,000 mg of acetaminophen in 24 hours  
 ■ taken with other drugs containing acetaminophen  
 ■ adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin reddening ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

■ if you are allergic to acetaminophen ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have liver disease.**  
**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

Questions? A.N.I. 6029 Renaissance Pl. Toledo, OH 43623  
 Manufactured for A.N.I. Toledo, OH



LB0636  
R0616  
CODE 11901

0 92617 11901 5

Lot No.:  
Exp. Date:  
**SEE HERE** →

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Extra Strength Tylenol®.

**Inactive ingredients**

corn starch, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

**Other information**

■ store between 59°-86°C (15°-30°F) ■ do not use if imprinted safety seal under cap is broken or missing

**Directions**

■ do not use more than directed (see overdose warning)  
 ■ Do not use more than 10 days unless directed by a doctor  
 ■ adults and children 12 years and over: take 2 tablets every 4 to 6 hours. Do not take more than 8 tablets in 24 hours.  
 ■ children under 12 years: do not use this product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage

**Stop use and ask a doctor if**

■ symptoms do not improve ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts for more than 3 days ■ new symptoms occur ■ redness or swelling is present ■ a rare sensitivity reaction occurs  
 ■ You may report side effects to 800-326-8147  
 If pregnant or breast-feeding, ask a health professional before use  
**Keep out of reach of children.** In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) immediately. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. Do not exceed recommended dosage.

**Drug Facts (Continued)**

**Acetaminophen 500mg**

**CLEAR CHOICE EXTRA STRENGTH PAIN RELIEVER**

acetaminophen tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53185-002
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	

## Product Characteristics

<b>Color</b>	white (micro-filmed coated white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (round, standard convex)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ235
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53185-002-00	100 in 1 BOTTLE; Type 0: Not a Combination Product	09/13/2012	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/13/2012	

**Labeler** - Athlete's Needs, Inc. (619703945)

Revised: 12/2018

Athlete's Needs, Inc.