

**EXTRA STRENGTH PAIN RELIEVER- acetaminophen tablet, film coated**  
**Walgreen Company**

-----  
**Walgreens 44-531C Delisted**

***Active ingredient (in each tablet)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - toothache
  - muscular aches
  - backache
  - the common cold
  - minor pain of arthritis
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 tablets every 6 hours while symptoms last
  - do not take more than 6 tablets in 24 hours, unless directed by a doctor
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

***Other information***

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, D&C red #27 aluminum lake, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, polyethylene glycol, polyvinyl alcohol, povidone, sodium starch glycolate\*, stearic acid, sucralose, talc, titanium dioxide

\*may contain this ingredient

***Questions or comments?***

**1-800-426-9391**

***Principal Display Panel***

***Walgreens***

Compare to the active ingredient  
in Extra Strength Tylenol®††

NDC 0363-0531-12

**Pain  
Reliever**

**ACETAMINOPHEN** 500 mg /  
PAIN RELIEVER / FEVER REDUCER

**EXTRA STRENGTH**

**100**  
COATED  
TABLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†Our pharmacists recommend the Walgreens brand. We invite  
you to compare to national brands.

††This product is not manufactured or distributed by Johnson  
& Johnson Corporation, owner of the registered trademark  
Extra Strength Tylenol®.

50844      ORG122053112

DISTRIBUTED BY: **WALGREEN CO.**  
**200 WILMOT RD., DEERFIELD, IL 60015**  
**100% SATISFACTION GUARANTEED**  
**walgreens.com** ©2021 Walgreen Co.

ITEM 243692



**Walgreens B-2201-531C-12-HR ORG1220**

## EXTRA STRENGTH PAIN RELIEVER

acetaminophen tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0531
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
May contain	SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

## Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	44;531
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0531-15	1 in 1 CARTON	12/11/2005	07/24/2024
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-0531-12	1 in 1 CARTON	12/11/2005	07/24/2024
2		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0363-0531-37	1 in 1 CARTON	12/11/2005	04/23/2020
3		75 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:0363-0531-29	150 in 1 BOTTLE; Type 1: Convenience Kit of Co-Package	12/11/2005	09/02/2018

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/11/2005	07/24/2024

**Labeler** - Walgreen Company (008965063)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-0531)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-0531)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-0531)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(0363-0531)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-0531)

Revised: 2/2024

Walgreen Company