

**ATOMY SUNSCREEN WHITE BROAD SPECTRUM SPF 50 PLUS- homosalate, octisalate, titanium dioxide, zinc oxide cream**  
**ATOMY CO., LTD.**

-----

**ACTIVE INGREDIENTS**

HOMOSALATE 7.50%  
OCTISALATE 4.50%  
TITANIUM DIOXIDE 2.20%  
ZINC OXIDE 12.70%

**INACTIVE INGREDIENTS**

Aqua/Water/Eau, Cyclopentasiloxane, Dipropylene Glycol, Disiloxane, Lauryl Peg-10 Tris(Trimethylsiloxy)Silylethyl Dimethicone, Glycerin, Niacinamide, Propylheptyl Caprylate, Portulaca Oleracea Extract, Silica, Dimethicone, Distearidimonium Hectorite, Magnesium Sulfate, 1,2-Hexanediol, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Triethoxycaprylylsilane, Aluminum Hydroxide, Stearic Acid, Sorbitan Caprylate, Dimethicone/Peg-10/15 Crosspolymer, Fragrance(Parfum), Dimethicone/Vinyl Dimethicone Crosspolymer, Glyceryl Caprylate, Ethylhexylglycerin, Adenosine, Tocopherol, Camellia Sinensis Leaf Extract, Melissa Officinalis Extract, Centella Asiatica Extract, Perilla Ocymoides Leaf Extract

**PURPOSE**

Sunscreen

**WARNINGS**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**KEEP OUT OF REACH OF CHILDREN**

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

## **Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses

## **Other Information**

Protect this product from excessive heat and direct sun

## **PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

ATOMY SUNSCREEN WHITE  
Broad Spectrum SPF 50+

atom美  
ATOMY

ATOMY SUNSCREEN WHITE  
Broad Spectrum SPF 50+

### Drug Facts

Active Ingredient	Purpose
Homosalate 7.50%	SUNSCREEN
Octisalate 4.5%	
Titanium Dioxide 2.20%	
Zinc Oxide 12.70%	

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses

#### Imported & Distributed By:

**Atomy America Inc.**  
33801 1st Way South, Suite #301  
Federal Way, WA 98003  
TEL : +1-253-946-2344  
www.atomy.com/us

**R&D CENTER**  
KOLMAR BNH CO., LTD.  
**MANUFACTURER**  
KOLMAR KOREA CO., LTD.

See bottom of the container  
for lot number and expiration  
date.

MADE IN KOREA



8 809204 928965

ATOMY SUNSCREEN  
Broad Spectrum SPF 50+

Broad Spectrum Sunscreen  
Helps protect skin from UVA/UVB rays

2 FL. OZ. (60 mL)

### Drug Facts

(continued)

#### Other information

- protect this product from excessive heat and direct sun

#### Inactive Ingredients

1,2-Hexanediol, Adenosine, Aluminum Hydroxide, Aqua/Water/Eau, Camellia Sinensis Leaf Extract, Centella Asiatica Extract, Cyclopentasiloxane, Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipropylene Glycol, Disiloxane, Distearidimonium Hectorite, Ethylhexylglycerin, Fragrance(Parfum), Glycerin, Glyceryl Caprylate, Lauryl PEG-10 Tris(trimethylsiloxy) Silylethyl Dimethicone, Magnesium Sulfate, Melissa Officinalis Extract, Niacinamide, Perilla Ocymoides Leaf Extract, Portulaca Oleracea Extract, Propylheptyl Caprylate, Silica, Sorbitan Caprylate, Stearic Acid, Tocopherol, Triethoxycaprylylsilane, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

US11-060821

ATOMY SUNSCREEN WHITE  
Broad Spectrum SPF 50+

atom美  
ATOMY

ATOMY SUNSCREEN WHITE  
Broad Spectrum SPF 50+

### Drug Facts

Active Ingredient	Purpose
Homosalate 7.50%	SUNSCREEN
Octisalate 4.5 %	
Titanium Dioxide 2.20%	
Zinc Oxide 12.70%	

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses

#### Imported & Distributed By:

**Atomy America Inc.**  
33801 1st Way South, Suite #301  
Federal Way, WA 98003  
TEL : +1-253-946-2344  
www.atomy.com/us

**R&D CENTER**  
KOLMAR BNH CO., LTD.  
**MANUFACTURER**  
KOLMAR KOREA CO., LTD.

See bottom of the container  
for lot number and expiration  
date.

MADE IN KOREA



8 809204 928965

ATOMY SUNSCREEN  
Broad Spectrum SPF 50+

Broad Spectrum Sunscreen  
Helps protect skin from UVA/UVB rays

2 FL. OZ. (60 mL)

### Drug Facts

(continued)

#### Other information

- protect this product from excessive heat and direct sun

#### Inactive Ingredients

1,2-Hexanediol, Adenosine, Aluminum Hydroxide, Aqua/Water/Eau, Camellia Sinensis Leaf Extract, Centella Asiatica Extract, Cyclopentasiloxane, Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipropylene Glycol, Disiloxane, Distearidimonium Hectorite, Ethylhexylglycerin, Fragrance(Parfum), Glycerin, Glyceryl Caprylate, Lauryl PEG-10 Tris(trimethylsiloxy) Silylethyl Dimethicone, Magnesium Sulfate, Melissa Officinalis Extract, Niacinamide, Perilla Ocymoides Leaf Extract, Portulaca Oleracea Extract, Propylheptyl Caprylate, Silica, Sorbitan Caprylate, Stearic Acid, Tocopherol, Triethoxycaprylylsilane, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

US11-060821

# ATOMY SUNSCREEN WHITE BROAD SPECTRUM SPF 50 PLUS

homosalate, octisalate, titanium dioxide, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52257-1450
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4.5 g in 60 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.7 g in 60 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.32 g in 60 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	7.62 g in 60 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>Dipropylene Glycol</b> (UNII: E107L85C40)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52257-1450-1	60 mL in 1 CARTON; Type 0: Not a Combination Product	06/01/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2021	

**Labeler** - ATOMY CO., LTD. (631154601)

**Registrant** - ATOMY CO., LTD. (631154601)

## Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea Co.,LTD. Gwanjeong 2 factory		963271750	manufacture(52257-1450)

